





Commercial Press-fit Plumbing



Contents

○ Introduction	2	M1 Connectors and accessories	14-15
Features and benefits	2	Accessories and tools	16 - 21
Specifications	2	⊙ Installation and Assembly	22-30
Applications	2	Installer information	22
⊙ Tigris K1 Multilayer Composite Pipe	3-4	Pipe preparation and assembly	23
		Connecting to copper	24
Advantages in practice	3	Pipe: Bending, mounting and expansion	25
Technical specification	3	Calculating pipe length changes	26
Product features	4	Fixing intervals	27
⊙ Tigris K1 Press-fit Fittings	5-6	Pipe installation considerations	28
		Safety and maintenance of press-fit tools	29
Advantages in practice	5	Press-fit tool and jaw compatibility	30
Technical specification	5	System testing and initial operation	30
Product features	6	Pressure test procedure	31
Product Selector	7-21	Design Support – Revit BIM	32
Pipe	7-8	Building Information Modelling (BIM)	32
Fittings	8-14	'How to' Videos	32

1

Tigris K1 Introduction

Commercial Press-fit Plumbing

Tigris K1 Range Introduction

Tigris K1 is a press-fit plumbing system designed for potable water, sanitary and heating applications. With WRAS, DVGW and KIWA approvals and certification to EN-ISO 21003 and BS 6920:2000, it is ideally suited for installation on commercial projects such as educational establishments, apartment blocks and hotels.

The Tigris K1 system comprises multilayer composite pipe and high quality polyphenylsulphone (PPSU) fittings with a fixed stainless steel sleeve, in sizes (outside diameter) 16mm, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm and 75mm. Fittings are compressed onto the pipe using a battery or mains-powered press-fit tool in an operation that takes a fraction of the time of traditional soldering techniques.

Already widely specified and accorded a design award in Europe, Wavin Tigris K1 is the proven and perfected system for commercial plumbing and heating projects.



Features and Benefits

The Tigris K1 system offers a number of advantages when compared to both traditional materials and similar products:

- Patented hexagonal head shape means low insertion force is required at assembly
- Due to the flexible nature of multilayer pipe, Tigris K1 requires minimal fittings thereby reducing installation time and cost and improving flow rates
- Metal layer in the pipe means it is resistant to oxygen diffusion and dimensionally stable
- Thermal expansion is comparable with copper
- Plastic layers in the pipe mean it is flexible and corrosion resistant
- High resistance to scale build-up and stress-cracking
- O High pressure and temperature resistance
- Quick, simple and safe jointing method resulting in installed cost savings when compared to traditional systems Defined leak function to reveal unpressed fittings at pressure test
- Proven press-fit technique, with no soldering, welding or thread-cutting required and no costly hot works insurance permits needed.
- Metal layer in pipe can be detected in walls or floors through the use of a detecting device
- Light in weight, particularly in comparison to screwed steel products
- 25 year guarantee

Specifications

Multilayer composite pipes and fittings are capable of being used on potable water, hot and cold water, heating installations and fan coil unit applications.

The multilayer composite pipe are manufactured from PEX-c with a crosslinking coefficient of more than 60%, butt-welded aluminium and HDPE.

Pipes and fittings are approved by KIWA and DVGW, and are capable of operating at 6 bar at 95°C and pressures up to 10 bar at lower temperatures.

WRAS approval (1610085) has been obtained from testing Tigris K1 pipes and fittings at 95°C and a pressure of 6 bar.

Applications

Tigris K1 can be used on potable water, hot and cold water, heating installations, and fan coil units. It is also suitable for installations where health and hygiene are of particular importance, for example in operating theatres or food preparation facilities.

The Tigris K1 system can also be used in both new build and refurbishment projects. If you would like one of our team to assess the suitability of Tigris K1 for your project, or need any more information please speak to your project sales representative or call our technical team on 0844 856 5165.

Tigris K1 Commercial Press-fit Plumbing

Multilayer Composite Pipe

Wavin's multilayer composite pipe comprises an inner plastic layer made of cross-linked polyethylene (PEX-c), an outer plastic layer of high density polyethylene (HDPE), and a butt welded (for consistent wall thickness) aluminium layer, in between.

The aluminium layer is welded to the inner and outer plastic layers by the use of a coupling agent, producing a pipe structure with a total of five layers (see Figure 1).

This two step manufacturing process gives greater control, resulting in a consistently high quality pipe.

As well as being resistant to oxygen diffusion, the uniform plastic-metal construction offers additional advantages:

- The pipe is dimensionally stable, resistant to unwanted movement yet flexible
- Easy bending means that installation is simple and time required can be reduced to a minimum
- The permanent connection of the plastic pipes to the aluminium pipe means that the length expansion is determined by the metal. It is roughly equal to that of copper, i.e. it is minimal (see page 25 – 27 for more information)

Advantages in practice:

- Low weight
- Dimensions from 16mm to 75mm
- Significantly fewer fittings needed due the ease of pipe bending and long pipe coils
- Easy bending with dimensional stability is ideal for tight installation situations
- Quick and safe assembly
- Resistant to oxygen diffusion
- Suitable for all water qualities
- Free from scale build up
- O Corrosion resistant
- Minimal length expansion
- Pressure and temperature resistant

Figure 1: Multilayer composite pipe structure




Table 1: Technical specifications

Wavin multilayer composite pipe	
Pipe material	Internal layer is electron-beam crosslinked polyethylene (PE-Xc), external layer is HDPE, with an aluminium layer between, connected by special bonding agents
Pipe colour	White
Oxygen Barrier	100%
Maximum operating pressures (according to ISO10508)	Class 1 (Sanitary / 60°C) 10 bar Class 2 (Sanitary / 70°C) 10 bar Class 4 (Underfloor heating) 10 bar Class 5 (Radiator heating) 6 bar
Max. constant operating temperature	85°C (with a max. pressure of 6 bar)
Max. short term operating temperature	100°C (max. 100h in 50 years)
Max. permanent operating pressure	10 bar (with a max. temperature of 70°C)
Coefficient of thermal expansion	0.025 – 0.030 mm/m K
Thermal conductivity	0.4 W/m K
Pipe roughness	0.007mm

Multilayer Composite Pipe

The Wavin multilayer composite pipe for radiator heating and underfloor heating

Wavin's multilayer composite pipe can be used for both radiator and floor heating systems. Being 100% resistant to oxygen diffusion, temperature resistant, supple and flexible, it offers outstanding properties for all types of heating installations.

Aluminium thickness

The aluminium layer in the Wavin pipe is manufactured using butt-welding technology. This gives a secure aluminium layer with no variation in thickness of the aluminium or the finished pipe and ensures a reliable seal when the pipe is connected to the fittings.


Corrosion resistance

The plastic internal and external layers offer minimal surface friction for water as a result of their low roughness. Deposits and corrosion are things of the past.

It can be safely used in mixed installations as there is no risk of electrochemical corrosion. Moreover, the plastic outer sheath allows embedding of the Wavin multilayer composite pipe directly in the screed.

Limited thermal expansion

The thermal length expansion is dictated by the (middle) aluminium layer so is very similar to that of a metal pipe.



Additional protective measures

Thermal overloading of the composite pipe network must be avoided by taking appropriate safety precautions including the use of suitably regulated equipment and monitoring equipment.

Protection from UV radiation

The plastic outer sheath of the composite pipe provides adequate protection from indirect UV radiation inside buildings and no further measures are required. However, the pipes must not be constantly subjected to direct UV radiation (solar radiation outdoors) without suitable protective sheathing.

Installation

Wavin's Tigris K1 pipe can be handled by a single installer. Optimal aluminium thickness means it can be bent by hand for pipes up to 20mm diameter. Bending springs and bending pliers may be used to assist and should always be used for diameters 25mm and above.

Accessories and tools

The pipe ends must be calibrated and de-burred using the Wavin calibration tool. The pipe can then safely be inserted and connected to all fittings.



Press Fitting System

Advantages in practice:

- Adaptors included in range for easy connectivity to Wavin's Hep₂O system or to copper systems
- Dimensions from 16mm to 75mm
- Low insertion forces due to the patented Wavin hexagonal head shape
- O Defined leak function reveals unpressed fittings at pressure test
- Quick and safe assembly
- Suitable for any water quality
- 25 year guarantee

Approvals and Certificates

Wavin Tigris K1 is subject to constant internal quality controls and continuous external monitoring.

Wavin Tigris K1 is certified to EN-ISO 21003 and BS 6920:2000. It is also approved by WRAS, DVGW and KIWA.







Table 2: Technical specifications

Wavin Tigris K1	
Pipe material (for multilayer composite pipes see pages 7 and 8)	Internal layer is electron-beam crosslinked polyethylene (PE-Xc), external layer is PE, with an aluminium layer between, connected by special bonding agents
Fitting material	polyphenylsulphone (PPSU), press sleeve in stainless steel
Pipe colour	White
Maximum operating pressures (according to EN21003)	Class 1 (Sanitary / 60°C) 10 bar Class 2 (Sanitary / 70°C) 10 bar Class 4 (Underfloor heating) 10 bar Class 5 (Radiator heating) 6 bar
Max. permanent operating temperature	85°C (with a max. pressure of 6 bar)
Max. short term operating temperature	100°C (max. 100h in 50 years)
Max. permanent operating pressure	10 bar (with a max. temperature of 70°C)
Coefficient of thermal expansion	0.025 – 0.030 mm/m K
Thermal conductivity	0.4 W/m K
Pipe roughness	0.007mm



Press Fitting System

PPSU Wavin Tigris K1 press fitting with defined leak function

The design of Wavin's Tigris K1 PPSU press fittings guarantee that an accidentally unpressed connection is unsealed and reliably exposed by leaking during the pressure test. Furthermore, the patented hexagonal head cross-section reduces the force required to insert the pipe, which makes the work of the installer easier.

The Wavin Tigris K1 press fitting is made of the high technical performance plastic polyphenylsulphone (PPSU), which is resistant to high temperatures (heat shape resistance > 200°C, processing temperature 360°C), corrosion and encrustation. It also has an extremely high resistance to scale build up and stress cracking, making the fitting very robust. The performance of PPSU has already been proven over many years in aircraft engineering, medical sterilisation technology, chemical plants and automotive engineering as well as in Wavin plumbing fittings.

The fittings are equipped with a fixed stainless steel press sleeve. The sleeve gives the connection additional strength and reliability. It has an observation window, through which the insert depth of the pipe can be reliably checked before pressing. The seal is with an O-ring.

Figure 2: The observation window in the stainless steel press sleeve can be used to check that the pipe is inserted to the stop



Figure 3: The new generation of PPSU press fittings with hexagonal head cross-section





Figure 4: Safety through clever technology: the Defined Leak Function in the pressure test reveals unpressed fitting connections



Product details Press-fit Plumbing

Pipe






Pipes - Straight Lengths

Material: HDPE, Aluminium and PEX-c

Nominal	Part	Dimensions			
Size (mm)	Number	Dia (mm)	Size (mm)	Length (m)	
16 x 2.0	3072958	16	2.00	3	
16 x 2.0	3061211	16	2.00	5	
20 x 2.25	3072989	20	2.25	3	
20 x 2.25	3061212	20	2.25	5	
25 x 2.5	3072990	25	2.50	3	
25 x 2.5	3061213	25	2.50	5	
32 x 3.0	3070827	32	3.00	3	
32 x 3.0	3041228	32	3.00	5	
40 x 4.0	3004371	40	4.00	5	
50 x 4.5	3004372	50	4.50	5	
63 x 6.0	3028271	63	6.00	5	
75 x 7.5	3053971	75	7.50	5	






Pipes - Coils

Material: HDPE, Aluminium and PEX-c

Nominal	Part	Dimensions				
Size (mm)	Number	Dia (mm)	Size (mm)	Length (m)		
16 x 2.0	3018297	16	2.00	100		
16 x 2.0	3018302	16	2.00	200		
16 x 2.0	3061202	16	2.00	500		
20 x 2.25	3018299	20	2.25	100		
25 x 2.5	3018300	25	2.50	50		
32 x 3.0	3004370	32	3.00	50		

Product details Press-fit Plumbing






Pipes - Coils 9mm Pre-insulated

- · For drinking water and heating installations
- Pipe insulation: round extruded insulation from foamed PE with co-extruded, moisture-resistant PE foil (red colour)
- 9mm insulation for cold water pipes according to DIN 1988
 Part 2 and heating pipes according to the Energy Saving
 Ordinance (EnEV) Aging and form-resistant
- Building materials class: B2, normal flammability, according to DIN 4102
- Thermal conductivity: 0.040 W/mK
- Additional continuous insulation against impact noise is essential

Material: PE, HDPE, Aluminium and PEX-c

Nominal	Part	Col.	Dimensions		
Size (mm)	Number		Dia (mm)	Size (mm)	Length (m)
16 x 2.0	3004378		16	2.00	50
20 x 2.25	3004379		20	2.25	50
25 x 2.5	3071219		25	2.50	25
16 x 2.0	3071220		16	2.00	50
20 x 2.25	3071221		20	2.25	50
25 x 2.5	3071222		25	2.50	25





Pipes - Coils 13mm Pre-insulated


- For drinking water and heating installations
- Pipe insulation: round extruded insulation from foamed PE with co-extruded, moisture-resistant PE foil (red colour)
- 13mm insulation for cold water pipes according to DIN 1988
 Part 2 and heating pipes according to the Energy Saving
 Ordinance (EnEV) Aging and form-resistant
- Building materials class: B2, normal flammability, according to DIN 4102
- Additional continuous insulation against impact noise is essential

Material: PE, HDPE, Aluminium and PEX-c

Nominal	Part	Col.	Dimensions		
Size (mm)	Number		Dia (mm)	Size (mm)	Length (m)
16 x 2.0	3004380		16	2.00	50
20 x 2.25	3004381		20	2.25	50
25 x 2.5	3070529		25	2.50	25
16 x 2.0	3071224		16	2.00	50
20 x 2.25	3071225		20	2.25	50
25 x 2.5	3071226		25	2.50	25

Couplers






Straight Coupler

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions (mr	
Size (mm)	Number	L	Z
16	3023348	53	13
20	3023359	62	16
25	3023360	74	18
32	3023488	83	23
40	3024665	103	26
50	3027832	108	32
63	3027847	155	35
75	3065639	157	33






Reducing Coupler

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions		s (mm)
Size (mm)	Number	L	L1	Z
20 x 16	3023525	20	19	15
25 x 16	3023526	26	19	17
25 x 20	3023527	26	20	18
32 x 20	3023528	26	20	20
32 x 25	3023522	26	21	20
40 x 32	3023529	26	26	24
50 x 32	3027833	26	26	28
50 x 40	3027834	38	38	35
63 x 40	3027852	60	38	42
63 x 50	3027850	60	38	36
75 x 50	3065641	62	39	27
75 x 63	3065640	62	61	31

Elbows






Elbow 45°

Material: PPSU, Stainless Steel

Nominal	Part	Dim	ensions (mm)
Size (mm)	Number	L	Z
25	3023498	36	7
32	3023499	38	13
40	3027839	60	22
50	3024668	62	25
63	3027849	87	28
75	3065642	91	29

Product details Press-fit Plumbing






Elbow 90°

Material: PPSU, Stainless Steel

Nominal	Part	Dime	ensions (mm)
Size (mm)	Number	L	Z
16	3023363	31	12
20	3023364	22	14
25	3023365	43	17
32	3023500	47	21
40	3024666	71	34
50	3024667	77	40
63	3027848	106	46
75	3065643	113	50






Elbow 90° - Single Male BSP Thread

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions (mm		
Size (mm)	Number	L	L1	Z
16 x ½"	3023542	33	38	14
20 x ½"	3023543	34	41	15
20 x ¾"	3023544	37	45	18
25 x ¾"	3023545	44	47	18
32 x 1"	3023539	49	57	23






Elbow 90° - Single Female BSP Thread

Material: PPSU, Stainless Steel, Brass

Nominal	Part	Dimensions (mm)				
Size (mm)	Number	L	L1	Z	Z 1	
16 x ½"	3023546	38	33	19	18	
20 x ½"	3023547	39	35	19	20	
20 x ¾"	3023548	42	38	22	21	
25 x ¾"	3023549	49	40	23	23	
32 x 1"	3023540	55	47	29	28	






Backplate Elbow – Female BSP Thread

Material: PPSU, Stainless Steel, Brass

Nominal	Part	Dimensions (mm)					
Size (mm)	Number	L	L1	L2	Z	Z 1	
16 x ½"	3023344	38	30	20	21	16	
20 x ½"	3023555	39	20	20	26	18	
20 x ¾"	3023537	42	19	19	27	18	

Tees




Equal Tee

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions (mm)				
Size (mm)	Number	L	L1	Z	Z 1	
16	3023345	31	31	12	12	
20	3023346	34	34	14	14	
25	3023347	43	43	17	17	
32	3023521	47	47	21	21	
40	3024664	71	71	26	26	
50	3027829	154	77	32	32	
63	3027853	106	106	46	46	
75	3065644	112	112	50	50	






One End Reduced Tee

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions (mm)					
Size (mm)	Number	L	L1	L2	Z	Z 1	Z 2
20 x 20 x 16	3023505	35	35	32	14	14	13






Double End Reduced Tee

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions (mm)					
Size (mm)	Number	L	L1	L2	Z	Z 1	Z 2
16 x 20 x 16	3023504	34	32	32	14	14	14
20 x 25 x 20	3023510	40	36	36	15	16	16
25 x 32 x 25	3023515	42	46	46	17	21	21

Product details Press-fit Plumbing






Branch Reduced Tee

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions (mm)					
Size (mm)	Number	L	L1	L2	Z	Z 1	Z 2
20 x 16 x 20	3023506	33	33	33	14	12	12
25 x 16 x 25	3023508	35	39	39	16	13	13
25 x 20 x 25	3023511	37	41	41	16	15	15
32 x 16 x 32	3023513	39	39	39	20	32	32
32 x 20 x 32	3023514	41	41	41	20	15	15
32 x 25 x 32	3023516	47	43	43	21	17	17
40 x 25 x 40	3023518	59	67	67	33	30	30
40 x 32 x 40	3023519	59	71	71	34	34	33
50 x 25 x 50	3027830	64	68	68	39	31	31
50 x 32 x 50	3027842	??	??	??	??	??	??
50 x 40 x 50	3027831	79	73	73	41	35	35
63 x 25 x 50	3027856	70	91	67	45	31	30
63 x 32 x 63	3027855	71	95	95	46	35	35
63 x 40 x 63	3027854	84	95	95	46	35	35
75 x 32 x 75	3065647	71	95	95	46	32	32
75 x 40 x 75	3065646	87	96	96	48	33	33
75 x 50 x 75	3065645	88	100	100	49	37	37






Branch and One End Reduced Tee

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions (mm)					
Size (mm)	Number	L	L1	L2	Z	Z 1	Z 2
20 x 16 x 16	3023507	33	33	30	14	12	11
25 x 16 x 16	3023509	34	38	30	16	13	12
25 x 20 x 20	3023512	37	41	35	17	15	14
32 x 25 x 25	3023517	47	43	42	21	17	16
40 x 32 x 32	3023520	59	70	53	34	34	28




One Side Female BSP Thread Tee

Material: PPSU, Stainless Steel, Brass

Nominal	Part	Dimensions (mm)				
Size (mm)	Number	L	L1	Z	Z 1	
16 x ½" x 16	3023557	38	33	19	18	
20 x ½" x 20	3023558	38	35	19	19	
20 x ¾" x 20	3023559	42	38	22	21	
25 x ¾" x 25	3023560	49	40	23	23	

Connectors






Connector - Single Male BSP Thread

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions (mn		
Size (mm)	Number	L	Z	
16 x ½"	3023495	49	30	
20 x ½"	3023496	50	30	
20 x ¾"	3023550	55	35	
25 x ¾"	3023551	62	36	
25 x 1"	3023552	68	42	
32 x 1"	3023541	68	42	
32 x 11/4"	3023553	74	48	
40 x 11/4"	3027836	90	53	
50 x 1½"	3027837	95	57	






Connector – Single Female BSP Thread

Material: PPSU, Stainless Steel, Brass

Nominal	Part Dimension		nsions	s (mm)
Size (mm)	Number	L	L1	Z
16 x ½"	3023494	43	19	9
20 x ½"	3023361	44	20	10
20 x ¾"	3023497	47	20	11
25 x ¾"	3023362	54	26	12
32 x 1"	3023554	58	26	13
40 x 1¼"	3027838	77	44	13





Tap Connector – Female BSP Thread

Material: PPSU, Stainless Steel

Nominal	Part	Dimensions (mm			
Size (mm)	Number	L	L1	Z	
16 x ¾"	3023489	40	19	12	
20 x ¾"	3023490	41	20	12	
25 x 1"	3023491	50	26	14	
32 x 11/4"	3023492	51	26	15	
40 x 1½"	3023493	72	39	22	

Product details Press-fit Plumbing





End Cap

Material: PPSU, Stainless Steel

Nominal	Part	Dime	ensions (mm)
Size (mm)	Number	L	Z
16	3023561	33	12
20	3023562	38	12
25	3023563	44	14




Adaptor Fitting to Hep_oO

Material: PPSU, Stainless Steel, Polybutylene

Nominal	Part	
Size (mm)	Number	
16 x 15	3052945	
20 x 22	3052946	
25 x 22	3052947	
25 x 28	3052948	
32 x 28	3052949	

Tigris M1 – Connectors (Metal body)






Connector - Single Male BSP Thread

Material: PPSU, Stainless Steel, Brass

Nominal	Part	Dime	nsions (mm)
Size (mm)	Number	L	Z
16 x ¾"	4032676	44	26
63 x 2"	4032685	108	50
75 x 2½"	4049178	??	??





Connector - Single Female BSP Thread


Material: PPSU, Stainless Steel, Brass

Nominal	Part	Dime	ensio	ns (mm)
Size (mm)	Number	L	L1	Z
50 x 1½"	4032698	75	38	17
63 x 2"	4032699	102	59	20
75 x 2½"	4049179	??	??	??

NOTE:

- * M1 fittings are manufactured from a UBA listed 617 brass.
- Materials on the UBA list are accepted as drinking water quality by the 4 member state.
 The UK is a member of the 4 member state, together with Germany, Netherlands and France.
- * M1 fittings do not carry WRAS approval.






Tap Connector – Female BSP Thread

Material: PPSU, Stainless Steel, Brass

Nominal Pa	Part	Dimensions (mm)			
Size (mm)	Number	L	L1	Z	
16 x ½"	4032700	51	21	21	





Radiator Connector – 90° Elbow

Material: PPSU, Stainless Steel, Brass

Nominal	Part	Dimensions (mm)
Size (mm)	Number	L
16	4037512	300



Equal Tee - Radiator Connector

Material: PPSU, Stainless Steel, Brass

Nominal	Part
Size (mm)	Number
16	4037506
20	4037508

Tigris M1 - Accessories



Transition Fitting to Copper

Material: PPSU, Stainless Steel, Brass

Nominal	Part
Size (mm)	Number
16 x 15	4032721
20 x 15	4032722
20 x 22	4037451
25 x 22	4032723
25 x 28	4032724

Product details Press-fit Plumbing



Compression Adaptor

Material: Brass

Nominal	Part
Size (mm)	Number
16 x 15	4013355



Pressure Stopper

Material: Brass

Nominal	Part
Size (mm)	Number
16	4013571
20	4013572
25	4013573

Accessories and Tools



Internal Bending Spring

Nominal	Part
Size (mm)	Number
16	4013553
20	4013559
25	4013562

External Bending Spring

Nominal	Part
Size (mm)	Number
16	4023071
20	4023073
25	4023075



Pipe Bending Pliers

Nominal	Part	Description
Size (mm)	Number	
16	4043224	Pipe Bending Tool
20	4043225	Pine Bending Tool



Pipe Bending Pliers - 16/20/25mm

Nominal	Part	Part Description	
Size (mm)	Number		
_	4023077	Pipe Bending Pliers	



Pipe Straightener - 16/20/25mm

Nominal	Part	Description
Size (mm)	Number	
_	4013530	Pipe Straightener



Pipe Cutter - 16-75mm

Nominal Size (mm)	Part Number	Description
_	4053508	Pipe Cutter – 16-75mm
-	4053545	Replacement blade for Pipe Cutter (4053508)



Pipe Cutter with hold function - 16/20/25mm

Nominal	Part	Description
Size (mm)	Number	
_	4036273	Pipe Cutter – 16/20/25mm
_	4037386	Replacement blade for Pipe Cutter (4036273)



Hand Press Tool

Nominal Size (mm)	Part Number	Description
_	4013538	Hand Press Tool – 16-20mm

Product details Press-fit Plumbing



Hand Tool Insert

Nominal	Part
Size (mm)	Number
16	4013542
20	4013543



Cordless Pressing Tool - Mini

- For the perfect completion of Wavin Tigris K1 press connections of 16 to 40mm
- Supplied in a case, including charger
- Jaws sold separately

Nominal	Part	Description	
Size (mm)	Number		
_	4048906	Tigris K1 Pressing Tool – Mini	
_	4046770	Battery for 4048906	



Cordless Pressing Tool

- For the perfect completion of Wavin Tigris K1 press connections of 16 to 75mm
- Supplied in a case, including charger
- Jaws sold separately

Nominal Size (mm)	Part Number	Description
-	4048907	Tigris K1 Pressing Tool
_	4046768	Battery for 4048907



Pressing Jaws - Mini

• For use with 4048906

Nominal	Part
Size (mm)	Number
16	4046556
20	4046557
25	4046558
32	4046559
40	4046560



Pressing Jaws

• For use with 4048907

Nominal	Part
Size (mm)	Number
16	4046691
20	4046694
25	4046695
32	4046756
40	4046758
50	4046759
63	4035779



Pressing Jaws

• For use with 4048907 and 4053510

Nominal	Part
Size (mm)	Number
75	4053509



Pressing Adaptor for 75mm Jaw

• For use with 4048907 and 4053509

Nominal	Part	
Size (mm)	Number	
75	4053510	



Calibration Mandrel - 16-32mm

Nominal	Part
Size (mm)	Number
16	4999998
20	4999999
25	4023364
32	4023365



Calibration Mandrel - 40-75mm

Nominal	Part
Size (mm)	Number
40	4031987
50	4031988
63	4035780
75	4053507

Product details Press-fit Plumbing



Calibration Mandrel - 16/20/25mm

Nominal	Part
Size (mm)	Number
_	3021196



Hand Grip for Calibration Mandrel

Nominal	Part
Size (mm)	Number
_	3011162



Hand Grip for Calibration Mandrel

Nominal	Part	
Size (mm)	Number	
_	4036272	



Calibration Set

• Including transport case and power click grasp

Nominal	Part	Description
Size (mm)	Number	
_	4013541	Wavin Kalispeed-Set 16-32mm

for customers who don't own press-fit tools.

To preserve the Wavin guarantee, Wavin jaws should always be used.

REE TOOLS



FREE TOOLS

Spend £15k to receive a free starter kit 'large' WORTH OVER £3,900 Including: free standard tool, all jaws (16-75mm), all calibration mandrels (16-75mm) with handgrip tool and a pipe cutter

Installation and Assembly Information

Storage and handling

The Wavin system components are well protected in the original packaging. Nonetheless, all components (fittings and pipes) should be protected from mechanical and environmental damage.

Impairment due to ultraviolet radiation

Wavin multilayer composite pipes must be protected from direct, intense sunlight and ultraviolet (UV) radiation. This applies both for the storage of the pipes and for finished installation. Storage must therefore not take place in the open air. Suitable measures must be taken to protect finished systems and system components from the effects of UV rays.

Observe press and push-fit fitting assembly instructions

- Always cut the pipe to length at right angles
- O Calibrate and chamfer the pipe end all round
- Push the pipe into the fitting to the stop
- Check the press fitting observation window
- Press in the case of the press fittings
- See pages 22 31 for detailed installation and assembly information

Potential equalisation

Building and electrical regulations such as VDI 0190 parts 410 and 540 demand potential equalisation between earth wires and "conductive" water, waste water and heating pipes. As Wavin Hot and Cold Water Systems do not represent conductive pipe systems, they cannot be used for potential equalisation and are accordingly not to be earthed. An approved electrician must check that the installation of Wavin Tigris K1 does not impair the existing electrical protective and earthing measures.

Installation temperature

The installation temperature for Wavin pipe systems should not fall below -10°C.

The operating temperatures of the new pressing machines with the Li-ion batteries from the Wavin range must be above -15°C nor above 40°C. The optimum processing range for Wavin Tigris K1 system components lies roughly between 5°C and 25°C.

Frost protection

When using Wavin Hot and Cold Water Systems with pipe networks that require protection from frost (e.g. cold water networks, brine pipes), we recommend the use of ethylene glycol (to protect from risk of freezing). Ethylene glycol can be used up to a maximum concentration of 35%. This concentration roughly corresponds to frostproofing of -22°C. Before using alternative frost protection additives, confirm the suitability/approval with the manufacturer or with Wavin.

Sealing

The assembly of a threaded connection must be in accordance with DIN 30 660. We strongly recommend the use of PTFE / Teflon Tape to seal the connection. Alternatively hemp may be used but only in conjunction with an approved plastic sealing compound such as Fermit. Restrict the amount of hemp as too great a quantity can result in damage to the internal threads and cross-threading. When using hemp make sure that the thread tips remain visible.

Contact with substances containing solvents

Avoid direct contact of Wavin Hot and Cold Water Systems with solvents or construction materials containing solvents (such as paints, sprays, expanding foams, adhesives).

Note: Specifically chemical sealants (e.g. Loctite) and adhesives (e.g. 2-part adhesives) must not be used. Expanding foams produced on the basis of methacrylate, isocyanate and acrylate must not be used.

Under unfavourable circumstances, aggressive chemicals that are present may cause damage to the plastic material.

The Wavin systems do not require the use of any chemical substance or additional lubrication during installation.

Statement on continuously operated recirculating systems

Tigris K1 may be suitable for use in continuously operated recirculating systems but operating parameters need to be approved by Wavin technical management.

Contact Wavin Technical on 0844 856 5165 to discuss approval.

Definitions – Continuously operated re-circulating systems or Secondary Hot Water Circulation/Ring main installations. These differ from conventional hot water supply and central heating systems found in domestic properties. Continuously operated recirculating systems are water-replenished systems which are maintained at a constant high temperature to provide a constant source of hot water and are used to distribute constant hot water to draw off points that may be distant from the heat source or hot water storage vessel. Applications include multi residential properties like care homes and hotels.

Pipe Preparation and Assembly



Step 1: Cut the pipe square

Pipe cutter for 16mm to 75mm diameter pipe



Step 2: Calibrate and chamfer the pipe

- O Dimensions 16 25mm: all-round chamfer of depth min. 1mm
- O Dimensions 32 75mm: all-round chamfer of depth min. 2mm
- Max. battery or drilling machine rotation speed should be 500 rpm
- Remove accumulated shavings from the battery calibrating pin



Step 3: Check fitting and insert pipe

- Check the fitting and 'o' ring are clean and that all components are seated in the correct position
- Push the pipe into the fitting until it is visible in the window



Step 4: Press the fitting to connect it securely to the pipe

- Fit the correctly sized press-fit jaws to your press-fit tool
- The pressing jaws must be positioned on the inner stop of the press sleeve
- Activate the tool by pressing the trigger. Open the press-fit jaws and remove the pressed fitting
- The pressing process may be executed only once per connection

Installation and Assembly Information

Assembly Instructions for Tigris K1 Press Transition to Copper



Step 1: Attach the press fitting to the copper pipe

Slide the press connection into the copper fitting and press according to the specifications of the copper fitting manufacturer. A minimum space of 5mm must be observed between the soldered joint and outer edge of the copper fitting



Step 2: Cut pipe

 Cut multilayer composite pipes of dimensions 16 – 25mm to length at right angles with the combination scissors



Step 3: Calibrate and chamfer the pipe

- After deburring, an all-round chamfer of at least 1 mm (Da 16 25) must be visible
- The maximum rotation speed when using the calibrator on the battery or drilling machine is 500 rpm. After use, remove accumulated shavings from the battery calibrating pin



Step 4: Insert the pipe into the press fitting

Push the pipe into the fitting to the stop



Step 5: Press the fitting to connect it securely to the pipe

- The pressing jaws must be positioned on the inner stop of the press sleeve
- The pressing process must be executed only once per connection

Attention: DO NOT solder, otherwise the sealing rings on the press transition to copper may be damaged

Bending Wavin multilayer composite pipes

The pipe is easy to bend: by hand, with the aid of the bending spring.




Table 3: Minimum bending radii with and without aids

Measurement Da x s (mm)	Bending radius By hand (mm)	Bending radius Bending spring (mm)
16 x 2.0	5 x ø ≈ 80	4 x ø ≈ 64
20 x 2.25	5 x ø ≈ 100	4 x ø ≈ 80
25 x 2.5	5 x ø ≈ 125	4 x ø ≈ 100
32 x 3.0	_	_
40 x 4.0	-	_
50 x 4.5	-	_
63 x 6.0	-	_

Installation and Fixing

Basics

The mountings used must be adequate for fixing the composite pipe in the respective nominal diameter. Fixing systems with a sound insulation insert are recommended.

The expected length expansion based on maximum temperature feed and line length must be taken into account. A distinction is generally drawn between fixed points and floating points as fixing methods. Fixed points divide the pipeline element into separate sections. In the case of straight pipe routes, a fixed point is to be applied at the mid-point. No fixed points should be applied directly at fittings that are used for a change of direction.

Sufficient stability of the fixed points is required in order to effectively absorb the expansion forces occurring. A short distance to the ceiling must be observed.

Vertical lines, e.g. such as risers, can generally be installed only with fixed point clips. Here, fixing should be in front of or behind each storey branch. By contrast, floating point fixings guarantee expansion and movement of the pipeline concerned. For more information about this, please refer to the next chapter.

Consideration of thermally induced length expansion


All pipe materials expand on heating and contract on cooling. In the case of the piping for tap water systems (particularly with heated tap water) and heating pipes, the temperature based length expansion of the materials must always be taken into account.

The temperature difference and pipe length constructed determine the length change. On assembly, the movement possibilities for each direction change must be taken into account.

Irrespective of the pipe size, the coefficient of expansion of Wavin multilayer composite pipes is 0.025 – 0.030mm/m·K.

The length changes of Wavin multilayer composite pipes as expected in operation with different pipe lengths and temperature differences can be determined from the following diagram.

Figure 5: Length changes of Wavin multilayer composite pipes



Installation and Assembly Information

Table 4:

Formula to calculate pipe length changes		
The length changes can likewise be calculated using the following formula:	ΔI = a x I x Δq ΔI = Length expansion (mm) a = Coefficient of length expansion (mm/m.K) I = Pipeline length (m) Δq = Temperature difference (K)	
Sample calculation:	Wavin Tigris K1 hot water pipe	
Given:	Pipe length (l) 12m Lowest ambient temperature 10°C Medium temperature 60°C	
Sought:	Maximum length expansion under operating conditions $\Delta I = a \times I \times \Delta q$ $60k - 10k = 50k$ $0.025 \text{ mm/m.K } \times 12m \times 50K = 15mm$	
Result:	Maximum length expansion under operating conditions = 15mm	

Absorption of length changes by bending joints

In the case of a change of direction, the thermal length expansion of a pipeline can often be offset within the pipe layout by bending joints and expansion U-bends.

The length of the bending joint can be determined by calculation or taken from the diagram below.

$$L_B = C \sqrt{d \cdot \Delta L}$$

Key:

L_{B}	= Length of the bending joint	[mm]
d	= External pipe diameter	[mm]
ΔL	= Length change	[mm]
С	= Material-dependent constant for Wavin multilayer	
	composite pipe	(= 30)

Figure 6: Bending joint classification of Wavin multilayer composite pipes





Table 5:

Sample calculation		
Given:	Length change = 20mm Pipe diameter d = 25 x 2.5mm Constant c for Tigris K1 = 30	
Sought:	Length of the bending joints LB	
Result:	650mm, from diagram (see Figure 6)	



Figure 7: Floating and fixed point mountings



Fixing intervals

Pipelines on a supporting base must be fixed in accordance with DIN 18560 part 2, section 4.1.

The number of fixing components is essentially dependent on the piping in the respective construction project. As the calculation basis with straight piping, a fixing component can be attached at approx. 1 m pipe length. In the areas of diversions, at least two fixing components are to be affixed (before and after the diversion curve).

Because of their dimensional stability, Wavin multilayer composite pipes installed in exposed locations require no supporting aids e.g. such as a supporting shell or support tube. They can be fixed at the intervals specified in the following table.

Table 6: Pipe clamp intervals for Wavin multilayer composite pipes installed in exposed locations

Dimensions (mm)	Fixing interval (m)
16 x 2.0	1.00
20 x 2.25	1.20
25 x 2.5	1.50
32 x 3.0	1.50
40 x 4.0	1.80
50 x 4.5	1.80
63 x 6.0	2.00

The type and intervals of the attachments/fixings are dependent on pressure, temperature, medium and installation situation. The pipe attachments/fixings must be properly designed according to the total mass (pipe weight + weight of the water + weight of the insulation), in accordance with the recognised codes of practice.

Table 7: Pipe masses

Dimensions (mm)	Pipe mass kg/m	Pipe mass + water kg/m	Pipe mass + water + Iso 9mm kg/m	Pipe mass + water + Iso 13mm kg/m
16 x 2.0	0.095	0.202	0.232	0.250
20 x 2.25	0.138	0.330	0.364	0.384
25 x 2.5	0.220	0.558	0.596	0.620
32 x 3.0	0.340	0.942	0.988	1.012
40 x 4.0	0.605	1.605	-	_
50 x 4.5	0.840	2.480	-	_
63 x 6.0	1.340	3.380	-	-

Installation and Assembly Information

Pipes in screed or concrete

Due to the relatively low expansion forces, no compensation measures are required in the case of direct embedding of the pipes. Because of the slight plastic malleability of Wavin multilayer composite pipes, the length changes are absorbed by the pipe wall. Moreover, the respective requirements for heat protection (see the energy saving regulation section in this handbook) and impact noise insulation must be observed.

Pipes in the floor construction

As multilayer composite pipes can move axially within the insulation with little resistance, the expected length changes must be absorbed. Right angle diversions in the insulating layer must be arranged such that length changes that occur in the respective sections are absorbed by the insulation thickness in the curve area.

Wavin Hot and Cold Water Systems already laid in the ground are exposed to many potential impacts on site during the construction phase, from scaffolding, ladders or other objects. Damage to the pipe/fitting or even the insulation must be avoided. Before installing further floor construction, a check should therefore be conducted for damage. Any damage to the pipe insulation should be repaired in all cases in order to avoid the risk of the formation of impact noise bridges or reduced sound insulation (see also the section on sound insulation in this handbook).

Causes of damage in floating screeds are often due to several pipe strings installed under the screed plate.

The following principles should be observed when installing pipe strings in the floor construction:

- Use heat and sound insulated pipelines
- Use sound insulated pipe fixing
- Avoid pipe crossings as much as possible
- Pipeline installation parallel to walls
- Perpendicular junctions of pipelines into neighbouring walls
- Maximum width of the pipe string 120mm
- Minimum distance between pipelines and walls: 200mm in corridors, 500mm in the living area
- Piping through screed expansion joints with corrugated tube or alternatively with 6mm pipe insulation

Pipelines installed under plaster

Depending on the wall construction and masonry strength, there is a risk that the expansion forces from a multilayer composite pipe that is plastered in directly will cause damage to the wall.


Multilayer composite pipes under plaster should therefore be installed with insulation. This pipe insulation must be able to absorb expected length changes due to heat. In the case of pipelines under plaster for which there is no need for heat insulation, we recommend the use of the Wavin multilayer composite pipe in black protective tube (see product range).

All pipes and fittings installed under plaster must be protected from direct contact with all building materials (such as masonry, plaster, cement, screed, tile adhesive) as detailed above.

Pipelines installed in exposed locations

Pipelines installed in exposed locations (e.g. basement pipes, risers etc) are fixed depending on the structural conditions and the recognised codes of practice. As appropriate, thermal length changes must be taken into account with the arrangement of bending joints in conjunction with fixed points and floating points.

Figure 8: Mechanical vibration transmission through defective pipe insulation



Battery and electrical pressing machines

The guarantee subject to proper use and observance of the required regular checks of the equipment is 12 months from the delivery date or 10,000 presses, whichever is the shorter. The respective operating instructions must be observed for this to apply.

The guarantee applies from the day of dispatch to the buyer. The guarantee does not cover damage caused by improper use or non-observance of the operating instructions. Services under guarantee may only be provided by the manufacturer. Complaints will be considered only if the equipment is presented to the manufacturer undismantled, with no previous interventions.

Checking and maintenance

The reliable function of the pressing machine is dependent on careful handling. This represents an important condition for making permanently secure connections. The equipment requires regular maintenance and care.

Only a clean and functioning pressing system can guarantee a permanently sealed connection. In this context, the pressing jaws should only be changed by a trained and competent worker. For a full list of our service partners please contact our Technical advice team on 0844 856 5165.

Attention: DO NOT open the equipment! A damaged seal will invalidate the guarantee. A service must be carried out every 12 months. A major service should be carried out every 10,000 presses or every 3 years whichever is the earlier.

Wavin Tigris K1 pressing jaws with pressing machines of other manufacturers

The following table shows the compatibility of Wavin Tigris K1 pressing jaws with the pressing machines of other manufacturers. The Wavin pressing jaws have a U shape. When using pressing machines and jaws that are not listed, proof of suitability for the Wavin Tigris K1 systems must be provided in accordance with the relevant national regulations.

The pressing machines must fulfil the following requirements:

- Only the Wavin pressing jaws or other suitable (U shape) jaws may be used
- The pressing tool must be used and maintained in accordance with the respective manufacturer's guidelines
- The Wavin assembly instructions must be observed
- The "Mini" (16 32mm) pressing machine must display a minimum pressing force of 15kN
- The "Battery" (16 75mm) pressing machine must display a minimum pressing force of 30kN
- The pin shape of the pressing machine must be suitable for the correct U shape pressing jaws

If the correct profile pressing jaws are not used – this will invalidate your guarantee. Please contact Technical Design if you need advice.



Installation and Assembly Information

The following table shows the compatibility of Wavin pressing jaws with some pressing machines of other manufacturers.

Table 8: Pressing jaw compatibility

Manufacturer	Description	Notes/ Compatible with	
Novopress (Novopress / Geberit / Mapress / Milwaukee branded)	Electrical pressing machines: EFP2 (since 1996 with rotatable head), ECO1, ECO201, EFP201, EFP202 Battery pressing machine: ACO1, ACO201, AFP201, AFP202	Wavin (standard tool) pressing jaws only	
Klauke (Klauke / Uponor branded)	Electrical pressing machines: UP50EL, UP75EL, UNP2 Battery pressing machine: UP75, UAP2, UAP3, UAP3L	Wavin (standard tool) pressing jaws only	
Ridgid (Ridgid / VanArx Viega branded)	Electrical pressing machines: RP330C/ Pressgun4E, Typ PT3- EH/H, RP300/Typ PT2 Battery pressing machine: Pressgun 5, RP330B/Pressgun 4B, RP300B/Typ PT3AH	Wavin (standard tool) pressing jaws only	
Rems (Rems / Roller branded)	Electrical pressing machines: PowerPress, PowerPress ACC Battery pressing machine: AkkuPress, AkkuPress ACC	Wavin (standard tool) pressing jaws only	
Rothenberger	Battery pressing machine: Romax 3000	Wavin (standard tool) pressing jaws only	
Novopress (Novopress / Geberit / Mapres / Milwaukee branded)	Battery pressing machine: AFP101, ACO102	Tool is only compatible using Wavin Novopress Mini Jaws	
Klauke (Klauke / Uponor branded)	Battery pressing machine: MAP1, MAP2L	Tool is only compatible using Wavin Klauke Mini Jaws	

Flushing Wavin Tigris K1 tap water pipes

The flushing of tap water pipes is described in detail in DIN 1988 part 2.

This treatment of the pipe network ensures the quality of the tap water. All pipe sections must be free of contamination and foreign bodies at the time of initial operation. Time delays between flushing and initial operation of the tap water network must be avoided, as complete drainage is not generally carried out after flushing. According to VDI 6023 – hygiene conscious planning, execution, operation and maintenance of tap water systems – system sections that are unused for longer than 4 weeks must be flushed again.

Initial operation and handover

According to DIN 1988-2, the installer of the system must prepare relevant handover and acceptance logs. The system operator must be instructed with respect to the operation of the tap water system created. It is recommended that the instruction being completed is confirmed in writing.

Depending on the scale of the system, the presentation of written operating instructions is advised.

Checking Wavin Tigris K1 (unpressed/unsealed)

This additional test serves as an additional check for unpressed connections. When the function check is carried out with water, the leak from unpressed connections is clearly identifiable.

First a visual check on the connections (pressed/unpressed) should be carried out. A low pressure test with water should then be carried out to further check for any unpressed connections, with conditions as below. The results should be recorded and signed for.

Test procedure

The recommended procedure is outlined below and both tests should be carried out with a low pressure test being followed with a high pressure test.

Low Pressure Leakage Test

The system shall be filled slowly with drinking water to allow air to be expelled from the system. The pressure in the system should be raised (or lowered) to between 0.5 Bar and 1 Bar. The complete installation shall be inspected for leaks at this pressure prior to the high pressure hydraulic test. There shall be no visible leakage of water and the pressure should be maintained for 45 minutes.

High Pressure Hydraulic Test


The installation shall then be tested hydraulically by subjecting the pipes, pipe fittings and connected appliances to a test pressure of not less than 1.5 times the maximum working pressure in accordance with the test procedure below. The maximum working pressure is defined as the maximum pressure that the system will operate at, measured as the incoming mains pressure (usually no more than 3 Bar if a pressure reducing valve is fitted). Maximum incoming mains pressure should not usually exceed 10 Bar.

There shall be no visible leakage of water and the pressure shall be maintained for 45 minutes.

Test Procedure

- Apply the required test pressure (1.5 times maximum working pressure) by pumping in accordance with Figure 9, for a period of at least 15 minutes. Inspect the pipework to identify any visible leaks in the system.
- 2. Reduce the pressure in the pipework by bleeding water from the system to one third of maximum working pressure.
- 3. Close the bleed valve. If the pressure remains at or greater than, one third of the maximum working pressure the system is regarded as leak tight. Visually check for leakage and monitor for 45 minutes. The test criteria are met if there is no reduction in pressure.
- 4. Complete a test record sheet.

Figure 9: Test procedure



Design Support - Revit BIM

Building Information Modelling (BIM)

Our free Wavin Revit packages enable users to reach a fully accurate representation of the way piping systems will actually be installed; easily and without the use of product catalogues.

Our Revit families for BIM ensure that the piping system selected can be installed as designed using only existing products in our portfolio that are available to install and intelligent design automatically allows for the correct fittings; saving time for both the engineer and contractor and providing the quickest way to a complete 'as built' pipe system.

Wavin's Revit families for BIM feature:

- Precise designs with intelligent assistance
- Fully integrated Bill of Materials
- High levels of detail and accuracy every time

The Wavin Revit packages can be downloaded at **myportal.wavin.co.uk**



'How to' Videos

For design and installation of Tigris K1 please see the Tigris K1 Product and Installation Manual which can be downloaded from the Wavin website at www.wavin.co.uk or visit our YouTube Channel Wavin UK.









They can be viewed at www.youtube.com/WavinUK on the Tigris K1 playlist.

Discover our broad portfolio at www.wavin.co.uk

Hot & Cold Water

Foul Water

Gas & Water Mains

Indoor Climate

Storm Water

Geotextiles

Soil & Waste





Wavin is part of Orbia, a community of companies working together to tackle some of the world's most complex challenges. We are bound by a common purpose:

To Advance Life Around the World.



Wavin Limited | Registered Office | Edlington Lane | Doncaster | DN12 1BY Tel. 0844 856 5152 | www.wavin.co.uk | info@wavin.co.uk

Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions.

© 2020 Wavin Wavin reserves the right to make alterations without prior notice. Due to continuous product development, changes in technical spefications may change. Installation must comply with the installation instructions.