



**altro**

**Designed for possibilities.  
Made for people.**



## **Floors, walls and doors guide**

Product catalogue

**altro.co.uk**



“Altro have a superb range of products specifically designed for front and back of house so we were able to select products that perfectly suited the theme, colour scheme and practical needs of the venue.”

---

Jon Baines,  
Project Manager, KJR



---

# Contents

---

<b>Welcome to Altro</b>	4
<b>Floors</b>	
<b>Smooth</b>	
Slip risk: low	
Altro Cantata™	6
Altro Orchestra™	8
Altro Operetta™	12
Altro Serenade™	14
Altro Zodiac™	16
<b>Safety</b>	
Slip risk: high	
Altro Reliance™ 25	18
Altro Atlas™ 40	22
Altro Suprema™	24
Altro Wood™ Safety	28
Altro Wood™ Safety Comfort	30
Altro Walkway™ 20	32
Altro Walkway™ 20 SD	36
Altro XpressLay™	38
Slip risk: very high	
Altro Stronghold™ 30	42
Altro Aquarius™	44
Altro Pisces™	46
Altro Marine™	48
Altro Classic™ 25	50
<b>Walls</b>	
Altro Whiterock White™	52
Altro Whiterock Satins™	54
Altro Whiterock Chameleon™	58
Altro Whiterock Digiclad™	60
Altro Whiterock Splashbacks™	62
Altro Fortis Titanium™	66
Altro Fortis™ corner protection	68
<b>Doors</b>	
Altro Whiterock™ hygienic doorsets	70
Altro Fortis™ doorsets	71
Altro Fortis™ door protection	72
<b>Technical drawings</b>	74
<b>Support</b>	90

---

# Welcome to Altro

---

Altro have been at the forefront of innovation for almost 100 years. Today, working closely with architects, end customers, engineers, designers and contractors around the world, our insight and expertise help them transform everyday spaces into environments that can improve the wellbeing of everyone that uses them.

And by consistently turning creative thinking into practical, real-world solutions – that maintain the highest standards of safety and durability – Altro have become synonymous with quality.

As a family-founded business, we have a strong sense of what we value and a way of thinking inspired by The Bauhaus – a balance of quality, form and design-led function – that puts people’s needs at the heart of everything we do. It’s a human-centred approach to designing for the demands of 21st century life.

It’s a history that means we value the bold, the brave and the new. From focusing on how the different sectors we serve need their spaces to perform, to the call for more environmentally sustainable materials, Altro are constantly challenging what is possible and seeking new ways of inspiring our customers and answering their biggest challenges.

With offices across Europe, the Americas, Asia Pacific and the Middle East, we remain committed to developing solutions that stand the test of time.

We combine the best in contemporary style with the functionality required to improve the way we all live and work, wherever in the world that may be.

We are Altro.





# Floors – Smooth



## Altro Cantata

### Application areas:

- corridors in hospitals, residential care homes and education buildings
- patient rooms in hospitals
- general circulation areas in retail, kindergartens, schools and universities

Altro Cantata is a decorative, **adhesive-free** floor that creates maximum impact with minimum downtime. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled. It is ideal for busy public spaces where disruption needs to be minimal, plus there are no associated adhesive odours. Altro Cantata's 16 soft-look shades, which range from subtle naturals to beautifully vivid, enable you to set the desired tone yet it also has the durability needed for medium to high traffic areas.

Available in 16 colours.




Tosca | CA2211  
WR387 / A1M387 / LRV 32




For full technical details [altro.co.uk](https://www.altro.co.uk)


# Floors - Smooth




Evita | CA2209  
WR385 / A1M385 / LRV 49




Brigadoon | CA2210  
WR389 / A1M389 / LRV 38




Chicago | CA2203  
WR390 / A1M390 / LRV 29




Jersey | CA2213  
WR419 / A1M348 / LRV 11




Cabaret | CA2205  
WR391 / A1M82 / LRV 15




West Side | CA2201  
WR388 / A1M388 / LRV 47




Cinderella | CA2202  
WR415 / A1M415 / LRV 47




Midsummer | CA2204  
WR398 / A1M398 / LRV 25




Carousel | CA2208  
WR416 / A1M302 / LRV 17




Swan lake | CA2206  
WR417 / A1M417 / LRV 13




Carmen | CA2214  
WR420 / A1M152 / LRV 36




Firebird | CA2215  
WR393 / A1M393 / LRV 22



Nutcracker | CA2212  
WR418 / A1M239 / LRV 23



Wicked | CA2216  
WR399 / A1M399 / LRV 37



Butterfly | CA2207  
WR421 / A1M421 / LRV 31

# Floors – Smooth



## Altro Orchestra


### Application areas:

- school, kindergarten and university corridors and classrooms
- student accommodation
- hospital and care home corridors and patient / resident rooms
- retail
- home adaptations / social housing

For areas where comfort and sound reduction are important, 2.85mm Altro Orchestra has been engineered to create the ideal environment to learn and live. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by up to 15dB.

It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move.

With a palette of 40 colours and designs, Altro Orchestra allows you to create the right atmosphere every time. It coordinates with Altro Operetta, Altro Serenade and Altro wall sheets for a complete look throughout.



Guitar | CH2828  
WR449 / A1M200 / LRV 29



For full technical details [altro.co.uk](http://altro.co.uk)


# Floors - Smooth



Ragtime | CH2810  
WR431 / A1M200 / LRV 53




Classical | CH2807  
WR428 / A1M200 / LRV 50



Latin | CH2803  
WR424 / A1M200 / LRV 32




Country | CH2808  
WR429 / A1M200 / LRV 26




House | CH2811  
WR432 / A1M200 / LRV 26




Romantic | CH2804  
WR425 / A1M200 / LRV 51




Reggae | CH2801  
WR422 / A1M200 / LRV 48



Pop | CH2805  
WR426 / A1M200 / LRV 32




Salsa | CH2802  
WR423 / A1M200 / LRV 20




Flamenco | CH2806  
WR427 / A1M200 / LRV 12




Fusion | CH2813  
WR434 / A1M200 / LRV 49




Chant | CH2814  
WR435 / A1M200 / LRV 26



Club | CH2815  
WR436 / A1M200 / LRV 17



Folk | CH2812  
WR433 / A1M200 / LRV 15




Motown | CH2809  
WR430 / A1M200 / LRV 10




Urban | CH2816  
WR437 / A1M200 / LRV 50




Swing | CH2819  
WR440 / A1M200 / LRV 49




Soul | CH2817  
WR438 / A1M200 / LRV 29




Rap | CH2820  
WR441 / A1M200 / LRV 30




Metal | CH2818  
WR439 / A1M200 / LRV 16




Punk | CH2822  
WR443 / A1M200 / LRV 43



Jungle | CH2823  
WR444 / A1M200 / LRV 24




Jazz | CH2824  
WR445 / A1M200 / LRV 15




Gospel | CH2821  
WR442 / A1M200 / LRV 17


# Floors – Smooth




Trumpet | CH2825  
WR446 / A1M200 / LRV 37




Glockenspiel | CH2827  
WR448 / A1M200 / LRV 23




Cello | CH2829  
WR450 / A1M200 / LRV 24




Bassoon | CH2831  
WR452 / A1M200 / LRV 17




Harp | CH2830  
WR451 / A1M200 / LRV 28




Trombone | CH2839  
WR460 / A1M200 / LRV 39




Flute | CH2833  
WR454 / A1M200 / LRV 22




Drum | CH2837  
WR458 / A1M200 / LRV 18




Banjo | CH2826  
WR447 / A1M200 / LRV 38




Clarinet | CH2832  
WR453 / A1M200 / LRV 34




Piano | CH2838  
WR459 / A1M200 / LRV 19




Violin | CH2834  
WR455 / A1M200 / LRV 31



Chimes | CH2836  
WR457 / A1M200 / LRV 52



Oboe | CH2835  
WR456 / A1M200 / LRV 34



Bongo | CH2840  
WR461 / A1M200 / LRV 27



# Floors – Smooth



## Altro Operetta

### Application areas:

- hospital / care home corridors and patient rooms
- retail
- schools, universities – general circulation areas, corridors

Altro Operetta is a robust floor perfect for medium to high traffic areas. It is easy to clean and maintain. It has 25 attractive, natural and contemporary colours and finishes to fit in your interior design scheme. It matches and coordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.

Combine with our extensive range of Altro wall systems: Altro Whiterock for areas requiring a hygienic surface and Altro Fortis wall protection for busy areas that need extra protection.

Available in 25 colours.



Crescendo | OP2102  
WR423 / A1M200 / LRV 20



For full technical details [altro.co.uk](http://altro.co.uk)

# Floors - Smooth




Solo | OP2110  
WR431 / A1M200 / LRV 53




Harmony | OP2107  
WR428 / A1M200 / LRV 50



Sharp | OP2103  
WR424 / A1M200 / LRV 32




Melody | OP2108  
WR429 / A1M200 / LRV 26




Trio | OP2112  
WR433 / A1M200 / LRV 15



Quaver | OP2101  
WR422 / A1M200 / LRV 48




Crescendo | OP2102  
WR423 / A1M200 / LRV 20



Waltz | OP2106  
WR427 / A1M200 / LRV 12



Overture | OP2123  
WR444 / A1M200 / LRV 24




Duo | OP2111  
WR432 / A1M200 / LRV 26




Quartet | OP2113  
WR434 / A1M200 / LRV 49



Alto | OP2119  
WR440 / A1M200 / LRV 49




Contralto | OP2120  
WR441 / A1M200 / LRV 30




Bass | OP2121  
WR442 / A1M200 / LRV 17




Tempo | OP2115  
WR436 / A1M200 / LRV 17




Quintet | OP2114  
WR435 / A1M200 / LRV 26




Clef | OP2125  
WR446 / A1M200 / LRV 37




Canon | OP2129  
WR450 / A1M200 / LRV 24



Key | OP2131  
WR452 / A1M200 / LRV 17




Soprano | OP2137  
WR458 / A1M200 / LRV 18




Glee | OP2136  
WR457 / A1M200 / LRV 52




Acapella | OP2135  
WR456 / A1M200 / LRV 34



Madrigal | OP2134  
WR455 / A1M200 / LRV 31



Baroque | OP2133  
WR454 / A1M200 / LRV 22



Tenor | OP2138  
WR459 / A1M200 / LRV 19

# Floors – Smooth



## Altro Serenade

### Application areas:

- kindergarten playrooms
- hotel rooms
- offices
- care homes
- anywhere where the passage of sound must be prevented between storeys

Silence is golden. Whether softening the sounds of little feet or maximising privacy at work or leisure, acoustic Altro Serenade is more than up to the task. At 3.9mm thick and with 19dB impact sound insulation, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces.

With 15 colour and design options, it matches and coordinates with Altro Orchestra and Altro Operetta.

Combine with our extensive range of Altro wall systems:

Altro Whiterock, for areas requiring a hygienic surface and Altro Fortis wall protection for busy areas that need extra protection.



Mezzo | SE3913  
WR434 / A1M200 / LRV 49



For full technical details [altro.co.uk](http://altro.co.uk)


# Floors - Smooth



Cymbal | SE3910  
WR431 / A1M200 / LRV 53




Rhythm | SE3907  
WR428 / A1M200 / LRV 50



Maestro | SE3903  
WR424 / A1M200 / LRV 32




Cadence | SE3908  
WR429 / A1M200 / LRV 26




Bridge | SE3912  
WR433 / A1M200 / LRV 15



Tambourine | SE3911  
WR432 / A1M200 / LRV 26




Octave | SE3915  
WR436 / A1M200 / LRV 17




Saxophone | SE3920  
WR441 / A1M200 / LRV 30




Prelude | SE3923  
WR444 / A1M200 / LRV 24




Finale | SE3902  
WR423 / A1M200 / LRV 20




Metronome | SE3914  
WR435 / A1M200 / LRV 26



March | SE3925  
WR446 / A1M200 / LRV 37



Encore | SE3929  
WR450 / A1M200 / LRV 24



Bar | SE3931  
WR452 / A1M200 / LRV 17

# Floors – Smooth



## Altro Zodiac

### Application areas:

- care homes
- children's hospitals
- clinics
- student accommodation
- school classrooms and corridors
- galleries, retail and offices

Altro Zodiac Smooth provides an adaptable design that works anywhere and is great in large areas, from care homes to student accommodation. Altro Zodiac Smooth comes in a range of 24 colours, chosen to reflect your mood: warm, cool, neutral or vibrant. So express your true colours.

It is easy to maintain and can be welded to provide a hygienic surface, making it ideal for areas where infection control and high standards of cleanliness are required.

We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages. Please see our section on safety for more information.



Oxygen | ZD2007  
WR317 / A1M200 / LRV 41




For full technical details [altro.co.uk](https://www.altro.co.uk)


# Floors - Smooth




Celestial | ZD2018  
WR328 / A1M11 / LRV 65




Hologram | ZD2001  
WR311 / A1M200 / LRV 57



Comet | ZD2003  
WR313 / A1M200 / LRV 33




Meteor | ZD2017  
WR327 / A1M200 / LRV 33




Libra | ZD2008  
WR318 / A1M71 / LRV 19




Planet | ZD2019  
WR329 / A1M247 / LRV 42




Apex | ZD2011  
WR321 / A1M20 / LRV 31




Terrain | ZD2012  
WR322 / A1M239 / LRV 17



Aries | ZD2020  
WR330 / A1M41 / LRV 12



Capricorn | ZD2004  
WR314 / A1M200 / LRV 10



Pisces | ZD2009  
WR319 / A1M200 / LRV 23

# Floors – Safety




## Altro Reliance 25

### Application areas:

- corridors subject to foot and wheeled traffic including hospital streets
- laboratories (secondary / tertiary school labs / industrial)
- clinical areas in hospitals
- atria / receptions in large public buildings

We have merged our popular Altro Designer 25 with Altro Unity 25 to create one solution for your tough areas. With a palette of 27 colours, this robust safety flooring gives you design flexibility with the durability you would expect from our 2.5mm safety flooring range. It can cope with high levels of foot and wheeled traffic without compromising on slip resistance.

Combine with Altro Fortis wall protection system for your toughest areas.




Temple | D2509  
WR261 / A1M81 / LRV 27




For full technical details [altro.co.uk](http://altro.co.uk)


# Floors - Safety




Streetlight | D2505  
WR287 / A1M79 / LRV 45



Rock | D2504  
WR84 / A1M84 / LRV 23




Fog | D25153  
WR81 / A1M81 / LRV 27




Pavement | D2507  
WR83 / A1M83 / LRV 14



Vault | D2517  
WR277 / A1M100 / LRV 5




Stream | D2518  
WR288 / A1M71 / LRV 22




Fountain | D2502  
WR306 / A1M71 / LRV 22




Pool | D2503  
WR307 / A1M73 / LRV 10




Runway | D2506  
WR72 / A1M72 / LRV 9




Twilight | D25910  
WR39 / A1M34 / LRV 8



Roof Garden | D2500  
WR262 / A1M154 / LRV 23




Skyline | D25332  
WR52 / A1M52 / LRV 25



Storm | D25903  
WR82 / A1M82 / LRV 16




Midnight | D25421  
WR72 / A1M72 / LRV 11




Jet | D2501  
WR100 / A1M100 / LRV 6


# Floors – Safety



Ice Rink | D2514  
WR291 / A1M01 / LRV 70



Statue | D2513  
WR304 / A1M12 / LRV 62




Arena | D2510  
WR297 / A1M20 / LRV 41



Bone | D25215  
WR20 / A1M20 / LRV 37




Biscuit | D25904  
WR146 / A1M20 / LRV 30




Plaza | D2512  
WR27 / A1M27 / LRV 32




Monument | D2508  
WR305 / A1M239 / LRV 23




Gallery | D2511  
WR62 / A1M62 / LRV 10



Rust | D25907  
WR150 / A1M238 / LRV 10



Forge | D2515  
WR248 / A1M238 / LRV 9



Signal | D2516  
WR300 / A1M42 / LRV 13



# Floors – Safety



## Altro Atlas 40


### Application areas:

- industrial areas exposed to heavy wheeled traffic such as pallet trucks and occasional forklift traffic (for more intense forklift traffic, an Altro resin is more suitable)
- sports changing rooms where spiked or studded shoes / boots are used
- mezzanine areas

Tough as old boots... and new boots, steel toe-capped work boots and studded football boots. Altro Atlas 40 is our most robust safety flooring, and is suitable for areas exposed to shoes with studs or spikes. It's well suited to heavy duty industrial use and sports changing rooms.

Hard wearing, stable, and resistant to mechanical damage and chemicals, Altro Atlas 40 provides long term durability and slip resistance, and is easy to clean and maintain.

Available in 5 colours.



Pewter Grey | X4039  
WR81 / A1M81 / LRV 26



For full technical details [altro.co.uk](http://altro.co.uk)

---

# Floors - Safety

---




Mushroom | X4042  
WR24 / A1M27 / LRV 32



Quarry Red | X4060  
WR42 / A1M42 / LRV 13



Walnut | X4086  
WR62 / A1M62 / LRV 10



Anvil | X4094  
WR101 / A1M72 / LRV 11

# Floors – Safety



## Altro Suprema


### Application areas:

- indoor public spaces which are mainly subjected to foot (not wheeled) traffic, including lobbies, entrance areas, corridors
- classrooms (for labs and CDT areas, see Altro Walkway 20 SD, Altro Reliance 25 and Altro Classic 25)
- hospital wards and corridors

Looking for that designer feel in a safety flooring? Look no further than Altro Suprema – a stunning, non-sparkle safety floor that gives you complete design freedom. With 12 new colours including three 'flake' designs, one of its 40 shades will match the mood you want to create.

Design-led Altro Suprema has been developed in consultation with colour consultants, architects and end users to reflect design requirements and interior trends. It gives a colour punch to your public spaces.

So from sophisticated Snowflake to bright Bee, the only limit is your imagination.




Malibu | SU2062  
WR272 / A1M272 / LRV 26




For full technical details [altro.co.uk](http://altro.co.uk)


# Floors - Safety



Bubble | SU2039  
WR285 / A1M203 / LRV 34




Bluewater | SUI2073  
WR194 / A1M71 / LRV 17




Caspian | SU2038  
WR194 / A1M71 / LRV 18




Bluebird | SU2037  
WR231 / A1M73 / LRV 10




Loam | SU2047  
WR260 / A1M260 / LRV 8




Melon | SU2061  
WR271 / A1M271 / LRV 33




Fennel | SU2049  
WR262 / A1M154 / LRV 25




Basil | SU2082  
WR377 / A1M308 / LRV 16



Aegean | SU2057  
WR270 / A1M56 / LRV 23




Barbados | SU2081  
WR376 / A1M302 / LRV 13




Bee | SU2083  
WR378 / A1M378 / LRV 40




Parchment | SU2041  
WR267 / A1M20 / LRV 45




Prairie | SU2044  
WR279 / A1M20 / LRV 31




Earth | SUI2066  
WR282 / A1M239 / LRV 23




Platypus | SU2075  
WR371 / A1M371 / LRV 13




Tangerine | SU2052  
WR273 / A1M273 / LRV 20




Tuscany | SU2084  
WR379 / A1M42 / LRV 13



Lipstick | SU2085  
WR380 / A1M238 / LRV 9




Flamingo | SU2063  
WR276 / A1M276 / LRV 16




Citrus | SU2086  
WR381 / A1M381 / LRV 45

# Floors – Safety




Sugar | SU2042  
WR284 / A1M01 / LRV 65




Calico | SUI2069  
WR283 / A1M20 / LRV 52




Owl | SUI2068  
WR20 / A1M20 / LRV 40




Oatmeal | SU2046  
WR265 / A1M265 / LRV 38




Taupe | SU2040  
WR282 / A1M239 / LRV 23




Snowflake | SUD2076  
WR284 / A1M01 / LRV 71




Alaska | SUD2079  
WR374 / A1M79 / LRV 49




Dew | SU2036  
WR191 / A1M191 / LRV 45




Wolf | SU2050  
WR261 / A1M81 / LRV 29




Montana | SUD2077  
WR372 / A1M81 / LRV 27




Shadow | SU2056  
WR269 / A1M84 / LRV 24




Platinum | SUI2064  
WR201 / A1M84 / LRV 24




Chinchilla | SU2078  
WR373 / A1M86 / LRV 19




Wallaby | SUI2080  
WR375 / A1M82 / LRV 14



Flint | SU2034  
WR82 / A1M82 / LRV 13




Fossil | SUI2067  
WR232 / A1M82 / LRV 12



Raven | SU2054  
WR277 / A1M100 / LRV 7



Lava | SUI2070  
WR260 / A1M260 / LRV 8



Berry | SU2059  
WR275 / A1M44 / LRV 8



# Floors – Safety



## Altro Wood Safety

### Application areas:

- hospital / care home corridors and living areas
- patient areas
- retail
- kindergartens, schools, universities: general circulation areas, corridors

This attractive, general purpose 2mm wood-look flooring is available in a range of designs with different plank sizes and shades including a bamboo-look fine-line design and wide plank classic and rustic designs, helping you create the right look for areas where people live and work.

Altro Wood Safety is designed to cope with medium to heavy traffic. It is also a perfect partner for a variety of wall shades and finishes, from wall cladding to metal and glass, making design simpler. With matching design and colour options across this range and Altro Wood Safety Comfort you can achieve a consistent look in different areas.

Available in 20 colours.




Farmhouse Oak | WSA2004  
WR338 / A1M27 / LRV 38




For full technical details [altro.co.uk](http://altro.co.uk)

# Floors - Safety



Bleached Oak | WSA2001  
WR335 / A1M335 / LRV 52



Ranch Oak | WSA2021  
WR335 / A1M335 / LRV 51




Light Beech | WSA2017  
WR462 / A1M462 / LRV 43



Rustic Oak | WSA2006  
WR340 / A1M340 / LRV 37



Washed Bamboo | WSA2020  
WR463 / A1M392 / LRV 42



Spring Maple | WSA2018  
WR352 / A1M352 / LRV 27



Noble Oak | WSA2024  
WR467 / A1M467 / LRV 17



Deep Bamboo | WSA2019  
WR342 / A1M224 / LRV 21



Antique Walnut | WSA2007  
WR341 / A1M160 / LRV 15



Stately Oak | WSA2025  
WR468 / A1M62 / LRV 10




Oak Traditions | WSA2013  
WR353 / A1M225 / LRV 25




Autumn Maple | WSA2005  
WR339 / A1M339 / LRV 24




Mountain Oak | WSA2022  
WR339 / A1M339 / LRV 22




Urban Cherry | WSA2003  
WR337 / A1M337 / LRV 17



Walnut Noir | WSA2011  
WR345 / A1M62 / LRV 6




Washed Oak | WSA2015  
WR347 / A1M347 / LRV 38



Vintage Cherry | WSA2002  
WR336 / A1M239 / LRV 22



Worn Oak | WSA2023  
WR322 / A1M239 / LRV 19



Manor Oak | WSA2016  
WR348 / A1M348 / LRV 7

# Floors – Safety



## Altro Wood Safety Comfort

### Application areas:

- corridors and classrooms in schools, kindergartens, universities
- student accommodation
- hospital / care home corridors and patient rooms
- retail
- home adaptations / social housing

Altro Wood Safety Comfort offers aesthetics combined with comfort. It's an ideal choice for areas that need to look good while helping to give comfort underfoot. This 2.85mm thick option offers 14dB sound reduction, which is great for noisy environments such as hospitals and kindergartens.

It is also suitable for wheeled traffic and low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds.

With matching design and colour options across this range and Altro Wood Safety you can achieve a consistent look in different areas. Select from the ranges for the right technical performance required for the area.

Available in 12 colours.



Antique Cherry | WSASC2802  
WR336 / A1M239 / LRV 22



For full technical details [altro.co.uk](http://altro.co.uk)

# Floors - Safety



Soft Oak | WSASC2804  
WR338 / A1M27 / LRV 38



Light Bamboo | WSASC2820  
WR463 / A1M392 / LRV 42




Field Oak | WSASC2806  
WR340 / A1M340 / LRV 37



Veteran Oak | WSASC2822  
WR339 / A1M339 / LRV 22




Classic Walnut | WSASC2807  
WR341 / A1M160 / LRV 15



Aged Oak | WSASC2815  
WR347 / A1M347 / LRV 38



Warm Maple | WSASC2805  
WR339 / A1M339 / LRV 24



Deep Cherry | WSASC2803  
WR337 / A1M337 / LRV 17



Royal Oak | WSASC2823  
WR322 / A1M239 / LRV 19



Regent Oak | WSASC2825  
WR468 / A1M62 / LRV 10



Reclaimed Oak | WSASC2821  
WR335 / A1M335 / LRV 51

# Floors – Safety



## Altro Walkway 20


### Application areas:

- general purpose

The range has 42 colours – featuring bright and subtle, sparkle-free designs, and decorative chipped options which give you enhanced design flexibility.

Altro Walkway 20 shares its colour range with Altro XpressLay. This enables you to combine use of both ranges when you need traditionally adhered and adhesive-free safety flooring in adjacent areas.

You've loved working with Altro Walkway 20 for over 25 years because it's easy to cove and weld. It achieves  $PTV \geq 36$  on the pendulum test giving sustained slip resistance throughout the lifetime of the product. It also includes PUR cleanability, superior chemical and stain resistance.




Silk | VMI2003P  
WR310 / A1M35 / LRV 10



For full technical details [altro.co.uk](http://altro.co.uk)

# Floors – Safety




Swan | VMI2012P  
WR291 / A1M01 / LRV 75




Winter | VMI2053  
WR105 / A1M01 / LRV 61




Minster | VM2018P  
WR289 / A1M265 / LRV 40




Sand | VMI2051  
WR20 / A1M20 / LRV 40




Bone | VM20215  
WR20 / A1M20 / LRV 37




Arena | VM2019P  
WR297 / A1M20 / LRV 41



Biscuit | VM20907  
WR146 / A1M20 / LRV 30




Monument | VMI2008P  
WR305 / A1M239 / LRV 23




Tundra | VM20910  
WR153 / A1M239 / LRV 17



Savannah | VMI2050  
WR153 / A1M239 / LRV 19




Forge | VM2015P  
WR248 / A1M238 / LRV 9




Cherry | VM20920  
WR148 / A1M148 / LRV 10




Tango | VM2031  
WR42 / A1M42 / LRV 14




Signal | VMI2016P  
WR300 / A1M42 / LRV 13




Gallery | VM2011P  
WR62 / A1M62 / LRV 10




Gecko | VMI2002P  
WR308 / A1M308 / LRV 18




Roof Garden | VM2000P  
WR262 / A1M154 / LRV 23



Tarragon | VMI2052  
WR52 / A1M52 / LRV 26




Skyline | VM20332  
WR52 / A1M52 / LRV 24




Mallard | VMI2013P  
WR302 / A1M302 / LRV 13


# Floors – Safety




Streetlight | VMI2005P  
WR287 / A1M79 / LRV 45




Blizzard | VMI2055  
WR79 / A1M191 / LRV 44




Fog | VM20153  
WR81 / A1M81 / LRV 27




Rock | VMI2004P  
WR84 / A1M84 / LRV 23




Pavement | VMI2007P  
WR83 / A1M83 / LRV14




Temple | VM2009P  
WR261 / A1M81 / LRV 27




Cloud | VM2014  
WR79 / A1M191 / LRV 41




Whale | VMI2054  
WR86 / A1M86 / LRV 20




Dolphin | VM2010  
WR86 / A1M86 / LRV 21




Black | VM20892  
WR100 / A1M100 / LRV 6




Waterfall | VM20912  
WR155 / A1M135 / LRV 31




Fresco | VMI2017P  
WR309 / A1M309 / LRV 31




Blue | VM20412  
WR71 / A1M71 / LRV 22




River | VMI2057  
WR71 / A1M71 / LRV 22




Lupin | VMI2059  
WR286 / A1M286 / LRV 17




Stream | VM2001P  
WR288 / A1M71 / LRV 22



Midnight | VM20421  
WR72 / A1M72 / LRV 11




Nightfall | VMI2056  
WR72 / A1M72 / LRV 10



Pitch | VM2020P  
WR277 / A1M100 / LRV 5



Coal | VMI2058  
WR100 / A1M100 / LRV 6



Runway | VM2006P  
WR72 / A1M72 / LRV 9



# Floors – Safety



## Altro Walkway 20 SD

### Application areas:

- labs with static sensitive equipment / gases
- computer suites
- production areas for electronics

### Matches:

Shade matches Altro Walkway 20 Fog so there's no compromise on aesthetics.

Minimise the risk of damage to static-sensitive equipment, such as computers, with the “SD” (static dissipative) version of Altro Walkway 20 safety flooring. It's ideal for laboratories, computer suites and electronic assembly areas.



Fog | VM20153SD  
WR81 / A1M81 / LRV 27



For full technical details [altro.co.uk](http://altro.co.uk)



# Floors – Safety



## Altro XpressLay

### Application areas:


- general purpose for areas where the ability to remove and recycle post-installation plays an important part in your requirements for sustainable flooring finishes

Altro XpressLay can save you time and money. It can be installed and removed quickly and reused and recycled, helping both you and the environment.

This system has a studded emboss on the underside of the flooring which allows any subfloor moisture to escape. It has been designed to lie flat, without the need to be adhered. Altro doubled-sided, moisture-tolerant tape is used to secure the flooring in place while you weld. Altro XpressLay is **adhesive-free** giving you same-day welding and allowing you to walk on the floor straight away.

Altro XpressLay has the slip resistance, life expectancy and ability to withstand heavy loads that you expect from Altro safety flooring.

The range has 42 colours and matches with Altro Walkway 20.




Streetlight | XLI2205P  
WR287 / A1M79 / LRV 45




For full technical details [altro.co.uk](http://altro.co.uk)

# Floors – Safety




Swan | XLI2212P  
WR291 / A1M01 / LRV 75




Winter | XLI2253  
WR105 / A1M01 / LRV 61




Minster | XL2218P  
WR289 / A1M265 / LRV 40




Sand | XLI2251  
WR20 / A1M20 / LRV 40




Bone | XL22215  
WR20 / A1M20 / LRV 37




Arena | XL2219P  
WR297 / A1M20 / LRV 41



Biscuit | XL22907  
WR146 / A1M20 / LRV 30




Monument | XLI2208P  
WR305 / A1M239 / LRV 23




Tundra | XL22910  
WR153 / A1M239 / LRV 17



Savannah | XLI2250  
WR153 / A1M239 / LRV 19




Forge | XL2215P  
WR248 / A1M238 / LRV 9




Cherry | XL22920  
WR148 / A1M148 / LRV 10




Tango | XL2231  
WR42 / A1M42 / LRV 14




Signal | XLI2216P  
WR300 / A1M42 / LRV 13




Gallery | XL2211P  
WR62 / A1M62 / LRV 10




Gecko | XLI2202P  
WR308 / A1M308 / LRV 18




Roof Garden | XL2200P  
WR262 / A1M154 / LRV 23



Tarragon | XLI2252  
WR52 / A1M52 / LRV 26




Skyline | XL22332  
WR52 / A1M52 / LRV 24




Mallard | XL12213P  
WR302 / A1M302 / LRV 13


# Floors – Safety




Streetlight | XLI2205P  
WR287 / A1M79 / LRV 45




Blizzard | XLI2255  
WR79 / A1M191 / LRV 44




Fog | XL22153  
WR81 / A1M81 / LRV 27




Rock | XLI2204P  
WR84 / A1M84 / LRV 23




Pavement | XLI2207P  
WR84 / A1M84 / LRV 14




Temple | XL2209P  
WR261 / A1M81 / LRV 27




Cloud | XL2214  
WR79 / A1M191 / LRV 41




Whale | XLI2254  
WR86 / A1M86 / LRV 20




Dolphin | XL2210  
WR86 / A1M86 / LRV 21




Black | XL22892  
WR100 / A1M100 / LRV 6




Waterfall | XL22912  
WR155 / A1M135 / LRV 31




Fresco | XLI2217P  
WR309 / A1M309 / LRV 31




Blue | XL22412  
WR71 / A1M71 / LRV 22




River | XLI2257  
WR71 / A1M71 / LRV 22




Lupin | XLI2259  
WR286 / A1M286 / LRV 17




Stream | XL2201P  
WR288 / A1M71 / LRV 22



Midnight | XL22421  
WR72 / A1M72 / LRV 11




Nightfall | XLI2256  
WR72 / A1M72 / LRV 10



Pitch | XL2220P  
WR277 / A1M100 / LRV 5



Coal | XLI2258  
WR100 / A1M100 / LRV 6



Runway | XL2206P  
WR72 / A1M72 / LRV 9



# Floors – Safety



## Altro Stronghold 30


### Application areas:

- kitchens
- canteens
- food preparation and service areas
- areas where grease, oils or fats are present

Water underfoot is treacherous enough – add grease, oils and fats, and you’ve got a dangerous environment. So, for commercial kitchens, canteens, food preparation and service areas, it’s essential to select flooring that will help catering staff do their job safely.

Altro Stronghold 30 achieves Altro’s highest rating for slip resistance (PTV  $\geq 55$ , R12) and is designed to minimise risk in wet and greasy conditions for the lifetime of the flooring. As well as helping to keep staff safe from slips, it also helps reduce their fatigue, thanks to its 3mm thickness which provides noise reduction and comfort underfoot.

Altro Stronghold 30 is frequently specified with Altro Whiterock White and Altro Whiterock Satins to create safe and hygienic environments in commercial and industrial kitchens.




Monsoon | K30153  
WR81 / A1M81 / LRV 24




For full technical details [altro.co.uk](http://altro.co.uk)


# Floors – Safety




Star | K30912  
WR79 / A1M191 / LRV 41



Cannon | K30911  
WR101 / A1M72 / LRV 11




Dolphin | K3010  
WR86 / A1M86 / LRV 21




Midnight | K30421  
WR72 / A1M72 / LRV 11




Abyss | K3001  
WR100 / A1M100 / LRV 7




Oyster | K30215  
WR20 / A1M20 / LRV 36




Biscuit | K30907  
WR146 / A1M20 / LRV 30




Tundra | K30500  
WR153 / A1M239 / LRV 17




Skyline | K30332  
WR52 / A1M52 / LRV 24




Surf | K30412  
WR71 / A1M71 / LRV 20



Torch | K30913  
WR278 / A1M42 / LRV 16



Russet | K30262  
WR41 / A1M41 / LRV 14



Lime | K3086  
WR472 / A1M381 / LRV 42

# Floors – Safety



## Altro Aquarius

### Application areas:

- bathrooms and showers
- changing rooms\*
- saunas and spas
- wet environments in social care: home adaptations, social housing
- student accommodation

\*In changing rooms where spikes and studs are used, we recommend Altro Atlas 40

Achieving a PTV  $\geq 50$  (Slider 96) and Class B to DIN51097 for barefoot use, Altro Aquarius provides optimum lifetime sustained slip-resistance in wet and dry environments.

With 20 shades to choose from, this range features plain and tonal chip options, including an on-trend indigo shade to help you achieve high contrast and design flexibility.

It's a 2mm safety floor that has been extensively tested on a variety of shoe types to ensure top performance in a host of environments – bathrooms, changing areas, hospital wards. No longer do you have to choose between studded or standard safety flooring. With Altro Aquarius you can have it all. Good looks and comfort, without compromising on safety.



Swan | AQI2012  
WR291 / A1M1 / LRV 75




For full technical details [altro.co.uk](http://altro.co.uk)


# Floors - Safety




Terrapin | AQI2009  
WR289 / A1M265 / LRV 40



Vole | AQ2010  
WR289 / A1M265 / LRV 43




Walrus | AQ2007  
WR261 / A1M81 / LRV 29




Tern | AQI2008  
WR261 / A1M81 / LRV 31




Hippo | AQI2013  
WR301 / A1M82 / LRV 11




Iguana | AQ2021  
WR297 / A1M20 / LRV 41




Otter | AQI2006  
WR290 / A1M239 / LRV 26




Puffin | AQI2005  
WR287 / A1M79 / LRV 46




Cygnets | AQ2004  
WR287 / A1M79 / LRV 46




Salamander | AQI2011  
WR294 / A1M294 / LRV 41




Gosling | AQI2023  
WR369 / A1M369 / LRV 59




Sea Snail | AQI2024  
WR370 / A1M370 / LRV 50




Dragonfly | AQ2001  
WR292 / A1M292 / LRV 33




Blue Penguin | AQI2002  
WR288 / A1M71 / LRV 24



Newt | AQ2022  
WR368 / A1M368 / LRV 10




Treefrog | AQI2003  
WR293 / A1M271 / LRV 33



Coral Crab | AQI2014  
WR300 / A1M42 / LRV 14



Spoonbill | AQI2016  
WR303 / A1M303 / LRV 11



Mallard | AQI2015  
WR302 / A1M302 / LRV 13

# Floors – Safety



## Altro Pisces

### Application areas:

- bathrooms / showers
- wet environments in social care: home adaptations, social housing
- student accommodation
- saunas / spas
- changing rooms\*

\*In changing rooms where spikes and studs are used, we recommend Altro Atlas 40

For 'home from home' environments, looks really do matter. For those providing accommodation, safety remains a top priority, especially in wet environments where the likelihood of a slip is high. Achieving Class B to DIN51097 for barefoot use, plus a Pendulum Test Value (PTV) of  $\geq 50$  (Slider 96), a soft-look finish and 16 attractive shades, Altro Pisces brings together the best of both worlds.

Altro Pisces has a consistent, soft appearance that you would want from domestic interiors, with the lifetime sustained slip-resistance you expect from Altro.

Altro Pisces performs whether wet or dry, in shoes or barefoot.




Shoreline | SB2006  
WR389 / A1M389 / LRV 38




For full technical details [altro.co.uk](http://altro.co.uk)


# Floors - Safety




Lighthouse | SB2001  
WR291 / A1M01 / LRV 70




Jellyfish | SB2005  
WR388 / A1M388 / LRV 46



Porthole | SB2007  
WR390 / A1M390 / LRV 30



Anchor | SB2008  
WR391 / A1M82 / LRV 16




Houseboat | SB2015  
WR398 / A1M398 / LRV 25




Fisherman | SB2009  
WR392 / A1M392 / LRV 48




Seahorse | SB2011  
WR394 / A1M394 / LRV 47



Windbreak | SB2016  
WR399 / A1M399 / LRV 38



Deckchair | SB2013  
WR396 / A1M396 / LRV 50



Sea Urchin | SB2014  
WR397 / A1M397 / LRV 34



Breakwater | SB2003  
WR386 / A1M20 / LRV 42




Cuttlefish | SB2002  
WR385 / A1M385 / LRV 50



Driftwood | SB2004  
WR387 / A1M387 / LRV 32



Beach Hut | SB2012  
WR395 / A1M395 / LRV 37



Starfish | SB2010  
WR393 / A1M393 / LRV 21

# Floors – Safety




## Altro Marine 20

### Application areas:

- foot wash areas at swimming pools

Altro Marine 20 has a dimpled surface that's specially designed for bare feet where you need Class C and the risk of a slip is very high. It provides excellent slip resistance and its hardwearing construction makes it resistant to most chemicals and indentation. It is easy to maintain, so it will keep looking good and performing well.




Shark | IPT20812  
WR201 / A1M84 / LRV 24



For full technical details [🌐 altro.co.uk](https://www.altro.co.uk)


# Floors - Safety



Gull | T20813  
WR79 / A1M191 / LRV 46



Cascade | IPT20809  
WR105 / A1M01 / LRV 71




Reef | T20801  
WR20 / A1M20 / LRV 41



Seagrass | IPT20814  
WR137 / A1M137 / LRV 37




Fen | IPT20815  
WR242 / A1M242 / LRV 19



Steam | IPT20807  
WR85 / A1M85 / LRV 37



Rainfall | IPT20810  
WR135 / A1M135 / LRV 43



Marlin | T20811  
WR203 / A1M203 / LRV 34



Tide | IPT20808  
WR71 / A1M71 / LRV 21

# Floors – Safety



## Altro Classic 25


### Application areas:

- locations where substances like chalk, paint, clay or dirt are present, such as craft, design and technology (CDT) / art rooms and circulation areas

Classic by name, classic by nature. Altro Classic 25 was the first ever safety flooring; it's been tried and trusted for over 60 years, and its traditional, industrial look is still popular today.

Altro Classic 25 provides lasting slip resistance, durability and abrasion resistance, making it ideal for use in heavy traffic areas – particularly with wheeled traffic. It's also good for areas where occasional moisture and dust can increase the risk of slipping as it has a Pendulum Test Value (PTV) rating  $\geq 45$  and an R11 slip rating.

Available in 12 practical, dirt-hiding shades, with the addition of new colours for even greater choice, Altro Classic 25 is easy to clean and maintain.




Mushroom | X2542R11  
WR24 / A1M27 / LRV 32



For full technical details [altro.co.uk](https://www.altro.co.uk)


# Floors - Safety




Truffle | X2545R11  
WR153 / A1M239 / LRV 17




Walnut | X2586R11  
WR62 / A1M62 / LRV 10




Quarry Red | X2560R11  
WR42 / A1M42 / LRV 13




Blackberry | X2547R11  
WR100 / A1M100 / LRV 7




Anvil | X2594R11  
WR101 / A1M72 / LRV 11




Pewter Grey | X2539R11  
WR81 / A1M81 / LRV 26




Whisper | X2548R11  
WR354 / A1M84 / LRV 24



Graphite | X2546R11  
WR86 / A1M86 / LRV 21



Blue | X2541R11  
WR71 / A1M71 / LRV 20



Aster | X2549R11  
WR286 / A1M286 / LRV 17



Legend | X2544R11  
WR231 / A1M73 / LRV 10

# Walls




## Altro Whiterock White

### Application areas:

- kitchens: cold store, cook, chill, food prep
- clinical areas
- clean rooms
- laundries
- mortuaries
- bathrooms
- showers and changing areas

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that’s impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

HACCP-approved Altro Whiterock White is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C, and meets all current EU Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens especially combined with Altro Stronghold 30.



White | W103-W104  
LRV 89



For full technical details [altro.co.uk](https://www.altro.co.uk)



# Walls



## Altro Whiterock Satins


### Application areas:

- bathrooms
- showers and changing areas
- operating theatres and wards
- splashbacks
- cooking and food preparation areas
- serveries
- kitchens open to public view

Use colour to subtly create a mood with Altro Whiterock Satins. This versatile and sophisticated wall sheet is available in a range of solid, decorative, satin shades – now with 27 colours to choose from including a new fresh green shade ‘Orchard’.

Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipe-clean surface.

Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed for the requirements of the Equality Act 2010.



Scarlett | 221  
LRV 13



For full technical details [altro.co.uk](http://altro.co.uk)


# Walls




Cesco | 53  
LRV 71




Ice | 44  
LRV 80




Malva | 57  
LRV 68



Viola | 214  
LRV 13




Zandra | 217  
LRV 24




Citron | 56  
LRV 80




Oyster | 32  
LRV 70



Daybreak | 222  
LRV 69




Fawn | 206  
LRV 41




Fenland | 219  
LRV 13




Linen | 41  
LRV 83




Sorbet | 216  
LRV 59




Orchard | 223  
LRV 50



Olea | 218  
LRV 28



Glow | 215  
LRV 50




Bergamot | 220  
LRV 26


---

# Walls


---




Dakota | 209  
LRV 6




Urban | 210  
LRV 28




Echo | 208  
LRV 43




Flint | 201  
LRV 32




Clarity | 207  
LRV 64




Ozone | 211  
LRV 10




Seafoam | 43  
LRV 81



Mint | 203  
LRV 62



Promenade | 212  
LRV 32



Vibrance | 213  
LRV 22



# Walls




## Altro Whiterock Chameleon

### Application areas:

- 'high end' bathrooms
- showers and changing areas
- foyers
- serveries
- retail
- splashbacks

Make a bold statement with Altro Whiterock Chameleon – the glossy, vibrant and vividly colourful hygienic wall cladding. Altro Whiterock Chameleon is available in 16 high impact, high-design shades to add a little bit of affordable luxury to a range of environments.

Offering all the benefits of Altro Whiterock, Altro Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.




Feng Shui | 6617V  
LRV 9




For full technical details [altro.co.uk](http://altro.co.uk)


# Walls




Pure Innocence | 6601V  
LRV 92




Slip Stream | 6611V  
LRV 36




Night Fall | 6622V  
LRV 15




Sheer Glass | 6609V  
LRV 40




Ocean Deep | 6637  
LRV 6




Ice Queen | 6629V  
LRV 36




Distant Thunder | 6634  
LRV 18




Eau De Chic | 6605V  
LRV 48




Key Lime | 6635  
LRV 50




Hawaiian Palm | 6638  
LRV 22




Taxi Cab | 6636  
LRV 58




Moulin Rouge | 6618V  
LRV 12



Juicy Lucy | 6620V  
LRV 20



Shocking Pink | 6616V  
LRV 15



Liquorice | 6612V  
LRV 5

# Walls



## Altro Whiterock Digiclad

### Application areas:

- feature walls - foyer and reception areas
- wards and bedrooms
- patient rooms
- operating theatres
- recovery rooms
- coffee shops
- care homes
- dementia units

Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.

Altro Whiterock Digiclad is created by reproducing a photographic image or vector art onto Altro Whiterock wall sheet, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad ideal for areas where durability is important.



For full technical details [altro.co.uk](http://altro.co.uk)



# Walls




## Altro Whiterock Splashbacks

### Application areas:

- bathrooms
- hydrotherapy
- spas
- changing rooms
- serveries

Hygienic, low-maintenance, convenient and easy to install... no wonder Altro Whiterock Splashbacks are such a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to coordinate or contrast, Altro Whiterock Splashbacks come in a vast array of colours and finishes complemented by colour-matched sealants. Choose from Altro Whiterock Satins or Altro Whiterock Chameleon ranges, pick your size, and away you go.




Sheer Glass | 6609V  
LRV 40




For full technical details [🌐 altro.co.uk](https://www.altro.co.uk)


# Walls



Pure Innocence | 6601V  
LRV 92




Slip Stream | 6611V  
LRV 36




Night Fall | 6622V  
LRV 15




Ocean Deep | 6637  
LRV 6




Liquorice | 6612V  
LRV 5




Ice Queen | 6629V  
LRV 36




Distant Thunder | 6634  
LRV 18




Eau De Chic | 6605V  
LRV 48




Key Lime | 6635  
LRV 50




Hawaiian Palm | 6638  
LRV 22




Taxi Cab | 6636  
LRV 58




Moulin Rouge | 6618V  
LRV 12




Juicy Lucy | 6620V  
LRV 20




Shocking Pink | 6616V  
LRV 15




Feng Shui | 6617V  
LRV 9




Citron | 56  
LRV 80




Oyster | 32  
LRV 70



Daybreak | 222  
LRV 69




Fawn | 206  
LRV 41




Fenland | 219  
LRV 13




Linen | 41  
LRV 83




Sorbet | 216  
LRV 59



Orchard | 223  
LRV 50




Olea | 218  
LRV 28




Glow | 215  
LRV 50


# Walls




Dakota | 209  
LRV 6




Urban | 210  
LRV 28




Echo | 208  
LRV 43



Flint | 201  
LRV 32




Clarity | 207  
LRV 64




Ozone | 211  
LRV 10




Seafoam | 43  
LRV 81




Mint | 203  
LRV 62



Promenade | 212  
LRV 32




Vibrance | 213  
LRV 22




Cesco | 53  
LRV 71




Ice | 44  
LRV 80




Malva | 57  
LRV 68




Viola | 214  
LRV 13



Zandra | 217  
LRV 24



Scarlett | 221  
LRV 13



Bergamot | 220  
LRV 26



# Walls



## Altro Fortis Titanium

### Application areas:


- public areas subjected to high levels of traffic
- circulation areas
- corridors
- classrooms

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.

Available in 10 colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall sheet range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements\*\*.

With an impervious, easy-to-wipe surface, Altro Fortis Titanium improves cleanability.

\*\* Conditions apply. Please contact us for more information.



Oxford | FT/211  
LRV 10




For full technical details [altro.co.uk](https://www.altro.co.uk)


---

# Walls


---




Pearl | FT/41  
LRV 83




Almond | FT/32  
LRV 70




Tan | FT/206  
LRV 41




Mustard | FT/222  
LRV 69




Cardinal | FT/221  
LRV 13




Battleship | FT/208  
LRV 43



Riviera | FT/207  
LRV 64



Denim | FT/201  
LRV 32



Kingfisher | FT/213  
LRV 22

# Walls




## Altro Fortis corner protection

### Application areas:

- wall corners

For extra protection on a wall's vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn't right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.



Tan | FT/206  
LRV 41




For full technical details [🌐 altro.co.uk](https://www.altro.co.uk)

---

# Walls


---




Pearl | FT/41  
LRV 83




Almond | FT/32  
LRV 70




Mustard | FT/222  
LRV 69




Cardinal | FT/221  
LRV 13




Kingfisher | FT/213  
LRV 22




Battleship | FT/208  
LRV 43



Riviera | FT/207  
LRV 64



Denim | FT/201  
LRV 32



Oxford | FT/211  
LRV 10

# Doors



## Altro Whiterock hygienic doorsets

### Application areas:


- operating theatres
- pharmacies
- kitchens
- corridors
- labs

In areas where hygiene is crucial, or where doors take a lot of abuse, Altro Whiterock hygienic doorsets are the answer. Faced with PVCu, they're not only tough and impact-deflective, but also hygienic and low maintenance.

Altro Whiterock hygienic doorsets are custom-made to meet your needs, and can be designed for use on their own or as part of a complete Altro system including hygienic wall sheets and flooring.

They're available clad in any of the Altro Whiterock ranges, so you can choose colours that can complement your decor or create contrast to aid with wayfinding.

Our doorsets are available in a wide range of bespoke options.



Vibrance | 213  
LRV 22



For colours see pages 52, 62-64.  
For full technical details [altro.co.uk](http://altro.co.uk)

# Doors



## Altro Fortis doorsets


### Application areas:

- hospital corridors
- school / university corridors
- lobbies

This fully clad, custom-made option is perfect for public areas where doors are constantly in use and demand robust protection. Faced with the Altro Fortis Titanium sheet on both sides and all edges, these doorsets offer you optimum protection.

Doorsets faced with Altro Fortis Titanium are hard-wearing, impact and scuff resistant and have a wipe clean finish for easy maintenance. They can be used alongside Altro Fortis Titanium wall protection sheet and Altro Fortis corner protection to create a complete, robust protection system where it's needed.

Our doorsets are available in a wide range of bespoke options.



Pearl | FT/41  
LRV 83



For colours see pages 66-67.  
For full technical details [altro.co.uk](http://altro.co.uk)

# Doors



## Altro Fortis door protection


### Application areas:

- public areas subjected to high levels of traffic
- circulation areas
- corridors
- classrooms

In busy public areas, clad your existing doors to protect them where they need it most, helping prevent scuff and impact damage.

Simply order the standard Altro Fortis Titanium sheet, and cut it to size, fitting it to the height you need protection for, or if you prefer, we can do the hard work for you. Let us know the size you require and we'll cut it for you.

Available in 10 colours.



Almond | FT/32  
LRV 70




For colours see pages 66-67.  
For full technical details [altro.co.uk](http://altro.co.uk)



# Technical drawings - Floors


Straight laid

D1/03/05



Sit-on cove


D2



# Technical drawings - Floors


Set-in cove skirting

D3



Self-coved with cove former and capping seal


D4/03/05



# Technical drawings - Floors


Self-coved with cove former and captile strip C8 to wall tiles

D5/03/05



Self-coved with cove former and capping seal C11 over floor tiles


D6/03/05



# Technical drawings - Floors


Self-covered with cove former to Altro wall system semi-rigid PVCu sheet

D8/03/05



Self-covered to architrave


D9/03/05



# Technical drawings - Floors


Finished to gully angle

D10/03/05



Transition with other floor surfaces

D12/08/05




Visedge Series and installation instructions from:

Howe Green Limited,

01920 463230,


info@howegreen.co.uk



# Technical drawings - Floors


Transition with clamping drain

D13/03/05



Transition with clamping channel


D14/03/05



# Technical drawings - Floors

Transition with access covers

D16/03/05






# Technical drawings - Walls


Altro wall system to window / door frame detail

W1



Altro Whiterock hygienic PVCu wall system to shower tray with integral upstand detail

WS2






# Technical drawings - Walls


Altro wall system to Altro resilient flooring overlap detail

WF4a



Altro wall system to Altro resin flooring detail


WF5



# Technical drawings - Walls


Altro wall system to Altro resin flooring detail

WF6



Altro wall system with corner protector fixing detail


W8



# Technical drawings - Walls


Altro wall sheet to Altro wall sheet detail

W9



Altro wall sheet to Altro Whiterock FlexiJoint detail


W11



# Technical drawings - Walls


Altro wall sheet at dado height with Altro FlexiTrim

W12



Concealed transition strip


WHTT2



# Technical drawings - Walls


## Concealed transition strip

WHTT3



## Concealed transition strip

WHTT4



The hidden transition strip has been designed to maintain the overlap detail when replacing flooring without the need to replace the wall system, for installation guidance contact the Altro technical team on 01462 707600.



---

# Support

---

## Accessories and technical information

- subfloors
- floor accessories
- wall accessories
- adhesives
- stair nosings
- how vinyl safety flooring works
- technical services
- specification guidance
- technical drawings
- technical datasheets

## Case studies

## Sampling

## Customer support and CPD services

## Altro showrooms

## NBS specifications

## Life cycle costs

More information is available on [🌐 altro.co.uk](https://www.altro.co.uk)





“We have worked closely with Altro for many years, and in our experience their products are second to none in terms of quality and reliability — but they also offer colours, textures and overall solutions that can deliver visual appeal in the most innovative and challenging design projects. There is a great deal of confidence in the industry for Altro and their reputation is well deserved.”

---

**Scott Myers,**  
Managing Director, Pinnacle

## Samples

If colour choice is critical, please request a sample of the material

☎ 01462 707 700

✉ [samples@altro.com](mailto:samples@altro.com)



Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW

☎ 01462 707600 ✉ [enquiries@altro.com](mailto:enquiries@altro.com)



Altro, Designed for possibilities. Made for people. Altro Cantata, Altro Orchestra, Altro Operetta, Altro Serenade, Altro Zodiac, Altro Reliance, Altro Atlas, Altro Suprema, Altro Wood Safety, Altro Wood Safety Comfort, Altro Walkway, Altro Walkway SD, Altro XpressLay, Altro Stronghold, Altro Aquarius, Altro Pisces, Altro Classic, Altro Marine, Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon, Altro Whiterock Digiclad, Altro Whiterock Splashbacks, Altro Fortis Titanium, Altro Fortis corner protection, Altro Fortis door protection, Altro Fortis doorsets and Altro Whiterock hygienic doorsets are trademarks of Altro Limited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2018