



skyVac™

Safe:

Reaches up to 40ft from the ground with one operative, our system eliminates the risks associated with working at height

Provides a safer, cleaner environment

Efficient:

SkyVac utilises the lightest and most manageable carbon fibre poles: only 186 grams per metre thereby reducing operator fatigue

Reaches awkward areas that scaffolding and other access systems cannot reach

Economical:


Reduces the cost of hire and delivery of high level access equipment

Reduces training costs associated with working at height

• Carbon fibre suction poles

- Lightest pole system at 186 grams p/m
- On board camera system for precision cleaning

World's First Carbon Fibre Telescopic Vacuum Pole



Carbon Fibre Poles

Rigid Neck Accessories



Elite Gutter Cleaning Poles

- Lightest weight to size ratio in the gutter cleaning market
- Only 186 grams per metre
- Fully adjustable clamp mechanism

New Vac Release Pole

The quickest and safest way to release grass turfs and dirt from the end of your suction pole.

- INCREASED PRODUCTIVITY: Simply twist the door on the pole to cut the vacuum suction and see the turf release and fall to the floor.
- **RELEASES BLOCKAGES:** Including pine needles
- WINDOW VIEWER: To check for any debris passing through the pole

Internal tools

Internal tools for precise cleaning action in environments susceptible to dust

Lightweight super strong carbon fibre construction

External tools

Designed specifically for removing heavy soiling in gutters

EXTERNAL SYSTEMS



skyVacTM

An Innovation in Gutter Cleaning

Our specifically modified, time efficient, high-level gutter cleaning systems have been specially developed for outdoor robust work. This replaces the requirement for expensive, inflexible and often undesirable time consuming cherry pickers and scaffolding.

SkyVac Commercial 75 (Wet & Dry)

SkyVac Industrial 85 (Wet & Dry)

User friendly system ideal for commercial and domestic gutters

The world's most powerful mains powered free-standing gutter cleaning machine



KEY FEATURES

- Two industrial strength vacuum motors giving huge suction power of 100 inches of water lift
- Slide glide entrance eliminates time consuming blockages
- Tipping chassis for easy emptying
- Lightweight, very tough construction

Motor Wattage: 2600 watts max (two motors)

Air Flow Movement: 7166 litres per minute

SPECIFICATIONS

Water Lift: 100"

Weight: 23kg

Decibel Level: 69 dB

Container Capacity: 72 litres

Power Cable Length: 8 metres

L x W x H (cm): 56 x 58 x 94

Mains Connection: 240v

KEY FEATURES

- Three industrial strength vacuum motors giving huge suction power of 150 inches of water lift
- New side glide entrance
- Unique PowerMix feature gives 50% more suction lift power than its nearest rival
- Air flow Movement: 8000 Litres per minute

NOM AVAILABLE WITH VAC RELEASE POLE

SPECIFICATIONS

Motor Wattage: 3300 watts max (three motors) Water Lift: 150" Air Flow Movement: 8000 litres per minute Decibel Level: 72 dB Container Capacity: 78 litres Mains Connection: 240v or 110v @ 32 amp Power Cable Length: 10 metres Weight: 36 kg L x W x H (cm): 60 x 64 x 114



SkyVac Atom (Wet & Dry)

SkyVac Interceptor (Wet & Dry)

The Atom can tackle any challenge in all sorts of environments. Being the smallest SkyVac in the family means that it fits perfectly in your vehicle



KEY FEATURES

- Sucks gutters from the safety of the ground
- High reach internal vacuuming
- Wet and dry pick up indoors & outdoors
- Blow Function Perfect for clearing gutter clutter & ground foliage
- Suitable for pond dredging

SPECIFICATIONS

Motor Wattage: 1600 watts max Water Lift: 110" Air Flow Movement: 3800 litres per minute Decibel Level: 60 dB Container Capacity: 35 litres Mains Connection: 240v Power Cable Length: 8 metres Weight: 8 kg L x W x H (cm): 37 x 40 x 79

WORLD'S Most Powerful Free-Standing Gutter Cleaning Machine with its own on-board power unit

KEY FEATURES

- COMPLETELY MOBILE: Features an Independent on board Power Plant
- HAZARD FREE: Being free from Electric Power means no risk of tripping over cables
- **SLEEK DESIGN:** Allows you to access guttering in side paths and narrow spaces
- GENERATES HUGE SUCTION
- OPTIONAL KEY START

SPECIFICATIONS

5.5hp Honda Engine (Equivalent Wattage 3600 watts) Water Lift: 155" Air Flow Movement: 8,000 litres per minute Container Capacity: 78 Litres 90 Litre Drum L x W x H (mm): 1.400 x 630 x 1.045 Decibel Level: 107 Weight Pull Start: 78kg Weight Key Start: 87kg





INTERNAL SYSTEMS



skyVacTM

A Solution to High Level Vacuuming

The SkyVac with an addition of end tool brushes proves its flexibility by doubling up as an internal high level cleaning system. These easy to maintain systems have a unique air flow for rapid dust extraction, suitable for a range of commercial environments.

SkyVac Internal 27

SkyVac Internal 30

High level internal vacuuming system for hard to reach areas



KEY FEATURES

- Internal vacuuming up to 30ft (9 Metres)
- Lightweight, easy to carry powerful vacuum with 7 gallon capacity (27 litres)
- New featherweight carbon fibre telescopic vacuum pole
- Commercial build for the toughest cleaning demands

Now comes with the Worlds 1st Telescopic Vacuum Pole

SPECIFICATIONS

Motor Wattage: 1000 watts Air Flow Movement: 3800 litres per minute Decibel Level: 60dB Container Capacity: 27 litres Mains Connection: 240v Power Cable Length: 8 metres HEPA filter available

High level internal vacuuming system for hard to reach areas complete with trolley

KEY FEATURES

- Internal vacuuming up to 40ft (12 Metres)
- Trolley mounted
- Fitted basket
- Commercial build for the toughest cleaning demands

SPECIFICATIONS

Motor Wattage: 1000 watts Air Flow Movement: 3800 litres per minute Decibel Level: 60dB Container Capacity: 37 litres Mains Connection: 240v or 110v Power Cable Length: 8 metres Weight: 14 kg L x W x H (cm): 55 x 44 x 90 (including Trolley)



SkyVac Industrial Internal 78 (Wet & Dry)

SkyVac BacVac

The robust high level vacuuming system for hard to reach internal areas



KEY FEATURES

- Highly efficient twin vacuum motors
- Large Capacity (78 litres)
- Tipping drum for easy emptying
- All terrain steel chassis with stainless steel container

SPECIFICATIONS

Motor Wattage: 2600 watts max (two motors) Air Flow Movement: 7166 litres per minute Decibel Level: 72 dB Container Capacity: 78 litres Mains Connection: 240v Power Cable Length: 8 metres Weight: 36 kg L x W x H (cm): 60 x 64 x 114 The 'Go Anywhere' internal high reach vacuuming system. Comfort fit harness enables you to move freely to gain access where upright vacuums cannot go

KEY FEATURES

- Available in corded mains or cable free battery powered
- Backpack vacuums improve worker productivity
- Extremely lightweight
- Effective filtration system
- Adjustable shoulder straps

SPECIFICATIONS	Mains Powe
Motor Wattage:	1000 watts
Air Flow Movement:	3,240 LPM
Decibel Level:	59 dB
Container Capacity:	8 litres
Mains Connection:	240v
Power Cable Length:	15 metres
Weight:	5.2 kg
L x W x H (cm):	31 x 25 x 51
Charge Time:	-
Running Time:	-

Battery Powered ains Powered

1300 watts 2.340 LPM 58 dB 8 litres 6.7 kg 40 x 40 x 54 2.5 hours 35 minutes



SkyVac Cell

SkyCam[™] Wireless Camera System

SkyVac Cell enables you to move around freely to gain access to high and low areas where upright vacuums cannot go

Our gutter inspection camera system has been specifically designed to work outdoors in harsh environments



KEY FEATURES

- Smart charger battery management system that never overpowers itself for maximum life-span
- Integrated voltage indicator
- High powered motor without the strain of being tied down to one place
- Reaches heights of 6 metres

KEY FEATURES

- Rainproof monitor and camera
- Drop proof protective jacket
- Unique zoom facility
- Night vision facility

SPECIFICATIONS

Motor Wattage: 450 watts Air Flow Movement: 2280 litres per minute Charging Time: 1 hour Running Time: 40 mins with one battery and 80 mins with two batteries Decibel Level: 70 dB Container Capacity: 9 litres Weight: 10.2 kg L x W x H (cm): 45 x 45 x 41

SPECIFICATIONS

Video resolution: 720 x 480 **Receiving Frequency: 2.4MHz** Rechargeable Li-battery: 2hr time **Operational time:** 3 hours Dimensions (W x D x H): 105 x 90 x 40mm Weight: 240g



SkyVac Tools And Accessories

*not all tools are included with each system



Small round brush



Large sidewinder



180 degree Goose neck

