



Speedfit[®] Blue

*A New Improved Range of Push-fit Fittings
for Cold Water Services*

April 2011

WRAS
APPROVED
PRODUCT

*A new improved range of Push-fit Fittings for Cold Water Services,
with Stainless Steel Teeth to grip the pipe*



Speedfit[®] Blue

Push-fit Fittings for Cold Water Services

This new range of fittings for MDPE has an improved Collet with stainless steel teeth to provide extra grip on the pipe and has WRAS Approval.





Benefits:

- No tools required
- Simple Push-fit action
- Fast installation time
- Durable - high resistance to impact
- High resistance to pull out
- Reliable trouble free connection

Designed for:

- Blue MDPE to BS6572 for Underground Services
- Black MDPE to BS6730 for Above-Ground Services
- Pipe to ISO 161/1, BS ISO 11922 and DIN 16893






WORKING TEMPERATURE AND
PRESSURE:
MAXIMUM WORKING PRESSURE
16 BAR @ 20°C

DO NOT USE FOR HOT WATER, GAS,
FUEL OIL OR COMPRESSED AIR

HOW Speedfit® WORKS

A Collet with stainless steel teeth grips the pipe and an 'O' ring provides a permanent leakproof seal.



Speedfit® Blue

Product Range

EQUAL STRAIGHT CONNECTOR



PART NO.	SIZE MM
UG401B	20
UG402B	25
UG403B	32

Cold water only

EQUAL TEE



PART NO.	SIZE MM
UG201B	20
UG202B	25
UG203B	32

Cold water only

REDUCING STRAIGHT CONNECTOR



PART NO.	SIZE MM
UG501B	25 x 20
UG502B	32 x 25

Cold water only

REDUCING TEE



PART NO.	SIZE ENDS	SIZE BRANCH
UG232AB	32	25

Cold water only

PE-COPPER COUPLER



PART NO.	SIZE MM
UG601B	20 x 15
UG603B	25 x 15
UG602B	25 x 22
UG604B	32 x 28

Used to connect PE Pipe to copper or Speedfit Plumbing Pipe. Must not be buried directly into ground, soil, concrete or other substrates.

Cold water only

STOP END



PART NO.	SIZE MM
UG4620B	20
UG4625B	25

Cold water only

Gives a permanent or temporary shut off.

MALE ADAPTOR



PART NO.	SIZE
UG101B	20 x 1/2" BSP
UG102B	25 x 3/4" BSP
UG103B	32 x 1" BSPT
UG104B	32 x 1.1/2" BSPT

Cold water only

PLUGS



PART NO.	SIZE MM
UG801E	20
UG802E	25
UG803B	32

Cold water only

FEMALE ADAPTOR



PART NO.	SIZE MM x BSP
UG4501B	20 x 1/2"
UG4502B	25 x 3/4"

Cold water only

PIPE INSERT



PART NO.	SIZE MM
UTS147 - DB	20
UTS197 - DB	25
UTS251 - DB	32

EQUAL ELBOW



PART NO.	SIZE MM
UG301B	20
UG302B	25
UG303B	32

Cold water only

IMPERIAL CONVERTER



PART NO.	STEM	INCH PIPE SIZE
UGICO1	20	1/2"
UGICO2	25	3/4"

Supplied with inch size Pipe Insert

To convert metric size fitting for use with imperial size LDPE to BS1972 Class C or Class D, Stem cannot be disconnected from mating connector with collet cover fitted.

Only to be used with Speedfit Products for cold water services with black body and prefix 'UG'. DO NOT use with earlier products with blue body prefix 'JG'.

WALL PLATE ELBOW



PART NO.	SIZE MM x BSP
UGPWB2014	20 x 1/2"
UGPWB2514	25 x 1/2"
UGPWB2516	25 x 3/4"

Cold water only

STOP TAP - MDPE x MDPE



PART NO.	SIZE MM
UGSTV2020	20
UGSTV2525	25
UGSTV3232	32

STEM ELBOW



PART NO.	PIPE OD MM	STEM OD MM
UG222025B	20	25
UG222525B	25	25
UG223232B	32	32

Stem cannot be disconnected from mating connector with collet cover fitted

Cold water only

STOP TAP - MDPE x COPPER or PEX



PART NO.	SIZE MM
UGSTV2515	25 x 15
UGSTV2522	25 x 22

Stop Taps for 15 or 22mm copper or PEX Pipe must not be buried directly into ground, soil, concrete or other substrates.

Less than 2 turns from full on to fully off.

Other Products from Speedfit



JG Speedfit® Grey

WRAS
APPROVED
PRODUCT



Flexi Hose with Hand Tighten Nut


WRAS
APPROVED
PRODUCT



White Service Valves

Pipe Repair Kits 15mm & 22mm

*Provides a simple way of repair
on a rigid pipe run*



Slip Tee Connector

*Provides a simple way to break
into an existing pipe run*

John Guest Speedfit Limited.

Horton Road, West Drayton, Middlesex UB7 8JL, England.

Tel: 01895 449233

Fax: 01895 420321

www.speedfit.co.uk

Technical Help Desk: 01895 425333

The company has a policy of continuous research and development and reserves the right to amend without notice the specification and design of all products illustrated in this catalogue. John Guest Speedfit reserve the right to change the colour and shape of products. Photographs are for illustration purposes only.

Subject to our Terms and Conditions of Sale available on request.

JG, John Guest® and Speedfit® are registered trademarks of John Guest International Limited © Copyright 2010.