







## The VELOPA Ingleton Cycle Shelter

The Ingleton shelter is a free-standing, single sided cycle shelter designed for on site assembly, constructed from galvanised steel and PET sheet. The frame is made entirely from galvanised mild steel; the uprights are 76mm round tube and the roof frame is 50mm square tube. The roof is 4mm clear sheet.

The rolled round tube legs offer an elegant yet strong frame that emphasises the modern aesthetic of the shelter, the Ingleton shelter is an ideal basis for sheltered cycle parking needs in public spaces.

## **Options**

Order Code	Description	Weight
138 204 511	2m Main Bay (Flanged)	228.0kg
138 204 501	3m Main Bay (Flanged)	273.0kg
138 204 504	4m Main Bay (Flanged)	319.0kg
138 204 513	5m Main Bay (Flanged)	364.0kg
138 204 512	2m Extension Bay (Flanged)	152.0kg
138 204 502	3m Extension Bay (Flanged)	197.0kg
138 204 505	4m Extension Bay (Flanged)	243.0kg
138 204 514	5m Extension Bay (Flanged)	288.0kg
	Accessories & installation parts	
138 101 010	Pack of 16 16mm Expanding anchor bolts (for fixing 3-5m)	
138 101 012	Pack of 24 16mm Expanding anchor bolts (for fixing 6-8m)	
138 101 014	Pack of 32 16mm Expanding anchor bolts (for fixing 9-10m)	

## **Product details**

Height: 2,350mm Depth: 2,850mm Width: 2m-10m

76mm round and 50mm square galvanised steel tube

4mm clear PET sheet

## Installation & use

Each shelter leg requires bolting down to a suitable concrete surface (not less than 1,600mm x 500mm x 400mm) by means of eight 16mm anchor bolts.

The area surrounding the installation must be flat and level with no nearby surface irregularities or gradient changes.

On-site assembly requires construction skill.

This product is guaranteed for 12 months (if installed and used correctly).





