

Mitre Top Bollard 900mm Above Ground 60mm - 168mm Diameter Stainless Steel






AUTOPA's range of Mitre Top Round Stainless Steel Bollards are a simple and elegant way of controlling vehicle parking and access.

Mitre Top Stainless Steel Bollards are the preferred choice for prestigious sites as part of traffic calming measures, pedestrianisation schemes and as a deterrent to ram-raiders.

The complete range of Mitre Top Round Stainless Steel Bollards are available in diameters from 60mm to 204mm in Grade 304 or Grade 316 and available with extended legs for casting into concrete or with a flange plate for bolting down.



Part Number	<u>Description</u>
138 126 059	60mm (Concrete In)
138 126 075	76mm (Concrete In)
138 126 088	89mm (Concrete In)
138 126 104	101mm (Concrete In)
138 126 113	114mm (Concrete In)
138 126 128	129mm (Concrete In)
138 126 142	139mm (Concrete In)
138 126 159	154mm (Concrete In)
138 126 171	168mm (Concrete In)

Product details

- 900mm tall
- 2mm wall thickness
- · Re-inforcing cores available

- Grade 316 versions available
- · Reflective bands available
- Supplied with 45 degree welded steel cap

Installation & use

Concrete In bollards require an excavated hole (no less than 300mm3) for installation. AUTOPA recommends that bollards are placed no further than 1,200mm apart to ensure that no vehicle may pass between them.

This product is guaranteed for 12 months (if installed and used correctly).



