



PROFILE OF INNOVATION

Solutions for Tile and Stone

— 2020 —





Your solution: Schlüter®-DITRA-HEAT-E-DUO

The complete electric surface heating system that enhances your life and home, simultaneously heating and protecting your installation.

Schlüter®-DITRA-HEAT-E-DUO in figures

- √ 70% faster installation time
- √ 80% quicker warm-up time
- √ 13dB impact sound reduction
- Max. wall temperature of 40°C (safe and effective heating)

Features

Benefits

Faster response time	Quicker warm-up
Greater control over heating zones	Save energy and running costs
CE Marked waterproofing	Protection and peace of mind
Faster installation time	Quicker completion and use
Impact sound reduction	Increased privacy and peace
Thermal break	Aids thermal insulation and reduces heat loss
Low assembly height	Keeps floor height level between rooms, uninterrupted flow through the house, suitable for retro-fit





Floor kits for common room sizes with smart thermostat

Schlüter®-DITRA-HEAT-E-DUO-S floor kits are complete sets for electrical underfloor heating. They include the uncoupling mats, the heating cables and the smart thermostat.

The Schlüter®-DITRA-HEAT-DUO thermal break reduces impact sound by 13dB and enables 80% faster heat-up time.

Available in 9 sizes to heat 1.1 m² to 5.5 m² at 136 w/m².

Wall kits for heated tile and stone with smart thermost


Schlüter®-DITRA-HEAT-E-DUO-WS wall kits are complete sets for electrical under wall heating. They include the uncoupling mats, the heating cables and the smart thermostat.

The Schlüter®-DITRA-HEAT-DUO thermal break reduces impact sound by 13dB and enables 80% faster heat-up time.

Available in 2 sizes to heat 1.8 m² and 2.6 m² at 200 w/m².

Note: The uncoupled area can be extended with additional uncoupling mats (Schlüter $^{\rm e}$ -DITRA-HEAT-DUO-MA). Other sized heated areas can be configured with zones from 0.4m $^{\rm e}$ to 22.7m $^{\rm e}$ using the individual components.





Key considerations for preparation

Uncoupling

All materials expand and contract with temperature, but at varying rates according to their properties. If a tile or stone covering is adhered directly to a substrate with different properties, the layers are rigidly bound together and their different reactions to the environment result in tension and crack formation.

An uncoupling membrane, such as Schlüter®-DITRA 25, is installed between the substrate and the tile or stone covering, allowing the two layers to move independently and neutralising stresses, meaning that your installation stays as perfectly crack-free as the day it was laid.



Waterproofing

Wetrooms and bathrooms face daily usage and if they are not planned effectively issues can result, both within the immediate area and elsewhere in a property; to protect the fabric of a building an installation must be fully watertight.

Water-resistant products absorb water over time, but waterproof products keep it out permanently. The Schlüter®-KERDI and -DITRA families of products offer waterproof solutions that combine to provide a guaranteed waterproof system for walls and floors.

Your solutions: Schlüter®-DITRA 25 and Schlüter®-KERDI-200



Features	Floors	Walls	Uncoupling	Waterproofing*	Crack-bridging
Schlüter®-DITRA 25	\checkmark		\checkmark	\checkmark	\checkmark
Schlüter®-KERDI-200		\checkmark		\checkmark	\checkmark




Uncoupling and waterproofing kit for floors

The Schlüter®-DITRA 25 kit is a complete uncoupling and waterproofing system for floors, covering 5m² and suitable for use anywhere tile and stone is being installed.

Includes:

- ✓ Uncoupling matting
- ✓ Sealing band
- ✓ Prefabricated corner pieces
- ✓ Sealing adhesive for waterproofing joints








Waterproofing kit for Walls

The **Schlüter®-KERDI** kit is a complete waterproofing system for walls, covering 5m² and suitable for use in areas such as showers, bathrooms, wetrooms and en-suites.

Includes:

- √ Waterproofing membrane
- ✓ Sealing band
- ✓ Prefabricated corner pieces
- ✓ Sealing adhesive for waterproofing joints





Creating the perfect wetroom

The beauty of the Schlüter®-WETROOM system is that its products have been designed and manufactured to complement each other, resulting in a reliable water-tight finish which is guaranteed to last for years to come.


Incorporating the very latest innovations for showers and wetrooms, Schlüter-Systems provides a fully integrated solution, offering complete freedom of design and allowing you to create the shower or wetroom of your dreams.

Schlüter®-WETROOM

We provide our Schlüter®-WETROOM systems with a choice of drain options:

Schlüter®-KERDI-LINE

A linear drain provides contemporary design possibilities, with water draining away via a channel. In comparison to a point drain it is more flexible, as it can be positioned centrally, or offset at the perimeter of the shower area.



Schlüter®-KERDI-DRAIN

With a point drain, as the name suggests, the surrounding area falls along four planes to a single point where the water flows away. This offers a stylish, aesthetically pleasing finish to a central drain.



Features and benefits

- Low assembly height ideal for step-in, walk-in and barrier-free spaces
- ✓ Easily customisable to shape, size, and drain positioning
- ✓ Schlüter®-KERDI-SHOWER boards are ready to tile and are pre-sloped at 2% to the drain
- ✓ CE Marked waterproofing guaranteed secure connection to the waterproofing assembly
- ✓ Suitable for tile, mosaics and natural stone, meaning the chosen tile can carry through into the space, or a different tile be used to create a designer accent
- ✓ For common shower sizes, we offer complete kits with both linear and point drain options






Complete linear drain wetroom kit

Schlüter®-KERDI-LINE-WRKL kit is an integrated wetroom solution with a linear drain. The linear drain can be positioned centrally, off-set, or at the perimeter of the shower area. The kit includes all the necessary waterproofing membrane for walls and for sealing of matting joints on the wall and to the 1-1.5m² shower tray.

Kit includes:

- √ Waterproofing kit (10m²)
- ✓ Shower tray
- ✓ Tile support grate and frame*
- ✓ Horizontal option drain connection

*Additional designer grate options available, see wetroom accessories page 13.





Complete point drain wetroom kit

The Schlüter®-KERDI-DRAIN-WRKD kit is an integrated wetroom solution with a point drain. The kit includes all the necessary waterproofing membrane for walls and for sealing of matting joints on the wall and to the 1m² shower tray.

Kit includes:

- √ Waterproofing kit (5m²)
- ✓ Shower tray
- √ Tile support grate and frame*
- ✓ Horizontal option drain connection

or

✓ Vertical option drain connection

*Additional designer grate options available, see wetroom accessories page 12.







Schlüter®-KERDI-BOARD-N

Prefabricated shower niches



Prefabricated waterproof niches


Add a touch of luxury to your wetroom, bathroom or en-suite with integrated shelving. **Schlüter®-KERDI-BOARD-N** is a range of prefabricated waterproof niches that are fully sealed, quick to install, ready to tile, and compatible with the rest of the Schlüter®-KERDI-BOARD range.

All niches include a pre-cut collar to make perimeter sealing simple. The larger niche sizes include a shelf insert that can be installed at any height to create separate compartments.

Schlüter also offers designer metal shelving inserts courtesy of Schlüter®-SHELF-N (see page 18).

Available in 4 sizes:

LxHXD (mm)	Shelf
305 x 152 x 89	
305 x 305 x 89	
305 x 508 x 89	√
305 x 711 x 89	✓




A+

Schiter®-KERDI



Designer linear drain grates

Schlüter®-KERDI-LINE Grates are designer metal grates and frames for linear drains, available as alternatives to the tile support grate (Design D) included in the Schlüter®-KERDI-LINE-WRKL Wetroom Kits.





Designer point drain grates

Schlüter®-KERDI-DRAIN Grates are designer metal grates and frames for point drains, available as alternatives to the tile support grate (Design 4) included in the Schlüter®-KERDI-DRAIN-WRKD Wetroom Kits.

Design 1



Design 5: Floral



Design 2



Design 6: Curve



Design 3



Design 7: Pure





Designer storage

Schlüter®-SHELF offers stylish storage for showers and other tiled areas. The range includes corner, niche insert and conventional shelves, with options to retrofit dependent on format.

- ✓ Brushed stainless steel or aluminium with TRENDLINE coating
- ✓ FLORAL and CURVE designs
- ✓ Available in nine different formats

Schlüter®-SHELF-E



SHELF-E-S1

SHELF-E-S2

SHELF-E-S3









Schlüter®-SHELF-N

Schlüter®-SHELF-W











Finishing profiles for showers and wetrooms

The Schlüter portfolio offers profiles that integrate glass shower screens and control water at the shower entrance, as well as those that provide decorative detail for perimeter edges.

- ✓ Schlüter®-SHOWERPROFILE-S is a triangular profile with 2% slope for covering the sloped edges of floor-level showers
- ✓ Schlüter®-SHOWERPROFILE-R is a wall transition profile for covering the back wall area of a shower
- ✓ Schlüter®-DECO-SG is a high-quality, decorative profile made of anodised aluminium, for joint design in tile and stone coverings; it forms a shadow gap that allows for the inclusion of glass elements in floor and wall areas
- ✓ Schlüter®-SHOWERPROFILE-WS is a range of splashguard profiles for use in floor-level showers



Schlüter®-SHOWERPROFILE-S



Schlüter®-SHOWERPROFILE-R



Schlüter®-DECO-SG



Schlüter®-SHOWERPROFILE-WS

To minimise the effects of movement

Larger fields of tile expand and contract more than smaller ones. This means they will develop greater levels of stress and tension, which in turn leads to an increased likelihood of failure. The solution to handling this problem is the installation of movement joints, positioned at certain intervals and within particular areas to absorb stresses.

Schlüter®-DILEX offers an extensive range of movement and control joints in various materials, as well as connection and perimeter profiles for key junctions.





Movement and control joint profiles

A range of maintenance-free and functional solutions for movement joints in tile coverings. Schlüter®-DILEX contains solutions for connection, intermediate and perimeter joints, all of which work to maintain crack-free coverings.

- ✓ Schlüter®-DILEX-BWB is a movement joint profile with side sections of rigid, recycled plastic. The movement zone is made of soft CPE and creates a 10 mm-wide visible surface
- ✓ Schlüter®-DILEX-BWS is a movement joint profile with side sections of rigid, recycled plastic. The movement zone is made of soft CPE and creates a 5 mm-wide visible surface
- ✓ Schlüter®-DILEX-BWA provides a flexible connection between tiled surfaces and existing coverings or structures, such as door and window frames
- Schlüter®-DILEX-AS is a connection profile for creating flexible joints to fixtures such as shower trays, baths, door & window frames



Schlüter®-DILEX-BWB



Schlüter®-DILEX-BWS



Schlüter®-DILEX-BWA



Schlüter®-DILEX-AS

For the finishing touch

Profiles provide the finishing touch for your tile or stone installation, covering exposed edges and smoothing transitions between surfaces. This is where it all began for Schlüter-Systems, when in 1975, founder Werner Schlüter created the original edge protection profile, Schlüter®-SCHIENE.


Today, the company offers a palette of designs, textures and materials with hundreds of possible combinations, enabling you to achieve the perfect balance of aesthetics and practicality.





Edge profiles for floor coverings


- ✓ Schlüter®-SCHIENE Discreetly finishes and protects the edges of tile and natural stone coverings (can also be used for walls).
- ✓ Schlüter®-RENO Creates a smooth transition between adjoining floor coverings of the same
 or differing heights and materials.





Edge profiles and corners for wall coverings

Profiles such as Schlüter®-JOLLY, Schlüter®-RONDEC and Schlüter®-QUADEC create a highly durable and decorative finish for external corners. Matching finishes for the creation of listellos, borders, shadow gaps and skirtings made of tile and natural stone are also available as part of the wall profile range.





Edge profiles and corners for walls

Schlüter®-TRENDLINE offers a variety of textured coatings for the Schlüter®-JOLLY, Schlüter®-RONDEC, Schlüter®-QUADEC, Schlüter®-FINEC and Schlüter®-DILEX-AHK wall profile ranges, providing beautiful aesthetic matches to current design trends.

Whether you're looking to achieve natural flow or striking contrast, the extensive range of colours and metallic finishes available is sure to inspire.

Please speak to showroom staff to find out about the full range available.



Profile Finishes



Aluminium



ABGB
Aluminium, brushed chrome anodised, antique bronze



Colour coated F aluminium a



ACG Polished chrome anodised aluminium



ACGB
Brushed chrome anodised aluminium



AE Anodised aluminium



AEEB
Brushed stainless
steel anodised
aluminium



AEX Cross brushed anodised aluminium natural



Brushed chrome anodised aluminium, graphite



AGSB Brushed graphite black aluminium



AGSG Aluminium, polished chrome anodised,



AK Satin copper/bronze anodised aluminium



AKG Polished copper/ bronze anodised aluminium



AKGB
Brushed copper/
bronze anodised

aluminium



AM Satin brass anodised aluminium



AMG Polished brass anodised aluminium



AMGB Brushed brass anodised aluminium



AMX
Cross brushed brass anodised aluminium



AQGX Cross brushed quartz grey anodised aluminium



Aluminium titanium



Polished titanium



ATGB
Brushed titanium
anodised aluminium



ATX
Cross brushed titanium anodised aluminium



Stainless steel



EB Brushed stainless steel



Polished stainless steel



Stainless stee square check



Stainless steel, leather texturel



M Brass



MBW Aluminium, matt brilliant white



MC Chrome plated brass



MGS Aluminium, matt graphite black



TSB Aluminium, textured natural beige



TSBG Aluminium, textured natural beige grey



TSC Aluminium, textured natural cream



Aluminium, textured natural dark anthracite



Aluminium, textured natural grey



Aluminium, textured natural ivory



Aluminium, textured natural light anthracite



Aluminium, textured natural bronze



Aluminium, textured natural rustic brown



Aluminium, textured natural beige grey

Finish Spotligh

Chrome Plated Brass (-MC)

This finish is designed to provide the best match to the most popular brassware; it combines the hard-wearing qualities of brass with the high-end appearance of chrome plating. The result is a profile that is extremely high quality in every regard.





Finish reference table

			SIC																	
Profile		SCHIENE	SCHIENE-BASIC	Ļ.	n-	RENO-TK	>-		DEC	DEC			DECO-SG		2	DESIGNLINE	QUADEC-FS	DESIGNBASE		DILEX-AHK
		SHE	품	RENO-T	RENO-U	ENO	RENO-V		RONDEC	QUADEC	JOLLY	DECO	00	INDEC	DIADEC	ESIG	UAD	ESIG	FINEC	Ĕ
Finish		Š			<u>m</u>				ŭ	Ø	ĭ		□	2	□		Ø		正	
A ABGB		√	√	√	√	√	√				/	√								
AC									-	✓	√									
ACG									✓ ✓	∨	√			√	√	√		√		✓
ACGB									V ✓	∨	∨			V	∨	∨				∨
AE		✓	√	√	√	√	√		✓	∨	V	√	√	√	∨	∨	√	√	✓	∨
AEEB		•	•	,	,	,	•		,	,		•	,	,	,	,	,	√	,	_
AEX										√										
AGRB											√									
AGSB									√											
AGSG	(n										√									
AK	oor								√		✓					√				
AKG	r Fi							alls			√					✓				
AKGB	s fo							×	✓		✓					✓				
AM	file							ı foı	\checkmark		✓					\checkmark				
AMG	Pro							tion	\checkmark							✓				
AMGB	ion							tec	✓		✓									
AMX	nsit							Pro		✓										
AQGX	Tra							dge		✓										
AT	and							ы	✓	✓	✓					✓	✓			
ATG	on a							an	✓	✓	✓					✓				
ATGB	ecti							ing	\checkmark	✓	✓					✓				
ATX	Edge Protection and Transition Profiles for Floors							Finishing and Edge Protection for Walls		✓										
Е	је Р	\checkmark		✓	✓	✓		证	\checkmark	✓		\checkmark				√			✓	
EB	Edg	√		√	√	√			\checkmark	√						√				
EP										√										
ES1										√						√				
ES2										√						√				
M		√	√	√	√	√						√								
MBW									√	√	√								√	
MC MGS									√	√	√	√				√			/	
TSB									√	√	√								√	
TSBG									✓ ✓	V	✓								✓	
TSC										1	-									
TSDA									✓	√ ./	✓								✓	✓
TSG									✓ ✓	1	✓ ✓								✓	V
TSI									✓ ✓	✓ ✓	√								∨	✓
TSLA									✓ ✓	✓ ✓	✓ ✓								∨	V
TSOB									∨	✓ ✓	∨								∨	
TSR									∨ ✓	✓ ✓	✓								∨	
TSSG									/	√	∨								∨	✓



INNOVATION

Schlüter-Systems Ltd · Units 3-5 Bardon 22 Industrial Estate · Beveridge Lane · Coalville Leicestershire · LE67 1TE · Tel.: +44 1530 813396 · sales@schluter.co.uk · www.schluter.co.uk