

LED Step Lighting

TIMEGUARD®
A **theben** Group Company



- Surface mount
- Quick fit
- 3 year guarantee
- IP65
- Range of designs
- Choice of colours

A selective and versatile range of LED Step Lights available in a choice of designs and sizes for ease of installation and energy saving light output.



www.timeguard.com



Energy Saving LED Step Lights

A selective and versatile range of LED Step Lights available in a choice of designs and sizes for ease of installation and energy saving light output.

Four shapely designs with varying light outputs up to 245 Lumens (cool white light) in a strong polycarbonate IP65 housing.

LED light emits downwards making them ideal for illuminating steps, passageways and corridors or for decorative lighting.

Installation is quick and easy, with no wall channeling required!



Robust polycarbonate IP65 construction suitable for both indoor and outdoor use.

High output LEDs emit light downwards.



LEDSL3DG

Surface mount wall plate hides screws and seals allowing quick installation.

Product Features



High output LEDs emit light downwards to the specific area of use.



IP65 housing ideal for both indoor and outdoor use.



Surface mount wall plate with quick and easy terminal block connection.



LEDSL4WH



LEDSL6DG



LEDSL2DG

- A powerful and energy saving alternative to standard step lights.
- Instantly bright like halogens but at a fraction of the running costs.
- Available in a choice of designs – round, square, horizontal and vertical in dark grey or white versions.
- Surface mount for quick and easy installation – no back box required.
- Up to 245 Lumens of cool white light (colour 4000K).
- Robust polycarbonate construction suitable for industrial, commercial and home installations.
- IP65 weatherproof rating for indoor and outdoor use.
- LED light emits downwards, ideal for illuminating steps, passageways and corridors or for decorative lighting.
- Double insulated, no earth required.



		LEDSL1DG LEDSL1WH	LEDSL2DG	LEDSL3DG LEDSL3WH	LEDSL4DG LEDSL4WH	LEDSL5DG	LEDSL6DG	LEDSL9DG
Operating Voltage	230V AC	•	•	•	•	•	•	•
Maximum Light Load	Internal (W)	1.6	0.8	1.3	1.1	1.4	3.0	3.8
LED Brightness	Minimum Lumen	67	20	50	40	92	166	245
Weatherproof Rating	IP65	•	•	•	•	•	•	•
EC Directives	Conforms to Latest Directives	•	•	•	•	•	•	•
Dimensions (mm)	Height	80	200	150	125	60	70	80
	Width	230	80	150	125	100	160	220
	Depth	27	27	27	27	33	33	36



LED SL1DG

1.6W Horizontal LED Step Light – Dark Grey

- 1.6W LED power – instantly bright like halogens but at a fraction of the running costs.
- 67 Lumens.



LED SL1WH

1.6W Horizontal LED Step Light – White

- 1.6W LED power – instantly bright like halogens but at a fraction of the running costs.
- 67 Lumens.



LED SL2DG

0.8W Vertical LED Step Light – Dark Grey

- 0.8W LED power – instantly bright like halogens but at a fraction of the running costs.
- 20 Lumens.



LED SL3DG

1.3W Round LED Step Light – Dark Grey

- 1.3W LED power – instantly bright like halogens but at a fraction of the running costs.
- 50 Lumens.



LED SL3WH

1.3W Round LED Step Light – White

- 1.3W LED power – instantly bright like halogens but at a fraction of the running costs.
- 50 Lumens.



LED SL4DG

1.1W Square LED Step Light – Dark Grey

- 1.1W LED power – instantly bright like halogens but at a fraction of the running costs.
- 40 Lumens.



LED SL4WH

1.1W Square LED Step Light – White

- 1.1W LED power – instantly bright like halogens but at a fraction of the running costs.
- 40 Lumens.



LED SL5DG

1.4W Horizontal LED Step Light – Dark Grey

- 1.4W LED power – instantly bright like halogens but at a fraction of the running costs.
- 92 Lumens.



LED SL6DG

3.0W Horizontal LED Step Light – Dark Grey

- 3.0W LED power – instantly bright like halogens but at a fraction of the running costs.
- 166 Lumens.



LED SL9DG

3.8W Horizontal LED Step Light – Dark Grey

- 3.8W LED power – instantly bright like halogens but at a fraction of the running costs.
- 245 Lumens.



LED SL3WH



A theben Group Company

www.timeguard.com

Sales Office Direct Line

Tel: 020 8452 1112

Fax: 020 8450 0635

E-mail: csc@timeguard.com

Helpline & Technical Service

Direct Line

Tel: 020 8450 0515

Fax: 020 8450 0635

E-mail: helpline@timeguard.com

General Enquiries

Tel: 020 8450 8944

Fax: 020 8452 5143

E-mail: csc@timeguard.com

Website: www.timeguard.com