

Trade Price List | March 1st 2021

Contents

Introduction to Hepworth Terracotta	2-3
Key to abbreviations	2
Acceptance	3
Quick Guide	4-5
Quick Guide – Top Selling Terracotta Items	4-5
Flue Liners	6-7
Class A1 – Flue Liners and Bends	6-7
Chimney Pots	8-9
Chimney Pots	8-9
Ventilation Terminals	10
Ventilation Terminals	10
Fireplace	11-12
Fireplace Throat Units	11-12
Gas Terminals	13
Gas Terminals	13
Ridge Tiles	14-15
Angled Ridge Tiles	14
Bulk Purchase Ridge Tiles	15
Airbricks	16
Airbricks	16
Numerical Index	17-18
Terracotta Website	19
Important Notes	20
Quality Assurance	20
Contact	20

Introduction to

Hepworth Terracotta

Hepworth Terracotta from Wavin offers a comprehensive range of products for the construction and ventilation of domestic flue and chimney systems including a range of chimney pots, ventilation terminals, gas terminals, ridge tiles and air bricks.

Key to abbreviations

B	Buff
R	Red
X	Blue/Black
CE	CE Mark

Important Notes

Where appropriate, the colour code is shown at the end of the Catalogue Number in the listing of Top Selling Items shown on pages 4 – 5.

Product photos are for example only and not representative of every fitting size.

For further product information and literature downloads visit:

www.hepworthterracotta.co.uk

Find your nearest Hepworth Terracotta Stockist with any web enabled device, simply type in your town or post code and press enter.

www.stockist.wavin.co.uk

Acceptance

a) British Standards Institution

Round and Square Flue Liners to BS EN 1457-1:2012 – Classification – A1.

Flue Liner Terminals to BS EN 13502:2002. BSI Group (Testing) for Aerodynamic Behaviour and Flow Resistance.

Gas Terminals to BS EN 13502:2002. BSI Group (Testing) for Aerodynamic Behaviour and Flow Resistance.

Ridge Tiles to BS EN 1304: 2013.

Airbricks to BS 493:1995.

b) CE Mark

CE – As of the 1st July 2013, the Construction Products Regulation (CPR) came into force. It is mandatory for any construction product covered by a harmonised European Norm (hEN) to have a Declaration of Performance (DoP) and an accompanying CE mark.

The product standards and ranges covered by the CPR and identified in this price list are:

BS EN 1457-1:2012 – Round and square flue liners

BS EN 13502:2002 – Steel Gas terminals

The CE is also marked on the actual product or product packaging. The specific DoP and CE mark details can be found and downloaded via www.hepworthterracotta.co.uk

c) HETAS Product Approval

A1 Flue liners – HETAS certificate no. DC033



Quick Guide – Top Selling Terracotta Items

Airbricks

Sales Rank		Product Cat No	Page
1	Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Red	YA13R	16
2	Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Red	YA14R	16
3	Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Buff	YA13B	16
4	Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Buff	YA14B	16
5	Airbrick, 215 x 215 x 50mm, Square Hole, Colour: Red	YA15R	16

Cavity Liners

Sales Rank		Product Cat No	Page
1	Cavity Liner, 215 x 65 x 200mm	YB11	16
2	Cavity Liner, 215 x 140 x 200mm	YB13	16
3	Cavity Liner, 215 x 215 x 200mm	YB15	16

Commissioning Pack

Sales Rank		Product Cat No	Page
1	Chimney Notice Plate & Certificate (As required by Building Regulations 2010 ADJ)	YPLATE1	7

Chimney Pots

Sales Rank		Product Cat No	Page
1	Roll Top, 300mm high, Colour: Red	YM17R	8
2	Roll Top, 450mm high, Colour: Red	YM19R	8
3	Cannon Head, 300mm high, Colour: Red	YM11R	8
4	Roll Top, 600mm high, Colour: Red	YM20R	8
5	Cannon Head, 450mm high, Colour: Red	YM13R	8

Firebacks

Sales Rank		Product Cat No	Page
1	Milner Scored Fireback, 400mm	Y124	11
2	Milner Scored Fireback, 450mm	Y125	11

Firebricks

Sales Rank		Product Cat No	Page
1	Firebrick, 64mm	Y135	11
2	Firebrick, 76mm	Y136	11
3	Firebrick, 52mm	Y134	11
4	Firebrick, 38mm	Y133	11
5	Firebrick, 25mm	Y132	11

Quick Guide – Top Selling Terracotta Items

Fireplace Lintels & Adaptors

Sales Rank		Product Cat No	Page
1	Fireplace Lintel Y0600 for use with 600mm fireplace openings	Y0600	11
2	Flue Adaptor for 225mm round dia. flue liners	Y0225R	11
3	Corbel unit, 800mm	Y0800	11
4	Corbel unit, 1000mm	Y1000	11
5	Flue Adaptor for 250mm round dia. flue liners	Y0250R	11

Flue Liners (Class A1)

Sales Rank		Product Cat No	Page
1	Class A1 Flue Liner, 300mm long, 225mm dia. round	YE11C1	6
2	Class A1 Flue Liner, 300mm long, 185mm dia. round	YD11C1	6
3	Class A1 Flue Liner, 300mm long, 225mm square	YH18C1	6
4	Class A1 Flue Liner, 22.5° bend, 225mm dia. round	YE14C1	6
5	Class A1 Flue Liner, 300mm long, 300mm dia. round	YF16C1	6

Flue System Jointing Compound

Sales Rank		Product Cat No	Page
1	Sealant Cartridge, 300ml (will make approx. 4 x joints)	Y108	7

Gas Terminals

Sales Rank		Product Cat No	Page
1	Stell 150 Gas Terminal, 205mm ext. dia. Colour: Red	YK23R	13
2	Stell 125 Gas Terminal, 160mm ext. dia. Colour: Blue/Black	YK18X	13
3	Stell 150 Gas Terminal, 180mm ext. dia. Colour: Buff	YK22B	13

Ridge Tiles

Sales Rank		Product Cat No	Page
1	Capped Angle Ridge Tile, 450mm long, 105°, Col: Blue/Black	YR54X	14
2	Capped Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black	YR53X	14
3	Capped Angle Ridge Tile, 450mm long, 115°, Col: Blue/Black	YR55X	14
4	Capped Angle Ridge Tile, 450mm long, 105°, Col: Red	YR54R	14
5	Plain Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black	YR17X	14

Ventilation Terminals

Sales Rank		Product Cat No	Page
1	Fluvent, 190mm high, 180mm spigot dia, Colour: Red	YL12R	10
2	Bonnet Insert, 285mm high, 180mm spigot dia, Colour: Red	YL19R	10
3	Fluvent, 190mm high, 160mm spigot dia, Colour: Red	YL11R	10
4	Fluvent, 190mm high, 180mm spigot dia, Colour: Buff	YL12B	10
5	Mushroom Top, 180mm spigot dia, Colour: Red	YL15R	10

Hepworth

TERRACOTTA

Flue Liners

Description		Nom mm	Cat No	Pack Qty	Price Each £
		Height			
	Class A1 Round Straight Liners				
	125mm Internal Diameter C€	300	YC10C1	26	22.38
	150mm Internal Diameter C€	300	YC16C1	39	24.77
	185mm Internal Diameter C€	180	YD10C1	25	27.39
	185mm Internal Diameter C€	300	YD11C1	25	26.31
	210mm Internal Diameter C€	180	YD17C1	40	31.15
	210mm Internal Diameter C€	300	YD18C1	40	34.33
	225mm Internal Diameter C€	180	YE10C1	32	36.09
	225mm Internal Diameter C€	300	YE11C1	32	35.33
	250mm Internal Diameter C€	180	YF10C1	32	42.16
	250mm Internal Diameter C€	300	YF11C1	32	65.68
	300mm Internal Diameter C€	180	YF15C1	18	70.54
	300mm Internal Diameter C€	300	YF16C1	18	95.20
	Class A1 Round 22¹/₂° Bend				
	125mm Internal Diameter C€		YC13C1	26	56.62
	150mm Internal Diameter C€		YC19C1	39	58.66
	185mm Internal Diameter C€		YD14C1	25	63.89
	210mm Internal Diameter C€		YD21C1	20	119.43
	225mm Internal Diameter C€		YE14C1	16	90.33
	250mm Internal Diameter C€		YF12C1	16	149.72
	300mm Internal Diameter C€		YF17C1	9	228.43
	Class A1 Round 30° Bend				
	125mm Internal Diameter C€		YC14C1	26	56.62
	150mm Internal Diameter C€		YC20C1	39	58.66
	185mm Internal Diameter C€		YD15C1	25	66.35
	210mm Internal Diameter C€		YD22C1	20	119.43
	225mm Internal Diameter C€		YE15C1	16	93.71
	250mm Internal Diameter C€		YF13C1	16	149.72
	300mm Internal Diameter C€		YF18C1	9	228.43
	Class A1 Round 37¹/₂° Bend				
	185mm Internal Diameter C€		YD16C1	25	66.35
	225mm Internal Diameter C€		YE16C1	16	93.68
	300mm Internal Diameter C€		YF19C1	9	228.43
		Height			
	Class A1 Square Straight Liners				
	185mm x 185mm Internal C€	180	YG10C1	25	29.39
	185mm x 185mm Internal C€	300	YG11C1	25	34.08
	225mm x 225mm Internal C€	180	YH17C1	32	49.29
	225mm x 225mm Internal C€	300	YH18C1	32	60.00
	300mm x 300mm Internal C€	180	YJ15C1	18	95.89
	300mm x 300mm Internal C€	300	YJ16C1	18	125.31
	Class A1 Square 22¹/₂° Bend				
	185mm x 185mm Internal C€		YG14C1	25	82.97
	225mm x 225mm Internal C€		YH21C1	16	152.50
	300mm x 300mm Internal C€		YJ17C1	9	249.97

Hepworth

TERRACOTTA

Flue Liners

Description		Nom mm	Cat No	Pack Qty	Price Each £
	Class A1 Square 30° Bend				
	185mm x 185mm Internal 		YG15C1	25	86.04
	225mm x 225mm Internal 		YH22C1	16	158.14
	300mm x 300mm Internal 		YJ18C1	9	383.93
	Class A1 Square 37 1/2° Bend				
	185mm x 185mm Internal 		YG16C1	25	82.97
	225mm x 225mm Internal 		YH23C1	18	152.50
	Flue System Jointing Compound Suitable for Clay Flue Liners and Gas Flue Blocks. Will make approx. 4 joints on 225mm diameter flue liners. (300ml cartridge, gun not included)	300ml	Y108	12	23.88
	Chimney Commissioning Pack (As required by the Building Regulations 2010 Approved Document J) Contents – • 110mm x 105mm Aluminium Notice Plate • Special Marker Pen • Checklist Certificate and Explanatory Notes • Class A1 'Flue Size Selector' – Guide and Technical Information		YPLATE1		23.49

Note: Flue Liners should be installed with the socket facing upwards.

Hepworth

TERRACOTTA

Chimney Pots

Description		Size mm	Cat No	Pack Qty	Price Each £
		Height			
	Decorative Fuel Effect Pot For installation details please refer to BS 5871 Part 3 2005.	580	YK10R	12	187.92
		580	YK10B	12	187.92
		580	YK10X	12	225.71
	Cannon Head	300	YM11R	48	74.08
		300	YM11B	48	74.08
		300	YM11X	48	79.95
		375	YM12R	32	91.34
		375	YM12B	32	91.34
		375	YM12X	32	98.48
		450	YM13R	32	91.34
		450	YM13B	32	91.34
		450	YM13X	32	95.97
		600	YM14R	16	135.90
		600	YM14B	16	135.90
		600	YM14X	16	146.70
	Roll Top	300	YM17R	48	55.43
		300	YM17B	48	55.43
		300	YM17X	48	59.75
		375	YM18R	32	67.75
		375	YM18B	32	67.75
		375	YM18X	32	71.22
		450	YM19R	32	66.09
		450	YM19B	32	66.09
		450	YM19X	32	71.34
		600	YM20R	16	101.28
		600	YM20B	16	101.28
		600	YM20X	16	106.33
		750	YM21R	16	142.94
		750	YM21B	16	142.94
		750	YM21X	16	154.23
		900	YM22R	16	191.52
		900	YM22B	16	191.52
		900	YM22X	16	206.49
	Octagon Pot	600	YQ11B	12	719.18
		750	YQ12B	12	772.66
		900	YQ13B	12	898.68

Hepworth

TERRACOTTA

Chimney Pots

Description		Size mm	Cat No	Pack Qty	Price Each £
	Rook	Height			
		500	YQ35R	16	294.56
		500	YQ35B	16	327.94

Hepworth

TERRACOTTA

Ventilation Terminals

Description		Size mm	Cat No	Pack Qty	Price Each £
		Spigot Dia.			
 Fluvent Ventilates redundant flues only.		135	YL10R	48	83.51
		135	YL10B	48	83.51
		135	YL10X	48	104.51
		160	YL11R	48	78.10
		160	YL11B	48	78.10
		160	YL11X	48	97.52
		180	YL12R	48	75.97
		180	YL12B	48	75.97
		180	YL12X	48	82.26
		205	YL13R	36	83.51
		205	YL13B	36	83.51
		205	YL13X	36	90.49
		235	YL14R	36	83.51
		235	YL14B	36	83.51
		235	YL14X	36	104.51
 Mushroom Top Ventilates redundant flues only.		180	YL15R	12	86.65
		180	YL15B	12	86.65
		180	YL15X	12	90.96
 Bonnet Insert Ventilates redundant flues only.		135	YL17R	27	79.20
		135	YL17B	27	88.20
		135	YL17X	27	95.02
		160	YL18R	27	79.20
		160	YL18B	27	88.20
		160	YL18X	27	95.02
		180	YL19R	27	74.28
		180	YL19B	27	77.09
		180	YL19X	27	83.15
		205	YL20R	21	81.31
		205	YL20B	21	90.50
		205	YL20X	21	95.02

Warning: These terminals are not approved for use on operational flues (i.e. gas, oil, solid fuels). If a flue or chimney is brought back into operation and has a ventilation terminal in place, it should either be removed or replaced with a suitable pot or terminal appropriate to its new use and fuel type.

Recommended Chimney Pot and Ventilation Terminal combinations

Chimney Pot Top ID	Ventilation Terminal Spigot OD
150mm	135mm
185mm	160mm
210mm	180mm
225mm	205mm
250mm	235mm
300mm	N/A

Hepworth

TERRACOTTA

Fireplace

Description		Size mm	Cat No	Pack Qty	Price Each £
		W x H x D			
	Fireplace Lintel 600 For use with fireplace openings up to 600mm wide. Note: The Fireplace Lintel 600 must be used with the appropriate flue liner adaptor from 185mm to 300mm round or 185mm to 225mm square.	800x 215x560	Y0600		249.59
	800mm Corbel Unit for Fireplace System For use with fireplace openings up to 800mm wide.	1000x 140x560	Y0800		234.90
	1000mm Corbel Unit for Fireplace System For use with fireplace openings up to 1000mm wide.	1200x 140x560	Y1000		293.63
	Flue Adaptor for Fireplace System – Round 185mm Round	580x 100x450	Y0185R		128.61
	210mm Round	580x 100x450	Y0210R		128.61
	225mm Round	580x 100x450	Y0225R		128.61
	250mm Round	580x 100x450	Y0250R		168.93
	300mm Round	580x 100x450	Y0300R		168.93
	Flue Adaptor for Fireplace System – Square 185mm Square	580x 100x450	Y0185S		128.61
	225mm Square	580x 100x450	Y0225S		148.84
		Width			
	Milner Scored Fireback 400 450		Y124 Y125		133.89 161.16
	Throat Restrictor 400 450		Y128 Y129		43.00 54.81
	Otty Hood 400 450		Y130 Y131		84.16 89.44
		Height			
	Firebricks All items are 230mm wide x 114mm deep	25 38 52 64 76	Y132 Y133 Y134 Y135 Y136	100 100 100 100 100	6.31 6.33 6.58 6.54 6.86

Hepworth

TERRACOTTA

Fireplace

Description		Size mm	Cat No	Pack Qty	Price Each £
		Weight			per bag
	Fireclay				
	Note: Fireclay should not be used for jointing flue liners.	25 kg	Y137	1	41.42

Hepworth

TERRACOTTA

Gas
Terminals

Description		Size mm	Cat No	Pack Qty	Price Each £
		Height			
	Stell 125 Gas Terminal				
	160mm Ext. Dia. CE	345	YK18R	25	130.09
		345	YK18B	25	130.09
		345	YK18X	25	154.32
	180mm Ext. Dia. CE	345	YK19R	25	126.64
		345	YK19B	25	126.64
		345	YK19X	25	141.19
	Stell 150 Gas Terminal				
	180mm Ext. Dia. CE	420	YK22R	25	164.97
		420	YK22B	25	164.97
		420	YK22X	25	195.66
	205mm Ext. Dia. CE	420	YK23R	25	190.00
		420	YK23B	25	190.00

Warning: Stell Gas Terminals are not suitable for use with solid fuel appliances or decorative fuel effect gas fires and inset live fuel effect gas fires, requiring a minimum 175mm diameter flue.

Recommended Chimney Pot and Gas Terminal combinations

Chimney Pot Top ID	Gas Terminal Spigot OD
185mm	160mm
210mm	180mm
225mm	205mm

Hepworth

TERRACOTTA

Ridge Tiles

Description		Angle	Cat No	Pack Qty	Price Each £
		Degree			
	Plain Angle				
	Length 450mm	75°	YR16R	100	27.11
			YR16B	100	27.11
			YR16X	100	28.38
	Length 450mm	90°	YR17R	100	26.09
			YR17B	100	26.09
			YR17X	100	27.30
	Length 450mm	105°	YR18R	100	26.09
			YR18B	100	26.09
			YR18X	100	27.30
	Length 450mm	115°	YR19R	100	26.09
			YR19B	100	26.09
			YR19X	100	27.30
	Length 450mm	125°	YR20R	100	26.09
			YR20B	100	26.09
			YR20X	100	27.30
	Length 450mm	135°	YR21R	100	27.11
			YR21B	100	27.11
			YR21X	100	28.38
	Capped Angle				
	Length 450mm	75°	YR52R	100	29.23
			YR52B	100	32.07
			YR52X	100	30.65
	Length 450mm	90°	YR53R	100	28.17
			YR53B	100	28.17
			YR53X	100	29.59
	Length 450mm	105°	YR54R	100	28.17
			YR54B	100	28.17
			YR54X	100	29.59
	Length 450mm	115°	YR55R	100	28.17
			YR55B	100	28.17
			YR55X	100	29.59
	Length 450mm	125°	YR56R	100	28.17
			YR56B	100	28.17
			YR56X	100	29.59
	Length 450mm	135°	YR57R	100	29.23
			YR57B	100	29.23
			YR57X	100	30.65

Cat. No. Colour Suffix: R = Red, B = Buff, X = Blue/Black

Ridge tiles can be ordered in singles unless otherwise indicated.

Hepworth

TERRACOTTA

Ridge Tiles

Description		Angle	Cat No	Pack Qty	Price Each £
		Degree			
	Plain Angle – Pallet Qty^				
	Length 450mm	90°	YR67R	100	16.84
			YR67X	100	17.18
	Length 450mm	105°	YR68R	100	16.84
			YR68X	100	17.18
	Length 450mm	115°	YR69R	100	16.84
			YR69X	100	17.18
	Length 450mm	125°	YR70X	100	17.18
	Capped Angle – Pallet Qty^				
	Length 450mm	90°	YR73R	100	17.53
			YR73X	100	17.89
	Length 450mm	105°	YR74R	100	17.53
			YR74X	100	17.89
	Length 450mm	115°	YR75R	100	17.53
			YR75X	100	17.89
	Length 450mm	125°	YR76R	100	17.53
			YR76X	100	17.89

^ Bulk purchase ridge tiles can only be purchased in pallet quantities of 100.

Hepworth

TERRACOTTA

Airbricks

Description		Size mm	Cat No	Pack Qty	Price Each £
		W x H			
	Square Hole	215x65	YA13R	100	5.05
			YA13B	100	5.05
			YA13X	100	6.26
		215x140	YA14R	105	7.51
			YA14B	105	7.51
			YA14X	105	9.52
		215x215	YA15R	50	18.89
			YA15B	50	18.89
			YA15X	50	21.60
	Louvered Hole	215x65	YA16R	100	5.87
			YA16B	100	5.87
			YA16X	100	7.50
		215x140	YA17R	105	9.60
			YA17B	105	9.60
			YA17X	105	12.31
	Cavity Liners	W x H x D			
		215x65 x200	YB11	100	9.14
		215x140 x200	YB13	80	10.13
		215x215 x200	YB15	30	26.07

Numerical Index

Cat No	Price Each £	Page No	Cat No	Price Each £	Page No	Cat No	Price Each £	Page No
Y0600	249.59	11	YD18C1	34.33	6	YL12X	82.26	10
Y108	23.88	7	YD21C1	119.43	6	YL13B	83.51	10
Y124	133.89	11	YD22C1	119.43	6	YL13R	83.51	10
Y125	161.16	11	YE10C1	36.09	6	YL13X	90.49	10
Y128	43.00	11	YE11C1	35.33	6	YL14B	83.51	10
Y129	54.81	11	YE14C1	90.33	6	YL14R	83.51	10
Y130	84.16	11	YE15C1	93.71	6	YL14X	104.51	10
Y131	89.44	11	YE16C1	93.68	6	YL15B	86.65	10
Y132	6.31	11	YF10C1	42.16	6	YL15R	86.65	10
Y133	6.33	11	YF11C1	65.68	6	YL15X	90.96	10
Y134	6.58	11	YF12C1	149.72	6	YL17B	88.20	10
Y135	6.54	11	YF13C1	149.72	6	YL17R	79.20	10
Y136	6.86	11	YF15C1	70.54	6	YL17X	95.02	10
Y137	41.42	12	YF16C1	95.20	6	YL18B	88.20	10
Y0185R	128.61	11	YF17C1	228.43	6	YL18R	79.20	10
Y0185S	128.61	11	YF18C1	228.43	6	YL18X	95.02	10
Y0210R	128.61	11	YF19C1	228.43	6	YL19B	77.09	10
Y0225R	128.61	11	YG10C1	29.39	6	YL19R	74.28	10
Y0225S	148.84	11	YG11C1	34.08	6	YL19X	83.15	10
Y0250R	168.93	11	YG14C1	82.97	6	YL20B	90.50	10
Y0300R	168.93	11	YG15C1	86.04	7	YL20R	81.31	10
Y0800	234.90	11	YG16C1	82.97	7	YL20X	95.02	10
Y1000	293.63	11	YH17C1	49.29	6	YM11B	74.08	8
YA13B	5.05	16	YH18C1	60.00	6	YM11R	74.08	8
YA13R	5.05	16	YH21C1	152.50	6	YM11X	79.95	8
YA13X	6.26	16	YH22C1	158.14	7	YM12B	91.34	8
YA14B	7.51	16	YH23C1	152.50	7	YM12R	91.34	8
YA14R	7.51	16	YJ15C1	95.89	6	YM12X	98.48	8
YA14X	9.52	16	YJ16C1	125.31	6	YM13B	91.34	8
YA15B	18.89	16	YJ17C1	249.97	6	YM13R	91.34	8
YA15R	18.89	16	YJ18C1	383.93	7	YM13X	95.97	8
YA15X	21.60	16	YK10B	187.92	8	YM14B	135.90	8
YA16B	5.87	16	YK10R	187.92	8	YM14R	135.90	8
YA16R	5.87	16	YK10X	225.71	8	YM14X	146.70	8
YA16X	7.50	16	YK18B	130.09	13	YM17B	55.43	8
YA17B	9.60	16	YK18R	130.09	13	YM17R	55.43	8
YA17R	9.60	16	YK18X	154.32	13	YM17X	59.75	8
YA17X	12.31	16	YK19B	126.64	13	YM18B	67.75	8
YB11	9.14	16	YK19R	126.64	13	YM18R	67.75	8
YB13	10.13	16	YK19X	141.19	13	YM18X	71.22	8
YB15	26.07	16	YK22B	164.97	13	YM19B	66.09	8
YC10C1	22.38	6	YK22R	164.97	13	YM19R	66.09	8
YC13C1	56.62	6	YK22X	195.66	13	YM19X	71.34	8
YC14C1	56.62	6	YK23B	190.00	13	YM20B	101.28	8
YC16C1	24.77	6	YK23R	190.00	13	YM20R	101.28	8
YC19C1	58.66	6	YL10B	83.51	10	YM20X	106.33	8
YC20C1	58.66	6	YL10R	83.51	10	YM21B	142.94	8
YD10C1	27.39	6	YL10X	104.51	10	YM21R	142.94	8
YD11C1	26.31	6	YL11B	78.10	10	YM21X	154.23	8
YD14C1	63.89	6	YL11R	78.10	10	YM22B	191.52	8
YD15C1	66.35	6	YL11X	97.52	10	YM22R	191.52	8
YD16C1	66.35	6	YL12B	75.97	10	YM22X	206.49	8
YD17C1	31.15	6	YL12R	75.97	10	YPLATE1	23.49	7

Numerical Index

Cat No	Price Each £	Page No
YQ11B	719.18	8
YQ12B	772.66	8
YQ13B	898.68	8
YQ35B	327.94	9
YQ35R	294.56	9
YR16B	27.11	14
YR16R	27.11	14
YR16X	28.38	14
YR17B	26.09	14
YR17R	26.09	14
YR17X	27.30	14
YR18B	26.09	14
YR18R	26.09	14
YR18X	27.30	14
YR19B	26.09	14
YR19R	26.09	14
YR19X	27.30	14
YR20B	26.09	14
YR20R	26.09	14
YR20X	27.30	14
YR21B	27.11	14
YR21R	27.11	14
YR21X	28.38	14
YR52B	32.07	14
YR52R	29.23	14
YR52X	30.65	14
YR53B	28.17	14
YR53R	28.17	14
YR53X	29.59	14
YR54B	28.17	14
YR54R	28.17	14
YR54X	29.59	14
YR55B	28.17	14
YR55R	28.17	14
YR55X	29.59	14
YR56B	28.17	14
YR56R	28.17	14
YR56X	29.59	14
YR57B	29.23	14
YR57R	29.23	14
YR57X	30.65	14
YR67R	16.84	15
YR67X	17.18	15
YR68R	16.84	15
YR68X	17.18	15
YR69R	16.84	15
YR69X	17.18	15
YR70X	17.18	15
YR73R	17.53	15
YR73X	17.89	15
YR74R	17.53	15
YR74X	17.89	15
YR75R	17.53	15

Cat No	Price Each £	Page No
YR75X	17.89	15
YR76R	17.53	15
YR76X	17.89	15


Hepworth Terracotta Website

For further product information and literature downloads visit:

www.hepworthterracotta.co.uk

Literature downloads include:

- Product Guide
- Datasheets
 - Ridge Tile Installation Guide
 - Standard Ridge Angle Calculator
 - Flue Liner Offset and Height Dimensions
 - Class A1 Flue Size Selector
 - Fireback Installation
 - Flue and Chimney Construction Guide
 - Chimney Notice Plate Data Sheet
 - Ventilation Terminal Selection
 - Airbrick Datasheet
 - Checklist Certificate for Hearths, Fireplaces, Flues and Chimneys
 - Declaration of Performance Certificates
 - Material Safety Datasheets
- Price List



Important Notes

All purchases are subject to our standard terms and conditions of sale, available at **www.wavin.co.uk** or call for a copy.

Prices are subject to VAT at the current rate.

Free delivery is subject to minimum order values as stated in your Wavin agreement.

Wavin offers a programme of continuous improvement and reserves the right to modify the specification of products without notice.

All information in this publication is believed to be correct at time of going to press. However, no responsibility can be accepted for any errors or omissions.

Quality Assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2015, Certificate No. 42231.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001: 2015.

Contact

Orders and enquiries	0844 856 5152
Literature requests	literature@wavin.co.uk
Technical advice	0844 856 5165 hepworth.terracotta@wavin.com
Address	Wavin Limited Edlington Lane Edlington Doncaster South Yorkshire DN12 1BY
Website	www.hepworthterracotta.co.uk

Hepworth Terracotta Product Guide



Download from
hepworthterracotta.co.uk

Wavin Limited
Edlington Lane
Edlington
Doncaster
South Yorkshire DN12 1BY
www.hepworthterracotta.co.uk