Shaping the future







Technology for ideas

Planning and building call for creativity and freedom of design. Ideas are turned into real buildings. With our know-how, high-tech products and perfect service in aluminium

profile systems, we support this process in collaboration with you from the first sketch to the final implementation. WICONA.



WICONA

Ideas Turned into reality Bharati research station, antarctic KfW bank, Frankfurt (D) MGLichtwer high school, Wurzen (D)	4 6 8 10
Curtain wall systems Expression of ideas Stick curtain walling Unitised curtain wall Double skin façades Structural glazing curtain wall Intelligent façades	12 14 18 20 22 24
Window systems Conferring character Punched hole windows ribbon windows Hybrid windows coupled windows Integrated sashes Window options fittings	26 28 30 32 34
Door systems Meeting with style Hinged doors Door options safety doors Automatic sliding doors	36 38 40 42
Sliding systems Opening spaces Sliding system options	44 46
Solar shading systems Controlling daylight	48
Safety systems Protection all-inclusive	50
Project solutions Unique in design and technology	52
Environmental responsibility Sustainable building	54
Online service	60
Hydro and WICONA	62
Sytems overview	64
WICONA in the world	67









>>>

Each and every day, architecture should enhance people's lives




WICONA

Ideas become built reality

One of the most challenging tasks in shaping our future is the creation of buildings which comply at the same time with ambitious architectural design and environmental responsibility. This requires concepts which protect natural resources, offer a superior user comfort, and respect the living and working health and safety requirements. And on top of this they have to be economically attractive. Hydro Building Systems identified these needs many years ago and adjusted its product development and service offer accordingly. As an aluminium system supplier we can supply you with the skills which are required to turn your ideas into built reality – at the same time respecting economic aspects. A multitude of buildings certified with green building labels like DGNB, Leed, Passive House or Minergie are exemplary for the creative, constructive and successful cooperation between investor, architect, fabricator and WICONA. All over the world.

We are looking forward to your ideas!






- 1 I adidas, Herzogenaurach (D)

 Bespoke solution turn/tilt window
 with all-glass technology
- 2 | Bharat research station The first WICONA building in the Antarctic
- 3 | M.-G.-Lichtwer Gymnasium, Wurzen (D) Renovation leading to a reduction of energy consumption of 60 %
- 4 | KfW Westarkade, Frankfurt (D)

 The best highrise building of the world is also one of he most ecological ones.

>> BHARATI

Bharati Research Station On Roald Amundson's traces






The Indian government's idea was to set up a research station in the Antarctic.

The architect's idea was to align the safety aspects and the extreme structural requirements given to the building envelope, with a panoramic view out onto the Polar region.

The engineering firm's idea was to build the station using over 130 prefabricated containers and add an extra outer envelope, whilst meeting the tight assembly deadline. The solutions for windows, curtain walls and doors were given by the WICONA technology for high insulation stick systems and fire protection openings.

The extreme weather conditions in the South Pole region dictated the development details and façade construction. Enormous

demands were placed on the material owing to the thermal and mechanical loads caused by blizzards bringing extremely heavy snowfalls, wind speeds of up to 270 km/h and temperatures of -40 °C and below. The glass façade features a specially modified mullion-transom construction and triple-insulated glass units with a 15° incline on the north-south side. The WICTEC 50 HI and WICLINE 75 WICONA systems (high-insulated versions) formed the basis. With this structure, the façade attains a $\rm U_{cw}$ value of 0.8 W/(m²K). Due to the construction with pre-assembled units the façade was flexibly adapted to the required modular concept of the structure. Fire protection was a primary concern when designing the container's internal elements. Fire-protection








doors (T30) and punched hole windows (F30) with turning sashes based on the WICLINE 75 and WICSTYLE 77 WICONA systems (fire-protected versions) provided the appropriate solution from the range's portfolio. The Bharati Research Station demonstrates admirably how close team work among all those involved with construction ensures that ideas become reality – even under the most arduous conditions. The combination of standard systems, specifically modified applications and individually tested fire protection structures illustrates the flexibility and individuality of WICONA's technological solutions for exceptional ideas.







Bildquellen /pictures: NCAOR, IMS, bof architekten, Käfer Construction



The best tall building in the world*



The stunning new headquarters building for KfW Bank in Frankfurt, which features extensive use of WICONA unitised curtain walling, has won a major global architectural award. *The prestigious accolade for the World's Best Tall Building has been awarded to the KfW project by the Council for Tall Buildings and Urban Habitat (CTBUH) – the leading international authority on the design, construction and development of tall buildings.

The KfW scheme was designed by architects Sauerbruch Hutton to combine form, colour and sustainability. With a primary energy consumption of just 98 kWh/m², it is also one of the world's most sustainable office buildings.

The building, known as Westarkade, provides office space for 700 staff and a conference centre. Its base is a curved four-storey podium connected to the bank's adjacent buildings on several levels. A 10-storey tower rises above the podium in a 'flowing' form that responds to the prevailing wind direction and orientation of the sun, maximising natural day light. The scheme's most distinctive feature is its bespoke double skin façade with

X KfW bank







WICONA's aluminium unitised curtain walling, comprising an innovative horizontal ring ventilation in the cavity between the two layers, by automatically opening exterior ventilation flaps.

The envelope consists of an encircling 'sawtooth-shaped cavity' which encloses automated blinds to reduce solar gain and control glare. The exterior is defined by a skin of fixed tempered glass panels and colourful ventilation 'flaps' in red, blue and green, helping to create a striking aesthetic. The internal façade has alternating opening and fixed glazed units.

This dynamic façade makes use of variable pressures around the building, allowing natural ventilation all year round and for the occupiers to open the windows on the inner skin whilst avoiding both draughts and heat loss. Commenting on the award, Peter Murray, one of the CTBUH judges, said, 'The streamlined form of the building integrates itself into its surrounding context, whilst simultaneously standing out through the playful use of colour. Whereas many buildings use colour as a way to mask an otherwise unremarkable building, here it contributes an additional rich layer to what is already a remarkable building.'



Energetic renovation during school

Kühn + Kewitz, Wurzen (D) Metallbau Grünewald, Gronau

> High school

The idea: to reduce the heating cost by 60 % by exchanging the curtain wall under ongoing school operation. The technology: passive house level curtain wall and window systems from WICONA featuring an efficient assembly technology. The result: All expectations exceeded.

In Summer 1996 the M.-G-Lichtwer High School in Wurzen/Germany was inaugurated, receiving much acknowledgement for its concept and implementation. The concept of urban development received a counterpoint with floating boxes based on pillars, with an individually designed style. But already after few years defects in the wood-based curtain walling and windows





11

renovation


became apparent, causing the need for refurbishment. The first objective in this process was the reduction of heating cost. WICONA products offered the most convenient features: systems with performing thermal insulation, with a flexible design to suit the existing architecture. This was combined with an extended longevity and a virtual freedom of maintenance, due to the outstanding technical features of aluminium in high WICONA quality. This fact received a special attention after the experience with the wood-based products.


The new aluminium curtain walling feature a span width above 3 m and integrated windows with high insulation technology, leading to a total $U_{\rm cw}$ value of 1.2 W/(m²K).

A further challenge was the need to execute the renovation during ongoing operation of the high school. To achieve this, three classrooms were refurbished at a time. The effects of the substantially improved thermal insulation became immediately apparent: in the meantime the students and staff also benefit from the 'climate change' in the summer season. Due to the improved thermal insulation and triple glazing the façade construction does not heat up as much as before. Thermal imaging shows the improvement by comparing the same areas before and after the façade exchange: the heating costs could be reduced by more than 60 % – an overall success for the project.













Curtain walling | expression of ideas



WICTEC

Stick curtain wall
Unitised curtain wall
Double skin façades
Structural glazing curtain wall
Intelligent multifunctional façades



WICTEC is an overall concept of modern-day architecture that reconciles the elements of heat storage, air conditioning, light provision and fire and noise protection within a single façade design.

With the WICTEC curtain wall system, your creativity and ability to find the best solution are virtually limitless. You can select, design and produce all conceivable applications up to the highest quality standards and in line with your personal requirements.

Owing to the system's great diversity and compatibility with the comprehensive WICONA window, door and sliding systems, you have extremely flexible façade technology at your disposal. From the draft to detailed planning and completion, the standard system applications make sure that your individual requirements are fully met. And if that is not enough, we can provide you with bespoke solutions.



- 1 | The Cube, Birmingham (GB) Make, London Haga Metallbau, Hofheim
- 2 I Edificio Romancos, Madrid (E) Angel Serrano Ceballos, Madrid IHI Industrias Grafer, Madrid
- 3 | Schuola Internazionale di Torino (I) Baetto Battiato Bianco, Torino Cometal Srl, Torino
- 4 | Le Cube Orange, Lyon (F)


 Jacob + MacFarlane, Paris

 Entraxe, Saint Laurent d'Agny



WICTEC 50 WICTEC 60









Stick curtain wall

Slimline all-rounder

WICTEC stick curtain walling is the flexible, tried-and-tested versatile solution among WICONA's range of façade systems. The great diversity of profiles and the extensive range of features offer you both maximum design freedom and the highest process safety from planning to completion. With slim sight lines of 50 and 60 mm, this system achieves a particularly delicate façade design. Additional functions for safety and maximum heat insulation with $U_{\rm cw}$ -values to below 0.8 W/(m²K) can be met at very small additional expense without influencing the appearance. The system meets the requirements for passive houses and is the first aluminium façade system certified by the ift institute in Rosenheim.

WICTEC 50 and 60 are available as aluminium construction or as add-on system for wood or steel substructures. A comprehensive range of insert options for various opening types allow extensive design individuality. The system can easily be upgraded with features such as fire protection, burglar or bullet resistance – without changing the visible appearance of the façade.



Taj Mall, Amman (JOR)



LONE hotel, Rovinj (HR)



Slimline all-rounders | Stick curtain wall options WICTEC 50 and WICTEC 60 are the basic versions of the stick curtain walling with a very fine sight line of 50 or 60 mm internally and externally. The unique flexibility of the façade range is demonstrated by the system variants and enhancement options, all of which are feasible with minor additions to the system and without compromising appearance.

Adaptations with safety functions such as fire protection, burglar resistance or bullet resistance can be implemented easily on the basis of the standard execution and combined with this. With minimum additional measures you achieve a maximum of your design options.

Södra Tennis Arena (S)









Stick curtain walls

1 | Passive house curtain wall

For certified Passive House buildings like the first sports arena in Scandinavia.

2 | Industry design

Slender general design by means of specific stick profiles with a technical structure which looks like steel T-profiles or IPE beams.

3 | SG design with integtrated pressure profiles

Façade aesthetics similar to structural glazing – economic, efficient, without silicon joints and glass retainers.

4 | Integrated solar protection

Guide rails incorporated into external cover profiles optimise the interplay between façades and solar protection.

5 | Glazed extensions and conservatories

The ideal opportunity to create sophisticated shapes, such as in conservatories, atria, leisure pools or spas.

6 Add-on construction

Direct glazing on supporting structures made from wood or steel.

Safety – all-inclusive protection

Fire protection

- · Fire resistance class G30/F30
- · Infills: glass or panel
- · Use in internal and external areas
- · For façades and overhead glazing
- · Combination with WICSTYLE fire protection doors possible

Burglar resistance

- · Resistance classes of WK 1, WK 2 and WK 3
- · Can be combined with additional curtain wall variants, windows and doors

Bullet resistance

- · Attains class FB4 acc. to DIN EN 1522
- · WICLINE windows and WICSTYLE doors in the same bullet resistance class

Hala Sportowo, Gdynia (PL)








16 17

WICTEC 50EL WICTEC EL60



Ericus-Spitze (publishing house), Hamburg (D)
Henning Larsen, Kopenhagen (DK)
Schindler Fenster- und Fassadenbau, Roding



Unitised curtain wall

WICTEC

Plan with efficiency

Today, most construction projects are subject to intense time pressure. With appropriate planning, the WICTEC unitised curtain walling systems enable extremely straightforward processing, by means of serial production and pre-assembly of the individual units. This pre-assembly process is completely unaffected by weather conditions. This permits rapid and economical implementation for buildings of any size, whilst simultaneously enabling creative diversity and a delicate appearance.

Repeating unit frames enable rational planning and processing. The integration of additional components such as opening sashes, building technology components, panels, cladding or solar protection is easily possible. Time and cost savings are achieved through just-in-time delivery and assembly of pre-fabricated units (without scaffolding).

Furthermore, it is particularly in renovation projects that these systems offer great advantages, thanks to improvement of energy efficiency during building use. You can rely on the WICONA team to support you throughout your project, with the benefit of their long and comprehensive experience and skills.






Experience the assembly of the TOWER185 unitised curtain wall in our film: simply scan the QR code with your smartphone or click in your wicona website (e.g. www.wicona.de, unitised curtain wall)

Tower185, Frankfurt (D)





WICTEC DuoWall



Zeppelin University Friedrichshafen (D)
Fritz Hack, Friedrichshafen
Metallbau Schneider, Ravensburg





Double skin façade

Twice the protection

DuoWall is a façade concept that opens up new approaches based on WICONA systems. Today's construction industry is determined as much by ecological standards as by technical-functional, aesthetic and economic criteria. Holistic system solutions which combine a high level of technology, ecology, design and vision are required.

To put it simply: WICONA double skin façade solutions. The basic concept of a second, non-insulated layer of glass in front of an internal heat-insulated façade with opening sashes can be achieved with various combinations of WICONA systems. The layout is tailored to the specific building in each case.

WICTEC DuoWall double skin façades provide the best possible heat insulation and make optimal use of solar energy gains. In addition, they offer effective sound-proofing - even when windows are open. Auxiliary technology, ventilation systems, sun protection or other functional elements can be integrated easily.

You can rely on the WICONA team to support you throughout your project, with the benefit of their long-standing and comprehensive experience and skills




CMA DGM headquarter, Beirut (RL)



Beatson Institute, Glasgow (UK)



WICTEC 50SG



SSI Schäfer Peem, Graz (A)
DI Michael Kolitsch, Graz
Lierzer GmbH, Dobl





Structural glazing curtain wall

Shining views

Façades made entirely of glass have a firm place in contemporary architecture and create impressive building elevations. Using WICONA systems, outside elevations become extremely fine with narrow joints avoiding visible glazing beads. Based on the WICTEC stick façade, these versions can be created to the most demanding technical specifications, simply and economically. You can integrate opening sashes in SG technology, underlining the slim design.

The delicate appearance between the individual glazed units is characteristic of WICTEC 50SG. The system offers structural glazing technology with insulating glass or other special glass and can be inserted in façades as well as in glass roofs.




L'Oréal, Karlsruhe (D)



Chelsea Modern, New York (USA)



TEmotion



WICONA Technology Centre, Bellenberg (D)





Intelligent multifunctional façade

Façade technology of the future

TEmotion is an intelligent façade concept with integrated active and self-sustaining heating, cooling and ventilation technology. The façade unit reacts to changes in outdoor and indoor conditions, such as light or temperature, and therefore makes a significant contribution to improving the energy efficiency of the building envelope and reducing the operating costs.

TEmotion controls the integrated ventilation, air-conditioning and heating technology, adjusts the sun protection to the prevailing conditions and prevents the interior from overheating. At the same time, by means of adaptable light control, it ensures glare-free, indirect natural daylight.

In contrast to conventional façades, TEmotion saves 40 to 50 per cent of the primary energy otherwise used for heating, cooling, ventilation and illumination. Very interesting for renovations: as all the building installations are integrated in the façade units, the construction measures are limited to the area of the façade. The dimensions and layout of the individual components can be adjusted to suit any building plan.

By means of automatically opening ventilation flaps, it allows the building to be 'flushed' with fresh air at night, which considerably reduces the costs of cooling it. Active use of solar energy is possible through integration of photovoltaic units.



To supervise the efficiency of the technology, a renovation building equipped with TEmotion has been equipped with a monitoring system for energy gains and consumption. The results can be followed live on the WICONA webistes (e.g. www.wicona.de/environment).






Windows | Conferring character



WICLINE

Punched hole windows | Ribbon windows Hybrid windows | Coupled windows Integrated sashes



Every building is unique. Individually designed windows are a key part of any special architectural concept, determining the aesthetic of the entire façade and setting the character of the building. The WICLINE series provides the best means of producing complex yet attractive window designs that offer a high level of functionality and precise dimensioning. The WICLINE range includes multi-level concepts for security and for both thermal and sound insulation, whilst WICSTAR offers a high-quality range of fittings. The extensive system variety offers a wide range of options for inward and outward opening, as well as various design versions. A comprehensive range of profile contours provides you with a solution for any design requirements. For superior technical need you can rely on hybrid or coupled window technology.

To be able to fulfill all requirements for sophisticated architecture out of only one base system technology – this is technology for your ideas.




- 1 | Spirig Pharma, Egerkingen (CH) BFB, Egerkingen Marbed Metallbau, Gunzgen
- 2 l City Tower, Bolzano (l) Roberto Nikoli, Bolzano Intercom, Cittadella
- 3 | Shopping mall, Hannover (D) a.t.f., Frankfurt Bug-Alutechnic, Dornbirn (A)
- 4 I Holmenkollen ski jump, Oslo (N)
 Okaw Arkitekter, Oslo
 Flex-CC-Glass AS, Barkaker



WICLINE 65 evo WICLINE 75 evo WICLINE 77IK WICLINE 125









Punched hole window | ribbon window

Function in design

The classic use of aluminium windows is the high-quality execution of punched hole or ribbon windows for apartment blocks or offices, industrial and commercial structures. In new buildings, WICONA window series allow durable and energy-efficient solutions to be planned and executed from the outset. They offer a suitable concept for renovation projects with special profile geometries such as Classic design or Industry design. Thanks to the great variety, numerous shapes and types of opening, WICLINE windows can be specifically tailored to the individual building and the wishes of the customer. This also applies, for example, for additional functions such as improved sound insulation, burglar and bullet resistance – simple to integrate without influencing the appearance of the façade.

The range goes from a non-insulated option for internal applications to systems with $\rm U_w$ -values of 0.75 W/(m²K). WICLINE 75 evo achieves passive house level, without supplementary adaptations. In Switzerland it is the first metal window which has achieved the highest classification Minergie P.



Design and funcionality: visible hinges in any colour or concealed fittings







ZEN Resort, Vortungen (N): parallel slide tilt window



WICLINE 125 WICLINE 215



Beluga Shipping GmbH, Bremen (D)
Haslob Kruse & Partner Architekten, Bremen
Heinrich Würfel Metallbau, Sontra





Hybrid windows | coupled windows

Combined comfort

The hybrid window technology of WICLINE 215 is the innovation in WICONA coupled windows. It combines an interior inward opening sash with an exterior parallel outward opening sash. Already with standard glazing, it offers increased sound insulation. Values of 39 to 57 dB can be reached according to the type of glazing. Even with the window open, WICLINE 215 effectively reduces the noise level from the outside. The integrated sun protection is effective with a reduced depth and is protected against dirt and weathering at any time. In addition to a pleasant indoor temperature, it also noticeably optimises energy consumption. Depending on the type of glazing, the hybrid technology offers high energy efficiency with $U_{\rm w}$ values down to 0.65 W/(m²K). The tilt-turn casements and the external parallel outward opening casements are individually adjustable independently of one another and enable adequate ventilation of the interior. This creates a noticeably comfortable indoor temperature and lowers energy consumption.

In the WICLINE 125 composite structures, an internal window is combined with an additional sash in front of it. In this way, the protective function and the level of comfort are significantly increased. Optimise sound insulation, maximise energy savings through increased heat insulation up to $\rm U_w=0.9~W(m^2\rm K)$, the greatest possible ease of use, efficient and weather protected integration of sun protection systems: WICLINE 125 coupled windows can satisfy even the most varied requirements with ease.








WICLINE 125 with integrated sun protection



WICLINE 65 evo WICLINE 75 evo WICLINE 90SG WICTEC 50 sky light vent



Steckelhörn/Cogiton, Hamburg (D) J. Mayer H., Berlin Rupert App, Leutkirch





Integrated sashes

Synergy at work

The flexibility and wide range offered by the WICTEC façade systems are perfectly matched by the individuality with which opening units from the WICTEC and WICLINE ranges can be integrated into glass façades and glass roofs. Precise coordination of thermal insulation up to the highest performance, slim profile sight lines with special insertion frames, freedom to choose from an extremely wide range of opening types – with WICONA systems you will find the right solutions whatever your requirements.

Besides their homogenous integration in the surrounding curtain wall all sky light structure the WICONA insertion sashes extend your choice of opening types: inward or outward opening in various applications, manual or motorised operation, and options for a stepwise adaptation to the required thermal insulation values.



Leibnitz Rechenzentrum, Garching (D)



Poljoprivredni Fakultet, Osijek (HR)



Window options | fittings

1 | Horizontal and vertical pivot windows

Optimised ventilation with up to 9 m² sash size.

2 | Ventilation sash

Heat insulated aluminium turn sash for manually-operated ventilation. Ideal for office and hotel buildings.

3 | Industry design

WICLINE 77IK creates a distinctive appearance with aluminium transom-crossbar profiles in steel design.

4 | Burglar resistance / Bullet resistance

With WICLINE safety aspects can be implemented easily and in various levels of protection without jeopardising the appearance.

5 | Special windows

If the extensive range of systems does not meet your requirements, we also develop individual solutions.

6 | NSHEV (Natural smoke and heat exhaust ventilation)

With an extensive range of approved windows for curtain walls and glass roofs WICLINE guarantees design freedom.







Window options

Opening functions

The WICSTAR fittings keep all types of opening in motion in the WICLINE window range. They are available as visible or concealed options to meet all design requirements. With a large number of types of opening and the choice of manual or motor operated casements, WICONA covers almost all conceivable areas of application with the WICLINE window series and WICSTAR fittings.

Opening types:

- · Double casement windows
- · Concealed sashes (block windows)
- · Oblique/round arched windows
- · Horizontally-pivoted sash windows
- · Vertically-pivoted sash windows
- · Top-hung windows (outward opening)
- · Side-hung windows (outward opening)
- · Projecting top-hung window (outward opening)
- · Sky lights (outward opening)
- · Parallel opening windows (outward opening)
- · Parallel slide tilt window
- · Balcony door with barrier-free threshold










>>> Doors | Meeting with style



WICSTYLE

Hinged doors Safety doors Automatic sliding doors

They say first impressions last – and in the case of homes and offices that applies especially to the entrance door, the building's 'calling card'. There can hardly be any other component of a structure that has to reconcile so many different criteria. Whether it is the door to a private house, a large entrance to an administrative building or a hotel, a fire protection door or emergency exit in a school, or a simple functional door for a factory: the technically-mature WICSTYLE profile systems, with their multitude of opening types, versions and expansion options enable you to realise tailor-made door solutions for any situation.



88


- 1 | Inova Haus, Ulm (D)

 Nething Generalplaner, Neu-Ulm

 Vogg Metallbau, Bibertal
- 2 | Södra Tennis Arena (S)

 Doors for certified Passive House
- 3 I Berufsschule, Heidenheim (D) Spreen Architekten, München Metallbau Dodel, Ulm/Gergeni, Heidenheim
- 4 | Private house

WICSTYLE 65 evo WICSTYLE 75 evo WICSTYLE 50N/65N WICSTYLE 88



Congress Centrum, Heidenheim (D) Ed. Züblin, Stuttgart Gergeni Metallbau, Heidenheim



Hinged doors

Function, design and performance

The all-rounder among the door systems offers you complete versatility for an extensive range of requirements. The perfectly tailored WICSTYLE profile systems and fittings offer you a level of flexibility that means you can satisfy both the functional requirements of public buildings and the aesthetic expectations of private clients equally. Many options enable you to create a first physical meeting point to a building according to the individually requested style and function:

Single or double sash doors, inward or outward opening, optionally with additional functions like swing doors, panic, fire resistance or finger protection, visual integration in any building and façade structure, compatibility with the WICLINE window series, individual design with in-fills up to 200 kg weight, versatile adaptation of the thermal insulation down to passive house level, an innovative integration of the lock in the thermal break zone and special covers for the fitting groove: all this turns WICSTYLE evo into a perfect symbiosis of performance and design.

You see: our technology is just waiting for your ideas.











Door options Satefy door technolgy

1 | WICSTYLE 65 evo / WICSTYLE 75 evo

Ahead in terms of thermal insulation and physical features. Its outstanding technical performance and application range make it the ideal door solution for all current and future requirements in architecture, both in new buildings and in renovations.

2 | WICSTYLE 50N non-insulated

Designed specially for use inside buildings, with a profile depth of 50 mm for extremely fine structures.

3 | WICSTYLE 88

WICSTYLE 88 is the premium structure to satisfy the most stringent requirements. Excellent technical values, multiple design versions and possible combinations, three sealing levels and the option of inward or outward opening are just some of their special properties.





Hinged doors

Safety door technology

Escape route and panic

- · According to DIN EN 179 (escape route)/DIN EN 1125 (Panic design)
- · Can be implemented with various WICONA door systems, creating a uniform door design throughout the building
- · Option of single or double-leaf design
- · May be combined with RC 1 and RC 2 burglar resistance
- · May be designed with fire protection in class T30 and T60 and with smoke protection

Fire protection


- · Verified in accordance with DIN 4102/DIN EN 13501-2 regulations and approved by the German Buildings Inspectorate
- · In El30/T30/F30 or El60/T60 (WICSTYLE 77FP)
- · In T90/F90 (WICSTYLE FP90)
- · Compatible with WICONA standard door systems
- Extensive range of fittings for requirements such as panic functions, emergency exit locks, electric safety locks, electronic openers, revolving door drive, magnet and bolt contact

Smoke protection

- · In accordance with DIN 18095 (WICSTYLE 65N)
- · Flush door structures on both sides
- · With butt hinges or screw-on hinges in aluminium or stainless steel
- · Single and double-leaf, opening inwards or outwards
- · Fixed and moveable side- and top-lights, option of glass-separating or adhesive bars

Burglar resistance/bullet resistance

- · In accordance with DIN EN 1627
- · Design in three module depths: WICSTYLE 65, 75 and 88 mm
- · Easy upgrade with additional locks to the desired level of security and protection (e.g. RC 1 RC 3)
- · Can be combined with bullet resistance class FB4 in accordance with DIN EN 1522







- 1 | Door with leaf overlapping infill
- 2 | Door for escape routes and panic
- 3 | Entrance door with individual infills



WICSTYLE 65ED







Automatic sliding doors

Saving energy with comfort

WICSTYLE 65ED, the energy-saving automatic sliding door for commercial buildings, was developed in collaboration with the Swiss global market leader Kaba-Gilgen AG, on the basis of the WICLINE 65 profile. Automatic sliding doors have short open and close cycles that have been optimised for throughput.

Therefore, when in operation they retain the largest amount of warmth within the building. A major role in energy efficiency, however, is also played by the time in which the door remains permanently shut – such as overnight. During such periods, in particular, WICSTYLE 65ED protects the building reliably against excessive energy loss, thereby making a significant contribution to improving the overall energy balance of the building. Annoying draught is efficiently avoided by multiple sealing levels and the special lock technology.

WICSTYLE 65ED combines comfort and energy efficiency with an attractive appearance due to slim sight lines, high-performance heat insulation and coordinated integration of the drive. The leaves, up to 3.0 m high, can be combined with side lights and fanlights; the whole door system can be easily integrated into a WICTEC stick façade. WICSTYLE 65ED complies with the personal safety requirements and is approved as a complete system by ift and TÜV. Upgraded types with increased burglar resistance are possible by means of an integrated multi-point locking system.









Sliding systems | Opening spaces



WICSLIDE

Sliding systems Lifting sliding systems Folding sliding systems



Simply closer to nature

Using these profile systems, you can open up large areas of living rooms, conservatories or glass extensions to the outside. WICSLIDE has the most suitable, functional solutions for all areas of application, whatever the requirements and the structural and spatial opportunities on site. Large size sash formats with slim profiles always assure fine sight lines. Robust fittings for heavy duty applications guarantee an extended life span operation. A variety of system options offer the flexible adaptation to individual thermal insulation needs. You can select from a range of sliding, lifting-sliding or folding sliding doors and windows.



- 1 | Floating Mercure, Hamburg (D)
 Förster Trabitzsch Architekten, Hamburg
 Hanse Metallbau, Elmenhorst / Lichtenhagen
- 2 | Villa Tønsberg, Tjøme (N) Arkitektbygg Finn Sandmæl, Nesøya Flex CC-Glass AS, Barkåker
- 3 | Zeppelin University, Friedrichshafen (D) Fritz Hack, Friedrichshafen Metallbau Schneider, Ravensburg
- 4 | Restaurant L'Océan, Le Croisic (F) Bureau d'Achon, Nantes



WICSLIDE 65FS
WICSLIDE 160
WICSLIDE 23
WICSLIDE 26
WICSLIDE 24E | 24EN

1 | Folding /sliding door WICSLIDE 65FS

The solution for situations with only limited room for the open elements. This is for example the case in conservatories, meeting areas, conference rooms, car show rooms and hotels.

2 | Lifting / Sliding doors WICSLIDE 23 / 26

Weather-resistant outdoor application or indoor-version for partitions: these series are very well suited to conservatories, swimming pools and private or commercial construction projects with large expanses of glass.

3 | Sliding doors / windows WICSLIDE 24E / 24EN

As an insulated or non-insulated frame, the system is extremely versatile. In the double or triple-track design, frames with up to six leaves and very large opening widths are possible.







Sliding system options

WICSLIDE 160

The new WICSLIDE 160 lifting sliding unit combines excellent thermal insulation with the highest functionality and design. Performing energy efficiency due to $\rm U_w$ -values below 1.1 W/(m²K), impressive leaf dimensions with weights up to 400 kg and lasting operation comfort guarantee maximum customer satisfaction. With state-of-the-art technology and innovative advantages in application WICSLIDE 160 is a high-tech product that sets new standards in comfort, weather performance and thermal insulation.







Solar shading systems | Controlling daylight



Intelligent climate concepts

Modern architecture with extended glazed building skins offer increased energy gains from daylight, but require an external light control that aligns energy savings, user comfort and economy. WICSOLAIRE solar shading systems guide daylight in to the building and thus reduce the need for artificial light. They control the energy and heat input by solar radiation and reduce the need for air conditioning.

The visual contact with the exterior remains and improves the sensation of comfort. As a passive technology WICSOLAIRE can be adapted in diverse options to the individual requirements and the architectural style of the building. In combination with the WICONA window and curtain wall systems a consistent solution is achieved. The blades can be oriented horizontally or vertically at different angles. The assembly can be made in a horizontal, sloped or vertical fixture. As an option the blades can be equipped with integrated photo-voltaic cells, offering an optimal orientation toward the sun for maximum efficiency.







- 1 | Horizontal large blades, motorised
- 2 | Horizontal blades, application above the façade
- 3 | Vertical rotating blades, motorised
- 4 | Integrated photovoltaics



>>> Protection all-inclusive






All-inclusive protection


Personal security and building protection – needs a solution approach which can be accomplished with aluminium systems in a wholistic and compatible way. This is achieved by the WICONA series for windows, curtain walling and doors. Each of which can be executed in safety technology, in combination with other additional functions. The requirements for the safety criteria are achieved with the standard construction simply by addition of minor adaptations.

Safety options:

- \cdot Burglar resistance: curtain walls, windows, doors, sliding elements
- · Bullet resistance: curtain walls, windows, doors
- · Fire protection: curtain walls, windows, doors
- $\cdot \, \mathsf{Escape} \, \, \mathsf{ways:} \, \mathsf{doors} \,$
- · NSHEV (Natural smoke and heat exhaust ventilation): windows for curtain wall and glass roofs



For more details please refer to the product pages or ask your WICONA sales office.





- 2 | Bullet resistance in class FB4
- 3 | Fire protection up to class El30/T30, El60/T60, T90/F90, G30/F30
- 4 I Escape ways acc. to EN 179 and EN 1125
- 5 I NSHEV in various opening types for curtain wall and glass roofs



White in design and technology



WICONA

Bespoke project solutions



Ideas become built reality

WICONA is a brand that is synonymous with unique aluminium constructions that exceed all standards. Whether used in a façade to an impressive metropolitan development, as a functional door system or in windows with the aim of creating an architectural structure, each solution is individual, allowing the requirements and wishes of the customer to be met in full.

The WICONA range offers the best options for the realisation of complex design concepts, that are unique in terms of technology and aesthetics.

In the WICONA test centre these bespoke solutions can be tested in accordance with a wide range of EN standards or individual specifications, in one of Europe's most modern test centres, with possible test sample sizes of up to 10 x 10 m. So that you can be sure that your idea can face reality.



- 1 | Tornado Tower, Doha (QT) CICO, Qatar Quipco, Qatar
- 2 | WICONA Test Centre, Bellenberg Test centre for bespoke projects
- 3 | Monte Rosa Hut, Zermatt (CH) Andrea Deplaces, Zürich Fuxvisp, Visp
- 4 I Sign, Düsseldorf Murphy Jahn Architekten, Berlin FKN, Neuenstein







'Powerhouse' | Plus-energy buildings in practice



WICONA

Environmental responsibility. We care for it – be part of it!




The WICONA test centre demonstrates how the topic of sustainable building can be implemented in practice. The objective was to run an energy self-sufficient factory building. Over a holistic planning approach an optimum combination of façade, building service engineering and utilisation of natural resources was determined. Large-scaled window areas in the façade and the roof enable working almost without artificial light. Simultaneously there is no necessity for cooling. The need for energy for heating and artificial light arises at about 23 kWh/m²a, a value which is close to the limit value of a passive house building in residential construction. The need is covered by a photovoltaic system on the roof of the building. Furthermore the surplus obtained covers the operating energy of the test centre.

Over the year the energy production is more than 100 % higher than the energy consumption of the building, making it a real power house. As a result the WICONA test centre is one of the first zero-energy factory buildings in Europe.


A special online visualisation shows day by day the real energy gains and consumption. This and further information about the WICONA test centre monitoring can be seen online under zeb-bellenberg.com







Environmental responsibility Building the future



Sustainability in architecture targets energy efficiency and climate protection, and allows, first and foremost, the most economical use of natural resources possible. In the future the sustainability factor of a building will increasingly become an assessment criteria for purchasers, occupiers and investors. This is expressed by the growing number of certificates for buildings, which evaluate sustainability according to set criteria. Below are some examples:

DGNB seal of quality (German Sustainable Building Council):

This requires integral planning, including the setting of sustainability goals, and takes ecological and economic factors into consideration. Hydro Building Systems is a founding member of the DGNB.

Passive House certificate:

Limits annual heating requirement to 15 kW/h per m² of living area, so that a building can be heated exclusively by passive energy sources and needs no active heating system. A $\rm U_w$ value of ≤ 0.8 W/(m²K) for windows and glass façades is required. The WICTEC stick system and the WICLINE 75 evo window comply with this performance.

Minergie standard (Switzerland):

The Minergie-P label for windows is awarded when a two-leaf casement window attains an ambitious insulation value of $\rm U_w=0.8~W/(m^2K)$. WICLINE 75 evo was the first metal window to receive the highest possible classification with the Minergie-P label.

LEED:

LEED promotes a whole-building approach to sustainability by recognising performance in location and planning, sustainable site development, water savings, energy efficiency, materials selection, indoor environmental quality, innovative strategies, and attention to priority regional issues.

BREEAM:

Assessment and rating system for environmental performance in sustainable building design, construction and operation.












We care for it – be part of it!

Here at WICONA, we target the sustainability of buildings not only through thermal insulation, but also consider energy efficiency and climate protection during the entire lifecycle of the aluminium building material. Our philosophy is the careful management of natural resources, starting with the aluminium production using 68 % of the energy from hydro power, up to recycling processes in our own factories.



Environmental responsibility

Aluminium is a modern material – light, strong, easily pliable, a good conductor of heat and electricity, non-magnetic, resistant to corrosion, hygienic and fully recyclable. Aluminium constructions weigh only a third of equivalent steel constructions. Aluminium is an ideal material for a maximum on sustainibility:

- · Aluminium is the third most abundant element on earth and is derived from bauxite
- · At WICONA 68 % of the energy requirement for the aluminium production is produced by hydropower
- · Aluminium has a very long lifetime: about 75 % of aluminium products ever produced are still in use today
- · Just 5 % of the original energy used is needed for aluminium production from recycled materials
- · Aluminium is infinitely recyclable: the recycling rate of aluminium is between 95 and 100 % without losing quality
- · Recycling of 1 tonne aluminium means: about 4 tonnes less bauxite and 9 tonnes less CO₂ emissions
- · Aluminium is light: slim framing for windows and facades compared to wood, allows greater light incidence and a better useage of solar energy
- · Aluminium is almost maintenance-free: no protective measures against mould, fungal infestation or corrosion, no solvents for the coating.

WICONA has the appropriate solutions

Signed and sealed: WICONA's aluminium profile constructions impressively fulfil the demanding criteria of all the above building certificates, and have therefore contributed substantially to the certification of the projects shown here. WICONA took a leading role in this field many years ago and can now draw upon decades of expertise in research and development. Thanks to this, a broad portfolio of products and services is at your fingertips, so that you too can design your building in a more sustainable and future-oriented manner.

1 | DEG, Cologne

(JSK Dipl.-Ing. Architekten, Dusseldorf)
Awarded the Gold Seal of Approval by the DGNB.
Designed with a unitised WICONA double skin façade.

2 | Lakeside Park, Bratislava (SK) Adamson Associates Architects, Toronto

Adamson Associates Architects, Toronto
BREEAM Certified. Designed with WICTEC Unitised
curtain wall and WICLINE high insulation windows

3 | Fire station, Heidelberg


Kulka & Urbanietz Architekten, Cologne Awarded the Passive House certificate from the Passive House Institute. Designed with WICTEC 50HI Passive House façades and WICLINE high insulation windows, U_total = 0.8 W/(m²K).







>> WICONA Finder | The search engine for architecture





'Technology for ideas' - also online!

Click directly into the new WICONA world on the internet. WICONA's internet site has an attractive and modern design, focusing on the benefits for you:

- The full range of WICONA products is displayed and documented with a wealth of detailed information, images and graphs.
- \cdot all important information relating to WICONA and our products, brief and up-to-date
- · a large and specialised information service for you as an architect and planner
- \cdot a clear and comprehensible user guide you find the product information you are looking for with just a few clicks
- · rapid access to all areas specific to you under the menu header 'architects'
- · a direct download of CAD drawings and application examples in .dwg and .dwf format for each product series
- · an extended service via direct, usable tools, which you can find via links such as a database for tender text, for example, or software to calculate window U values.






61





- 1 | Product presentation with details and technical information
- 2 | CAD drawings in .dwg or.dxf format for each product
- 3 | Tender text proposals in various formats
- 4 | U value calculation tool for windows

A strong brand in a strong corporation



WICONA in the Hydro group



HYDRO and WICONA

WICONA is a brand of Hydro Building Systems, and part of the Hydro Group. Hydro is a global supplier of aluminium and aluminium products. With headquarters in Norway, the company employs 23,000 people in 40 countries and has activities on all continents. Rooted in a century of experience in renewable energy production, technology development and progressive partnerships, Hydro is committed to strengthening the viability of the customers and communities we serve.

Hydro is leading in aluminium recycling, and sustainability is both an integral part of the corporate philosophy and the prime directive in research and development. Hydro operates hydroelectric plants in Norway, creating electricity for its aluminium production, and is also committed to obtaining solar energy.

These activities have provided the Group with leading positions in future growth markets: Hydro has been included in the Dow Jones Sustainability Indexes every year since the index series were launched in 1999. The company has received top marks for its risk and crisis management reporting, for its ethical principles, transparency, environmental policy and management and for its strategy on biological diversity and climate protection. Hydro Building Systems supplies construction systems for windows, doors, curtain walling and glass extensions. Besides WICONA, other leading brands are Technal and Domal.

WICONA represents quality 'Made in Germany'. The Ulm-based brand has over six decades' experience and valuable expertise, providing an excellent basis for today's successful market presence and prospects for dynamic future growth. In-depth fundamental research, innovative system development, bespoke solutions and a customer-oriented, project-based approach play a key role and characterise the way things are done in Ulm. From this city in Southern Germany, high-quality WICONA branded aluminium technology solutions reach out to the entire world.


- 1 Leading in aluminium, from mining the raw material to recycling: Hydro
- 2 I The aluminium used for WICONA profiles is made with 68 % hydro power, thus regenerative energy
- 3 | High precision fabrication in the Hydro extrusion plants
- 4 I 'Energy bank': Aluminium recycling is a valuable resource





WICTEC 50 / WICTEC 60


Stick curtain wall



- Sight line 50 / 60 mm
- · U, up to 1.2 W/(m²K)
- · Infill thickness 3 63 mm
- Polygonal construction up to 90°
- Integrated solar shading (special guide rails in external cover profiles)

WICTEC 50HI


Certified passive house curtain wall



- $\cdot U_{\rm f} = 0.75 \, \text{W/(m}^2 \text{K})$
- · Optimised thermal insulation
- · For triple glazing from 45 to 51 mm
- Sight line 50 mm
- Polygonal façades / burglar resistance WK 2 possible
- Certified by the ift institute Rosenheim as passive house component

WICTEC 50

Industry design



- · Profiles with technical design of steel beams
- Sight line 50 mm
- · Combination with various cover profiles possible
- System technology as WICTEC 50

WICTEC 50

SG-Design




- · Integrated pressure profiles, overlapping or flush to glass
- · Profile width 43 or 51 mm
- · No SG-approval required

WICTEC 50SG

Structural Glazing



- · Sight line 50 mm
- · Slim line design
- · For double or triple glazing
- · With European Approval ETA



WICTEC 50A


Add-on construction steel / wood



· For profiles from 50 mm

WICTEC 50FP / 60FP

Fire protection



- · Fire protection class
- G30 / F30 Sight lines 50 / 60 mm
- · Glass or panel up to
- · 1.8 x 3.0 m or 2.4 x 1.4 m
- · Sloped glazing possible up to 0°

· Guide rails and covers

· Profiles in box- or T-shape


· Curtain wall and solar protection as an integral unit

integrated in the

pressure profile · Sight line 50 mm

WICTEC 50EH / 60EH


Burglar resistance



- Sight lines 50 / 60 mm
- Burglar resistance WK 1 to WK 3

WICTEC 50DH / 60DH


Bullet proof




- · Sight lines 50 / 60 mm
- System technology of WICTEC 50 / WICTEC 60
- Bullet resistance in class FB4 with aluminium reinforcements

WICTEC 50

Integrated solar shading




Unitised curtain wall



WICTEC EL60

- Stick system technolgy
- · U_f up to 1.6 W/(m²K)
- · Sight line 60 mm
- · Infill thickness up to 36 mm
- · Unit size up to 2.8 x 3.5 m



WICTEC 50EL


Unitised curtain wall

- · Stick system technology
- \cdot U_f up to 1.4 W/(m²K)
- · Sight lines 50 / 65 mm
- · Infill thickness up to 44 mm
- · Unit size up to 3.0 x 3.5 m


WICLINE 75 evo

WICLINE


Minergie-P / Passive house



- \cdot U_f up to 1.3 W/(m²K), U,, below 1.0 W/(m²K)
- System depth 65 mm
- Burglar resistance RC 1 to RC 3 possible
- Bullet resistance FB4 possible



- · U_f up to 1.2 W/(m²K), U_w below 0.9 W/(m²K)
- System depth 75 mm
- Burglar resistance RC 1 to RC 3 possible
- Bullet resistance FB4 possible



- · Optimised thermal insulation, $U_{...} \le 0.8 \text{ W/(m}^2\text{K)}$
- System depth 95 mm
- Certified Minergie-P Module (Switzerland)

WICLINE 65 / 75 evo

Concealed sash



- Extra-slim frames
- No sash visible from outside
- U₄ up to 1.8 W/(m²K), U_w below 1.0 W/(m²K)
- System depth 75 / 85 mm

Steel design, ideal for

System depth 77 mm

renovations






- Bevelled profile contours with overlapping sash
- System depth 75 / 85 mm

WICLINE 65N

Non-insulated




- · Non-insulated
- · System depth 65 mm
- \cdot For interior applications

65


WICLINE 77

Industry design



WICLINE 90 SG

All-glass windows



- · Parallel outward opening or projecting top-hung sashes in structural glazing SG Design
- System depth 90 mm
- SG design with standard glass
- · Integration in stick curtain walling

WICTEC 50


Roof light vent



- · Integration sash for stick system roof lights
- Sightline 81 mm
- Opening angle up to 90°

WICLINE


Ventilation flap




- · Thermally broken, slim opening sash for manual ventilation
- Application in stick curtain wall and window constructions
- Sash width 250 mm, height up to 2250 mm

WICLINE 125

Coupled windows



- $\cdot U_{\rm w} \le 0.9 \, \text{W/(m}^2 \text{K)}$
- Coupled window with additional connected sash
- System depth 125 mm
- Sound insulation up to $R_w = 48 \text{ dB}$
- Integrated sun protection



WICLINE 215

Hybrid window



- $\cdot U_w \le 0.7 \text{ W/(m}^2\text{K)}$
- · Inward opening sash combined with parallel outward opening sash
- · System depth 215 mm
- · Sound protection up to $R_w = 57 \text{ dB}$
- · Integrated sun protection





WICSTYLE 65 evo

· Leaf weight up to 200 kg


- System depth 65 mm
- Burglar resistance RC 1 to RC 3 possible
- Bullet resistance FB4 possible
- · Panic function possible

WICSTYLE 75 evo

- · Leaf weight up to 200 kg
- System depth 75 mm
- Burglar resistance RC 1 to RC 3 possible
- Bullet resistance FB4 possible
- · Panic function possible

WICSTYLE 65 / 75 evo

Classic design



- · Bevelled profile contours with overlapping sash
- System depth 75 / 85 mm

WICSTYLE 88

· Ideal for entrance doors System depth 88 mm

- Bevelled or rounded profile contours
- Burglar resistance RC 1 to RC 3 possible

WICSTYLE 50N



- · Non-insulated
- \cdot For interior application
- · System depth 50 mm





- · Non-insulated
- \cdot For interior applications
- · System depth 65 mm
- Smoke control function possible
- · Panic function possible

WICSTYLE 77FP / 90FP


Fire protection



- Several system depths
- Single or double sash
- Combination options with fixed glazing and fanlights
- For consistent door design with or without fire protection

WICSTYLE 65ED


Automatic sliding door



- Optimised thermal insulation, U_w up to 1.5 W/(m²K)
- Tested complete system (thermally broken profile system and drive unit)
- Identical with Kaba PSW

WICSLIDE 65FS


Folding sliding system




- · Two to seven leafed division
- · Thermal insulation, U, until 1.3 W/(m2K)
- · Leaf sizes (w x h) up to 1.10 x 2.50 m

WICSLIDE 160

Lifting / sliding system



- Two-track
- System depth 160 mm
- Performing thermal insulation, U,, below 1.1 W/(m2K)
- Leaf size (w x h) up to 3.24 x 3.40 m




WICSLIDE 23 / 26

Lifting / sliding system



- Optimised thermal insulation, U up to 1.3 W/(m²K)
- Leaf size (h x w) up to 3.50 x 2.60 m



WICSLIDE 24E / 24EN

Sliding system

- · Two or three track
- · Optimised thermal insulation, U_w up to 1.3 W/(m²K), or non-insulated
- · Leaf size (h x w) up to 1.80 x 2.50 m

Germany Hydro Building Systems GmbH

Söflinger Straße 70 89077 Ulm Telefon +49 731 3984-0 www.wicona.de

Switzerland Hydro Building Systems AG

Gewerbepark Postfach 30 5506 Mägenwil Telefon +41 62 88741-41 www.wicona.ch

Austria

Hydro Building Systems GmbH

Wallerseestraße 49 5201 Seekirchen Telefon +43 6212 2000 www.wicona.at

Sweden

Hydro Building Systems AB

Grusåsvägen 10 352 45 Växjö Phone +46 470 78 74 00 www.wicona.se

Denmark Salgskontor Danmark

Hydro Building Systems Erhvervsparken 6 8400 Ebeltoft Phone +45 7020 2048 www.wicona.de

Norway

Hydro Building Systems AB

Drammensveien 260 0283 Oslo Phone +47 22 42 22 00 www.wicona.no

Poland

Hydro Building Systems Sp. zo.o.

ul. Mińska 63A 03-828 Warszawa Phone +48 22 3308170 ww.wicona.com

Russia

ООО Гидро Билдинг Системс

RUS-123317, Россия, Москва ул. Тестовская, д. 10 «Москва-Сити» БЦ «Северная башня» Тел. +7 917 5659559 www.wicona.ru

Estonia / Latvia / Lithuania Hydro Building Systems OÜ

Pärnu mnt. 139 f 11317, Tallinn Phone +37 2657 6635 www.wicona.com

Czech Republic

Hydro Building Systems spol. s r.o.

Holandská 8 63900 Brno Phone +420 (0) 543 422030 www.wicona.cz

Hungary

Hydro Building Systems Kft.

Graphisoft Park, Záhony u 7. 1031 Budapest Phone +36 (1) 4533457 www.wicona.at

France

Hydro Building Systems S.a.r.l.

Rue Jean-Baptiste Godin Parc d'Activités Le Plateau 02200 Courmelles Tel. +33 3 23 59 82 00 www.wicona.fr

Benelux

Hydro Building Systems N.V.

Welvaartstraat 14/1 2200 Herentals Telefoon +32 14 24 99 99 www.wicona.be

Italia

Hydro Building Systems S.p.A.

Centro Servizi WICONA Via Stazione 133/X 30035 Ballò di Mirano (VE) Telefono +39 041 51 38 633 www.wicona.it

United Kingdom Hydro Building Systems Ltd.

Silkwood Park
Wakefield WF5 9TG
United Kingdom
Phone +44 845 602 8799
www.wicona.co.uk

Ireland

Hydro Building Systems

Unit J1 Baldonnell Business Park Naas Road Dublin 22, Eire Phone +353 1 4105766 www.wicona.ie

España

Hydro Building Systems S.I.

Camí de Ca n'Ametller, 18 08195 Sant Cugat del Vallès Barcelona Teléfono +34 902 22 23 23 www.wicona.es

International

Hydro Building Systems S.a.r.l.

270 rue Léon Joulin BP 63709 31037 Toulouse cedex 01 Téléphone +33 5 61 31 26 26 www.wicona-int.com

China

Hydro Building Systems Co. Ltd

5C-15 LIANDO International Industry Park Maju Bridge Tongzhou District, Beijing, PRC 101102 Phone +8610 6059 5686 www.wicona.cn



North East Europe (NEE) Hydro Building Systems GmbH

Söflinger Straße 70 89077 Ulm Telefon +49 731 3984-0 www.wicona.de

North West Europe (NWE) Hydro Building Systems S.a.r.l.

Rue Jean-Baptiste Godin Parc d'Activités Le Plateau 02200 Courmelles Téléphone +33 3 23 59 82 00 www.wicona.fr

South East Europe (SEE) Hydro Building Systems S.p.A.

Customer Service Via Stazione 133/X 30035 Ballò di Mirano (VE) Telefono +39 041 51 38 633 www.wicona.it

South West Europe (SWE) Hydro Building Systems S.I.

Southwest SLU Camí de Ca n'Ametller, 18 08195 Sant Cugat del Vallès Barcelona Teléfono +34 902 22 23 23 www.wicona.es

International Hydro Building Systems S.a.r.l.

270 rue Léon Joulin BP 63709 31037 Toulouse cedex 01 Téléphone +33 5 61 31 26 26 www.wicona-int.com

