



Dallnet® R

Aluminium finishing profiles for use with liquid waterproofing systems

- ✓ Made for flat edge without parapet
- ✓ Specifically engineered for Liquid Waterproofing Systems
- ✓ Contributes to the perfect finish of balcony edges and lasts for the life of the building




The system

Dallnet® R 3/35/75


The perfect finishing profile for treating the edges of balconies with liquid or resin waterproofing systems up to 3 mm thick.

The weather drip will discharge off rainwater or running water and prevent stains and dirt forming on the slab edge.




Dallnet® R 3/25


This small special profile is ideal for quartz finishes on edges.



Self levelling compound



Groove



Dallnet® Resin 3/35/75 installation

The profiles are available in standard lengths of 3000 mm, with 7 mm diameter holes pre-drilled at 300 mm centres.

The fixing surface of the profile is produced with pre-drilled slots so that it sticks correctly to the resin.

At installation, an expansion gap of 5 mm is maintained between units.

The use of the factory pre-fabricated junction is essential for the proper expansion of the system.

The profiles are not bendable.

It is recommended to make a groove corresponding to the thickness and length of the fixing flange, or to cover the flange up so that no water is retained on the balcony edge in conformity with liquid waterproofing systems.


Example of use

- 1 Dallnet® R 3/35/75
- 2 Junction piece
- 3 Weather drip
- 4 Liquid waterproofing system
- 5 Structure



Find this product on the website
www.danialu.com
ou with this **Qr code**.

Accessories





Associated product

Dallnet® G pattern 45

Dallnet G pattern 45 prevents water from running down and dirtying the external wall or balcony edge.

This pattern is height- adjustable and can also be used as a stop for liquid waterproofing.



Example of use

- 1 Liquid waterproofing
- 2 Dallnet G pattern 45
- 3 Junction piece
- 4 Weatherdrip
- 5 Full bed of sealant adhesive
- 6 Fixing
- 7 Edge of slab

Dallnet® R

☐ Order ☐ Quotation request

(Tick the options required)

Please give the following information:

Company stamp

Date:

Company (Address/Company stamp):

Contact: Mr/Mrs.

Telephone: Fax:

Mobile: E-Mail:

Type of project ☐ new ☐ refurbishment Stage of project ☐ design ☐ on site

Project reference: Address:

Contact details:

☐ Dallnet® R 3/35/75


Profile
length of 3000 mm




Junction pieces
(high and low)



External angle



Internal angle



Quantity ml u u u

Finish ☐ Mill finish aluminium ☐ Powder coated aluminium RAL No.....

☐ Dallnet® R 3/25

Profile
length of 3000 mm



Quantity ml

Finish ☐ Mill finish aluminium

☐ Dallnet® G pattern 45

Profile
length of 3000 mm




Bottom junction pieces




Pair of endcaps
(1 right, 1 left)



External angle



Internal angle



Quantity ml u u u

Finish ☐ Mill finish aluminium ☐ Powder coated aluminium RAL No

dani alu France

Phone: +33 4 78 19 81 41
export@danialu.fr
www.danialu.fr

dani alu Germany

Phone: +49 6021 453 020
post@danialu.de
www.danialu.de

dani alu United Kingdom

Phone: +44 1865 59160
contact@danialu.co.uk
www.danialu.co.uk

dani alu Sweden

Phone: +46 72 555 08 09
info@danialu.se
www.danialu.se