

Astralux 1000 vertical blind system



CI/SfB	(76.7)	X
--------	--------	---

DESCRIPTION

The Astralux 1000 vertical blind system is available with 89mm or 127mm wide louvres in an extensive range of fabrics and colours including:

- Anti-microbial
- Black-out
- Dim-out
- Glare control
- Energy saving
- Heat reflective
- Metallised
- Screen

CONTROL OPTIONS

- Wand operation where a wand is fixed to the leading louvre and is used to traverse as well as tilt the louvres. Inherently child safe.
- Motorised with low voltage and 240v systems for tilt only or full operation. Inherently child safe.
- Mono-command option where one continuous chain traverses and tilts the louvres. Child safety devices available.
- Cord and chain where a continuous cord on the side of the blind traverses the louvres and a continuous chain tilts the louvres. Child safety devices available.

PRODUCT OPTIONS

- Medi-blind for healthcare applications
- Shaped blinds (see below)
- Powder coated headrails
- Sealed weights on louvres with no chains



N10 SPECIFICATION

Vertical louvre blinds to be Astralux 1000 System with extruded aluminium headrail finished in white, brown, and brushed steel as standard. Operation of louvres by mono command wand/ motorised/mono command chain/cord traverse and chain rotation* Fabric to be + / chosen from Astralux range selector*


Colour to be +

Supplied and installed by an approved Astralux distributor.


*Delete as applicable +Insert as applicable

NBSPlus


SHAPED BLIND OPTIONS




Angled Top




Angled Bottom




Shaped




Shaped Bottom Edge



Arched Top and Bottom



Arched Top




Curved Top


BUNCHING OPTIONS



One Way Bunch




Split Bunch



Centre Bunch

MAXIMUM BLIND SIZES



Astralux 1000 vertical blind system




WAND OPERATION




**make it
safe**TM

Inherently safe blind for use
where children may be present




CORD AND CHAIN OPERATION

Headrail profile:
38.5mm (1½")



28mm (1 1/8")




Astralux 1000 vertical blind system




BRACKET DIMENSIONS


FACE FIX BRACKETS




**TOP FIX BRACKETS
(SCREW)**




**ADJUSTABLE FACE
FIX BRACKETS**




SIDE FIX BRACKETS




**SHALLOW FRAME
FACE FIX BRACKETS**




**TOP FIX BRACKETS
(SPRING)**



**EXTENSION TOP
FIX BRACKETS**




PELMET BRACKETS



nsPlus



Astralux products are available from:



Dearnleys

Dearnleys Limited
120-128 Wrenthorpe Road · Wrenthorpe
Wakefield · West Yorkshire WF2 0JN · England
T: 01924 371 791 F: 01924 386 001
E: info@dearnleys.com