

SHOWERING IN COMFORT AND SAFETY



Art.-Nr.: 03507/250401 Komfort und Sicherheit in der Dusche, englisch, 07/13

THE COMPLETE SHOWER EXPERIENCE



If you want more safety and comfort in your bathroom, you don't need to compromise on first-class design: We can offer you a bathroom range which impresses both ergonomically and aesthetically in equal measure.



PLAN

TAKE A SEAT

The trend in bathrooms is towards generously sized showers, with shower trays that are flush with the floor. Besides an enjoyable shower experience, comfort and safety are of prime importance. With the fittings and accessories of the PLAN and ELEGANCE series, KEUCO offers functional and aesthetic solutions that make your everyday shower a special moment of well-being – increasing your quality of life in the long term.

Seating in the shower offers an additional level of comfort, also enabling extra safety when showering. The PLAN tip-up seat offers a strikingly beautiful and elegant solution; its top-quality materials and craftsmanship impress at first glance; the comfortable seat and the high load carrying capacity make it a safe and attractive feature in the shower. The soft and slightly recessed foam seat and the strong wall bracket mean that it can be used in comfort and safety, with the added reassurance of the high quality of the product.

Available in dark grey, light grey or white, the PLAN tip-up seat integrates harmoniously into the bathroom or shower area. The wall bracket comes in either a chrome-plated or aluminium-finish. KEUCO offers two sizes, depending on your individual requirements or the amount of space available. With a load bearing capacity of 150 kg, the PLAN tip-up seat can be used both in private as well as public buildings. The larger model also satisfies the DIN 18040-1 requirement for barrier-free construction in public buildings.



Thanks to the suppleness of the material used, the soft foam seat offers a high level of comfort as well as security.



INTELLIGENT, CREATIVE THINKING



A corner solution for the shower that leaves nothing wanting. The rail system serves as a shower rail, a stable grab rail as well as a holder for a mountable tip-up shower seat. The matching sponge basket for corner installation rounds everything off.



The tip-up seat from the PLAN range can be folded away after use in order to save space. If it is only used on rare occasions, it can be removed by hand and stored away until it is needed again.



PLAN

8 | 9

SHOWER COMFORT REDEFINED

With approximately 500 individual articles, the PLAN bathroom concept is the most comprehensive bathroom series on the market. The fittings and accessories combine functionality and aesthetics thanks to their diverse options and sophisticated design. Numerous shower seat options in different colours round the extensive range off. Choose between tip-up seats with or without a back rest. What they all have in common is an ergonomically shaped seat.



ELEGANCE

DESIGN AND ERGONOMICS COMBINED

Ergonomics and safety in the bathroom are factors that are attracting increasing attention. These days, a bathroom should ideally be planned in such a way that it can be adjusted to suit the growing need for personal comfort in the years to come – and with KEUCO no one needs to compromise on aesthetics in order to achieve that.

The ELEGANCE collection is a particularly beautiful example. Overhead and hand showers can be individually combined and the rail system fits in perfectly with the shower environment.



Ergonomics that feel good with design that looks good: The integrated approach of the ELEGANCE collection is perceptible in every detail.





34908
Rail system with shower bracket PLAN
complete with shower bracket
usable on right or left
400 x 400 x 1100 mm
400 x 600 x 1100 mm
600 x 400 x 1100 mm
600 x 600 x 1100 mm

34911
Corner rail for shower/bath PLAN
usable on right or left
400 x 400 mm
400 x 600 mm
600 x 600 mm


34914
Rail system with shower bracket PLAN
complete with shower bracket
shower rail can be positioned as individually
required before mounting
600 x 600 x 1100 mm
600 x 900 x 1100 mm
900 x 600 x 1100 mm
900 x 900 x 1100 mm
900 x 1100 x 1100 mm
1100 x 900 x 1100 mm

54985
Hand shower sliding rail PLAN
complete with:
– rail, 800 mm
– sliding bracket
– spacer disc

34912
Rail system PLAN
complete with shower bracket
900, 1100 mm

34915
Rail system with shower bracket PLAN
complete with shower bracket
shower rail can be positioned as individually
required before mounting
600 x 600 x 1100 mm
600 x 900 x 1100 mm
900 x 600 x 1100 mm
900 x 900 x 1100 mm
900 x 1100 x 1100 mm
1100 x 900 x 1100 mm

34901
Towel rail PLAN
for vertical or horizontal mounting
300, 400, 500, 600, 700, 800, 900, 1000, 1100 mm



34906
Angle bar 90° PLAN
usable as shower rail
complete with shower bracket
usable on right or left
400 x 1100 mm

34906
Angle bar 90° PLAN
usable on right or left
300 x 600 mm

31614
Rail system with shower bracket ELEGANCE
complete with shower bracket
shower rail can be positioned as individually
required before mounting
Dimensions (w x h):
600 x 1100 mm
800 x 1100 mm
1000 x 1100 mm

31606
Angle bar 90° ELEGANCE
for use as shower rail
complete with shower bracket
usable as shower rail on right or left
Dimensions (w x h): 400 x 1100 mm

51685
Hand shower sliding rail ELEGANCE
complete with:
– wall rail 900 mm
– sliding bracket for shower head
– spacer disc

11607
Towel rail ELEGANCE
300 mm

Chrome-plated surface (PLAN/ELEGANCE)
Aluminium-finish surface or partially stainless-steel finish surface (PLAN)

Available colours

dark grey

light grey


white




14980



14983



34983



34982



34981



14982

14980
Tip-up seat
for wall mounting
seat folds up,
seat size: 360 mm wide

Chrome-plated surface or
aluminium silver-anodized (E6 EV1)

14983
Tip-up seat
for wall mounting
soft seat folds up,
seat size: 370 mm wide

Chrome-plated surface or
aluminium lacquered

34983
Tip-up seat
for wall mounting
soft seat folds up,
seat size: 450 mm wide

Chrome-plated surface or
aluminium lacquered

34982
Tip-up seat with back rest
for wall mounting
seat folds up,
seat size: 360 mm wide

Chrome-plated surface or
aluminium silver-anodized (E6 EV1)

34981
Tip-up seat with back rest
for use with rail system,
seat folds up,
seat size: 360 mm wide

Chrome-plated surface or
aluminium silver-anodized (E6 EV1)

14982
Bathroom stool
also suitable for wet rooms

Chrome-plated surface or
aluminium silver-anodized (E6 EV1)



54971



54973



54924



51671



51673



51624



54972



54974



54926



51672



51674



51626

54971
Single lever shower mixer PLAN
concealed
set complete with: handle, sleeve, rosette
and installation unit
suitable for rough part no. 59970 (Flexx Boxx)
(Flexx Boxx to be ordered separately)

54972
Single lever bath tub mixer PLAN
concealed
set complete with: handle, sleeve, diverter,
rosette and installation unit
suitable for rough part no. 59970 (Flexx Boxx)
(Flexx Boxx to be ordered separately)

54973
Thermostat battery PLAN
concealed
with ceramic cut-off valve,
safety cut-off at 38 °C,
set complete with: handle, sleeve, diverter, rosette
and installation unit
suitable for rough part no. 59970 (Flexx Boxx)
(Flexx Boxx to be ordered separately)

54974
Thermostat battery PLAN
concealed
with ceramic cut-off and switch valve,
safety cut-off at 38 °C,
set complete with: handle, sleeve, diverter, rosette
and installation unit
suitable for rough part no. 59970 (Flexx Boxx)
(Flexx Boxx to be ordered separately)

54924
Single lever shower mixer PLAN
exposed
cartridge mixer with ceramic sealing gaskets
and temperature limiter,
with backflow preventer

54926
Thermostat battery for shower PLAN
exposed
handle with 50% water consumption regulation,
safety cut-off at 38 °C,
with backflow preventer

51671
Single lever shower mixer ELEGANCE
concealed
set complete with: handle, sleeve, rosette
and installation unit
suitable for rough part no. 59970 (Flexx Boxx)
(Flexx Boxx to be ordered separately)

51672
Single lever bath tub mixer ELEGANCE
concealed
set complete with: handle, sleeve, diverter,
rosette and installation unit
suitable for rough part no. 59970 (Flexx Boxx)
(Flexx Boxx to be ordered separately)

51673
Thermostat battery ELEGANCE
concealed
with ceramic cut-off valve,
safety cut-off at 38 °C,
set complete with: handle, sleeve, diverter,
rosette and installation unit
suitable for rough part no. 59970 (Flexx Boxx)
(Flexx Boxx to be ordered separately)

51674
Thermostat battery ELEGANCE
concealed
with ceramic cut-off and switch valve,
safety cut-off at 38°C,
set complete with: handle, sleeve, diverter,
rosette and installation unit
suitable for rough part no. 59970 (Flexx Boxx)
(Flexx Boxx to be ordered separately)

51624
Single lever shower mixer ELEGANCE
exposed
cartridge mixer with ceramic sealing gaskets,
with backflow preventer

51626
**Thermostat battery
for shower ELEGANCE**
exposed
handle with 50% water consumption regulation,
safety cut-off at 38 °C,
with backflow preventer



54991



59991



54947



54995



51686/51689



51686/51688



54980



51680

54991
Wall bracket for hand shower
for shower hoses with conical nuts

59991
Wall bracket for hand shower
for shower hoses with conical nuts,
with adjustable tilt angle 20-65°
Projection: 97 mm

54947
Wall outlet for shower hose DN 15
suitable for all concealed fittings

54995
Shower hose DN 15
both ends fitted with conical nut
and twist-protection
1250, 1600, 2000 mm

51686/51689
Head shower with ceiling outlet DN 15
Ø 180 mm, with shower head rail,
restricted flow rate 15 l/min.
Projection: 100, 300 mm

51686/51688
Head shower with wall outlet DN 15
Ø 180 mm, with shower head rail,
restricted flow rate 15 l/min
Projection: 300, 450 mm

54980
Hand shower PLAN
with anti limescale device
Functions:
– normal jet
– soft jet
– massage jet

51680
Hand shower ELEGANCE
with anti limescale device
Functions:
– normal jet
– soft jet



24942



24944



24942



24944

24942
Sponge wire basket
removable, with concealed fastening screws
200 x 114 x 28 mm

24942
Sponge wire basket
removable, with concealed fastening screws
200 x 114 x 70 mm

24944
Sponge basket for corner installation
removable, with concealed fastening screws
Side length: 186 mm
264 x 180 x 47 mm

24944
Sponge basket for corner installation
removable, with concealed fastening screws
Side length: 186 mm
260 x 180 x 72 mm



11658



11158



11657



14958

11658
Sponge basket
with removable insert,
in white or anthracite
239 x 105 x 70 mm

11657
Sponge basket for corner installation
with removable insert,
in white or anthracite
Side length: 140 mm
251 x 117 x 70 mm

11158
Shower caddy
aluminium silver anodized/chrome-plated
300 x 95 x 67 mm

14958
Universal shelf
with crystal glass plate
surface chrome-plated, stainless steel
or aluminium silver anodized (e6 ev1)/
chrome-plated
210 x 115 mm

Available shower curtain colours

white
PLAN uni/PLAN maxx

ecru
PLAN uni

light grey
PLAN uni

off-white
PLAN Flame CS



14943 / 14944



14943 / 14944



14946 / 14947 / 34948



14945



14940



14936 / 14937



14939



14938

14943 / 14944
Shower curtain PLAN uni*
100% Trevira, 80 g/m2, shower proof, fungicidal, anti-bacterial, anti-static, washable at 30 °C, can be disinfected at 60 °C (shrinkage rate 1–2%), ironing possible (shrinkage rate 3–5%), tested for harmful substances according to the Oeko-Tex Standard 100
Colours: white, ecru, light grey
Full length: 1800, 2000 mm
Width: 1400, 2000, 3000 mm

14943 / 14944
Shower curtain PLAN Flame CS*
highly flame resistant according to DIN 4102/B1 100% Trevira, 80 g/m2, shower proof, fungicidal, anti-bacterial, anti-static, washable at 30 °C, can be disinfected at 60 °C (shrinkage rate 1–2%), ironing possible (shrinkage rate 3–5%), tested for harmful substances according to the Oeko-Tex Standard 100
Colour: off-white
Full length: 1800, 2000 mm
Width: 1400, 2000, 3000 mm

14946 / 14947 / 34948
Shower curtain PLAN maxx*
100% polyester, 75 g/m2, shower proof, fungicidal, anti-bacterial, washable at 30 °C (shrinkage rate 3%), ironing possible (shrinkage rate 3–5%), tested for harmful substances according to the Oeko-Tex Standard 100
Colour: white
Full length: 670, 1800, 2000 mm
Width: 1400, 1800, 2000, 3000 mm

14945
Shower curtain PLAN*
all sizes custom-made
Please indicate: material, colour, full length and width

14940
Set of shower curtain rails
for rectangular shower
1000 x 1000 mm, 1200 x 1200 mm
consisting of:
– 2 wall mountings
– 2 shower curtain rods, 900 mm, 1100 mm
– 1 shower curtain rod, 800 mm
– 2 tube angle pieces 90°
– 3 x 10 curtain rings, white

14936 / 14937
Set of shower curtain rails
for rectangular shower
800 x 800 mm, 900 x 900 mm
consisting of:
– 3 wall mountings
– 2 shower curtain rods, 700 mm, 800 mm
– 1 tube angle piece 90°
– 1 ceiling support, 400 mm
– 1 connecting piece
– 2 x 10 curtain rings, white

14939
Set of shower curtain rails
for rectangular shower
1000 x 1000 mm, 1200 x 1200 mm
consisting of:
– 2 wall mountings
– 2 shower curtain rods, 900 mm, 1100 mm
– 1 tube angle piece 90°
– 2 x 10 curtain rings, white

14938
Set of shower curtain rails
for quarter-circle shower
900 x 900 mm
consisting of:
– 3 wall mountings
– 2 shower curtain rods, 300 mm
– 1 tube angle piece 90°
– 1 ceiling support, 400 mm
– 1 connecting piece
– 2 x 10 curtain rings, white

***Notes on production characteristics:** Vertical seams, reinforced stainless steel eyelets, distance between the eyelets approx. 20 cm, roll hem stainless steel weighted, 50 g per metre, complete with curtain rings, white.

Notes on sizes: The sizes indicated are the sizes of the finished curtain. To prevent the curtain from touching the floor we recommend a distance from curtain to floor of approx. 30 mm. Distance between the middle of the curtain rod and the upper edge of the curtain approx. 40 mm. The width of the curtain should be approx. 1.3 to 1.5 times the length of the shower curtain rod.

Chrome-plated surface, aluminium silver-anodized or stainless steel