





Imprint

GEGGUS GmbH Höhefeldstraße 56–60 76356 Weingarten Germany

Phone +49 (0) 72 44 70 55 - 0 Fax +49 (0) 72 44 70 55 80 E-mail info@geggus.com Internet www.geggus.com Managing Director: Kai Geggus

© GEGGUS GmbH, Weingarten (Germany)



For the product **Top Clean BRUSH** in the category "Special Mention"



Content

Introduction	6
General Remarks on GEGGUS	8
Company Headquarter	10
Headquarter: Weinga <mark>rten</mark>	12
Key Company Facts	14
Markets of GEGGUS	16
Global Service Offices	18
Reference List Germany (Extract)	20
Reference List Europe (Extract)	22
Reference List Middle East (Extract)	24
Reference List Worldwide (Extract)	26
Available Heights	28
Available Options	30
Overview of Available Mat Heights	32
Key Product Facts	34
Usage	36
Purpose	38
Applications	40
Safety Features	42
Design Logo Mats	44
Material Control/Warranty	46
Frames	48
Accessories	50
Cleaning and Maintenance	52
Insert Replacement	54
Special Shapes	56
After Sales Service	58
Merchandising	60
Closing Remarks	62

Making first impressions last





Introduction

Premium Entrance Matting Systems.

Designed and handcrafted in Germany.



First impressions count.

The entrance matting is your business card and enhances your reputation.





General Remarks on GEGGUS

GEGGUS has gained an enviable reputation for the quality and innovation of its entrance matting range.

GEGGUS matting systems are produced in a wide range of styles from the highest quality materials ideally suited to today's heavy traffic entranceways.

They are designed for a wide variety of applications to complement interior and exterior design.

Very simply, there is no better way of making first impressions last than with GEGGUS, as our many worldwide customers have found.





Company Headquarter

GEGGUS is located in southwest Germany, approximately 100 km south of Frankfurt and 80 km northwest of Stuttgart, the capital of the federal state Baden-Württemberg.

Southern Germany, including Baden-Württemberg, is Germany's economic powerhouse enjoying low unemployment and is home to several, well-known, major international companies including Mercedes-Benz, Porsche and BMW.





Headquarter: Weingarten

GEGGUS is based in Weingarten near Karlsruhe.

Weingarten has a history of more than 1,000 years and is a major wine-growing region in the south of Germany.

Weingarten has a population of 10,000.








Key Company Facts

GEGGUS is a family business with around 50 employees and has been owner-operated for three generations.

Being a specialist and a worldwide market leader in Premium Entrance Matting Systems, GEGGUS generates a total sales volume of approx. EUR 10 million per annum.

Founded in 1947 by the grandfather of today's managing director, entrance matting was handcrafted in the basement of the parental home in Weingarten. The early mats were produced by punching linking elements from truck tyres.

Today the capacity is around 50,000 m² per annum, which is produced solely on location in Weingarten.








Markets of GEGGUS


The largest market of GEGGUS is Germany. Nevertheless the venture has an export rate of more than 40%.

GEGGUS has its own sales companies for the markets in Switzerland (near Zurich), France (Strasbourg) and recently in Singapore. For the Danish market a trademark licence has been granted.

GEGGUS is represented in many countries around the world, providing excellent customer service.









Global Service Offices







Reference List Germany (Extract)

- O Deutsche Bank, Frankfurt
- Porsche, Leipzig
- International Airport, Düsseldorf
- Sana Cardiology Clinic, Stuttgart
- Charité Hospital, Berlin
- Mercedes-Benz, Stuttgart
- © Cineplex, Baden-Baden





Reference List Europe (Extract)

- Opera, Vienna (Austria)
- Telenor, Oslo (Norway)
- Ocentre of Commercial, Dijon (France)
- Carrefour Shopping Mall, Calais (France)
- Bibliotheca of the University Strasbourg (France)

- Pentagon Ministry of Defence, Paris (France)
- Nestlé Museum, Vevey (Switzerland)
- ❷ Zurich Insurance Headquarter Skykey, Zurich (Switzerland)
- Mall of Scandinavia, Stockholm (Sweden)
- **⊙** ICC Hotel, Geneva (Switzerland)
- International Airport Zagreb (Croatia)





Reference List Middle East (Extract)

- Mall of Qatar, Doha (Qatar)
- Hyatt Plaza Mall, Doha (Qatar)
- Airport Dubai (UAE)
- Ferrari Showroom, Abu Dhabi (UAE)





Reference List Worldwide (Extract)

- © Changi Airport, Singapore
- Robinson Shopping Centre, Singapore
- Marina Bay Financial Centre, Singapore
- Westgate Shopping Centre, Singapore
- Orchard Central Shopping Centre, Singapore
- German Embassy, Beijing (China)
- Standard Chartered Bank Branches, Hong Kong (China)
- St. Louis Art Museum (Missouri, USA)






Available Heights

Different heights and thicknesses of the aluminium profiles offer the optimum entrance matting solution for any application.

The mats are handcrafted according to a modular principle, requiring a very short production time of just 5 days.

All mats are equipped with specially developed noise reduction rubber strips on the underside. The rubber strips are mechanically fitted into the profile.

GEGGUS only uses materials from pre-qualified suppliers from Germany to maintain the highest standard of quality.



Collection of available heights The state of the state o



Available Options

A variety of different colours for the inlays offer our customers an optimum scope for design.

All profiles are designed and owned by GEGGUS. For most of the profiles GEGGUS has a German patent.

All GEGGUS matting systems allow a barrier-free installation and are wheelchair accessible.



Ribbed Carpet Standard Collection (available for all heights)



010 anthracite, Heavy Duty/Fine Ribbed



020 light grey, Heavy Duty/Fine Ribbed



030 mottled beige, Heavy Duty/Fine Ribbed



040 mottled blue, Heavy Duty/Fine Ribbed

Rubber Profile (anti-slippery grooved profile)



Ribbed Carpet Special Colours

(not available for all heights · delivery on demand)



050 green, Heavy Duty



090 brown, Heavy Duty



060 blue, Heavy Duty



100 blue-grey, Heavy Duty



070 red, Heavy Duty/Fine Ribbed



110 mauve, Heavy Duty



080 sand, Heavy Duty



120 grape, Heavy Duty

Cassette Brush



grey, 4 rows



grey, 3 rows



black, 4 row



black, 3 rows

Brush Strip

(for 17 and 22 mm height only)



blue, black, grey



Overview of Available Mat Heights

	Available Heights				
Product Line	ca. 10 mm	ca. 17 mm	ca. 22 mm	ca. 27 mm	ca. 42 mm
Top Clean TREND®	•	•	•	•	-
Top Clean TREND® XL	-	-	•	-	-
Top Clean STABIL	•	•	•	-	-
Top Clean STABIL XL	-	-	•	•	-
Top Clean OBJEKT	-	-	•	-	-
Top Clean HIGH	-	-	-	-	•
Top Clean LIGHT	•	-	-	-	-
Top Clean BRUSH	-	•	•	-	-
Safe Clean TREND	-	•	•	-	-



Key Product Facts


- Mechanically-fitted rubber strips underneath every profile reduce noise when walking on or crossing the mats.
- Specially-developed underside: the chamber is an open construction that enables dirt and grit to collect underneath, thus preventing shifting of the mat in the mat well.
- © Extremely strong connection of the profiles with stainless steel wires.
- Fastened securely with nuts and set screws made of aluminium.
- Only non-rusting components are used. Hence there is no chance of rust corrosion.





Usage

Indoor




Ribbed carpet



Combination of ribbed carpet and cassette brush




Combination of ribbed carpet and scraper bar




Combination of ribbed carpet and brush strip


Outdoor



Grooved rubber



Combination of grooved rubber and brush strip



Combination of grooved rubber and cassette brush



Cassette brush






Purpose

Moisture



Ribbed carpet




Combination of ribbed carpet and scraper bar

Sand



Combination of ribbed carpet and brush strip




Combination of grooved rubber and brush strip

Stone, Snow and Grit



Combination of ribbed carpet and cassette brush



Combination of grooved rubber and cassette brush



Cassette brush






Applications

Residential Usage

Recommended for foot traffic



Top Clean TREND® 10, 17, 22 and 27 mm



Top Clean TREND XL 22 mm



Top Clean LIGHT 10 mm




Top Clean BRUSH 17 and 22 mm

Heavy Usage

Recommended for areas with heavy foot traffic or trolley movement, such as supermarkets, department stores or airport terminals.



Top Clean STABIL 10, 17 and 22 mm




Top Clean STABIL XL 22 and 27 mm

Extra Heavy Usage

Recommended for areas of extremely high levels of foot traffic or trolley movement, especially for airport terminals. These mats could even be crossed by pallet truck, car or fork lift.



Top Clean OBJEKT 22 mm



Top Clean HIGH 42 mm






Safety Features

The new safety mat, Safe Clean TREND, was developed as a complement for integral safety concepts in public entrance areas. White safety strips form an optimal contrast to the other components of the entrance mat and make the mat particularly recognisable for the visually impaired. This is important as entrance mats often differ in their slip resistance from the surrounding floor covering.

In the case of a sudden loss of electrical lighting, the Safe Clean TREND demonstrates its full strength: special pigments on the safety strips capture and store light energy and provide a prolonged illumination effect. Even in complete darkness, the mat remains visible, and the entrance area, as well as the escape routes, are easier to spot. Other safety elements, like phosphorescent escape route signs or guiding strips close to the ground, are complemented perfectly by the safety mat.

Tactile combined systems: guiding ground indicators are necessary for those with physical disabilities and visual impairments. The phosphorescent safety strips of the Safe Clean TREND mat can be combined with the tactile guiding system by GEGGUS for this purpose. Guidance perceived by multiple senses ensures a high level of safety.





Design Logo Mats

First impressions count!

Even before entering a building, people have a pleasant experience when the various elements of an entrance area come together in harmony: the facade, the entranceway, the company sign, the lighting, the decoration; and last but not least, the entrance mat that ensures cleanliness inside the building.

The entrance mat does not just have to be a dirt trap though. The mat can become a real eye-catcher if its design and colour are customised to the style of the building. And what would be more fitting for entrance areas of public buildings and hotels to display the company logo on the entrance mat – as part of the corporate identity? It shows the visitor, "I'm in the right place here," and this makes for a lasting impression.

For this purpose, GEGGUS has developed a new procedure, similar to the marquetry technique, that allows for many design options to incorporate logos into our premium entrance mats. Laser-cutting technology and handcrafted assembly combined create the desired logo, which is available in a wide variety of colours (see page 32). In order to produce the logo, all that is needed is a high-resolution image in a suitable format (e.g. .jpg).



Material Control/Warranty

There is a close collaboration between GEGGUS and several Material Control Boards in Germany and Austria.

The test reports are in our library and available for the following:

- **Output** Loading: Bielefeld University of Applied Sciences, Germany
- Fireproof: TFI Testing Board, Aachen (Germany)
 ÖTI Testing Board, Vienna (Austria)
- Anti-slip: IFA Material Control Board for Industrial Safety,
 Sankt Augustin (Germany)

It allows us to present our customer a warranty of two years according to the construction, tendering and contract regulations only for the construction and connection of the mat, but not for the wearing parts.






Frames

Special frames for all types of matting are also available from GEGGUS made of aluminium or stainless steel.







Accessories

The dirt catch collection trays are made of stainless steel or aluminium and offer extended dirt collection, while also ensuring regulated water drainage.

The special ramped edged frame is meant for aluminium profile mats Top Clean TREND® 10 and 17 mm. By supporting the mat the ramped edge serves as an aid for wheel-chairs and prams when crossing the mat.









Cleaning and Maintenance

Like any other floor covering subject to heavy use, GEGGUS Entrance Matting Systems benefit from a regular cleaning regime. The foot-borne dirt will fall between the treads into the well.

The cleaning of accumulated dirt from the mat well is made so much simpler by the possibility of rolling up the mat while using a brush or vacuum cleaner to remove the dirt. It is important to ensure that dirt does not become lodged under the aluminium sections as this would stop the mat from lying flat in the well.

Under normal circumstances the mat can be cleaned using a vacuum cleaner, but in areas of particularly heavy usage, it is recommended that the matting receives a regular clean using a high-pressure cleaner. To do this, it will be necessary to remove the mat and place it vertically in a suitable location for cleaning and drying.








Insert Replacement

If an insert becomes soiled with a contaminant, such as chewing gum or oil, making it impossible to clean, individual profile inserts can be easily replaced, as shown here. However, it must be stressed that this should only be considered for one or two inserts. When new profile inserts are needed, do not hesitate to contact us and name the style of matting and the colour of the insert for a quote.












Special Shapes

For special models and shapes we will be pleased to prepare a detailed quote.







After Sales Service

All GEGGUS mats are marked with an engraved order number, thus making every mat a unique item and enabling us to follow up the matting after the sale.

Hence we are able to keep a record of all matting in our data base and to offer easy replacement service after a certain period of usage.





Merchandising

A full range of samples is available for our customers to see and feel the quality of our Premium Entrance Matting Systems.





Closing Remarks

Please specify our products in your tenders to benefit from over 70 years of experience in manufacturing Premium Entrance Matting Systems.





HEADQUARTER

Germany

GEGGUS GmbH Höhefeldstr. 56 – 60 76356 Weingarten

Phone +49 (0) 72 44 70 55 -0 Fax +49 (0) 72 44 70 55 80 E-mail info@geggus.com Internet www.geggus.com

BRANCHES

France

GEGGUS France SARL 22, rue de Barr 67000 Strasbourg

Phone +33 (0) 388 14 10 70 Fax +33 (0) 388 14 10 79 E-mail info@geggus.fr Internet www.geggus.fr

Switzerland

Badweg 2 5103 Wildegg Phone +41 (0) 62 897 60 01 Fax +41 (0) 62 897 60 02 E-mail info@geggus.ch

Internet www.geggus.ch

GEGGUS Schweiz GmbH

South East Asia

GEGGUS Asia Pte. Ltd. 181 Kaki Bukit Ave 1 Shun Li Industrial Park Singapore 416025

Phone +65 6747 0628
Fax +65 6746 7273
E-mail info@geggus.sg
Internet www.geggus.sg