



PRODUCT GUIDE – 8TH EDITION

THE MODERN FACE OF CONSTRUCTION

THE BRITANNIA RANGE

A collection of kiln fired, extruded, natural clay brick colours manufactured in standard UK sizes. Corner bricks available.



Smooth Red Multi 303



Red Multi Dragwire 313



Red Multi 335



Smooth Red 400



Red Dragwire 401



Rustic Golden Multi 684



Rustic Red Charcoal Multi 685




Rustic Inferno Multi 686



Rustic Orange Multi 687



Rustic Buff Multi 688



Rustic Red Multi 689



Rustic Cottage Multi 690



Rustic Cream 692



Rustic Black 693



Rustic Charcoal 697



Weathered Grey Multi 764



Old Millhouse 7420 OM



Colorado 7424



Autumn Leaves 7429 HL



Montana Red 7450



Weathered Old Millhouse 7480 OM



London Multi Buff F297

THE BRITANNIA RANGE PREMIUM SELECTION



Smooth Anthracite 700



Smooth Grey 800



R100 EBS Smooth White

THE CLASSIC RANGE

A range including both manufactured and specially cut brick slips offering traditional finishes. Corner bricks available.



Newbridge Mix



Islington Yellow Rustica



St Ives Cream Rustica




Pastorale



Topaz



Old English



EBS Sanded Red Stock



Whitby Red



Ketley Staffordshire Blue



London Original Stock



EBS Heritage Red



Old Beaufort



Volcanic Black

IMPORTANT: All of our brick slips are manufactured from natural clay and variations in colour between and within batches of bricks can occur. This is not a fault of production. Please request a sample before purchasing.

STONE RANGE

Eurobrick's stone finish range includes reconstructed stone and cut stone slips.

These can be used on whole projects or to provide architectural detail such as quoins or feature bands. All stone products are manufactured/cut to order. Corner stone slips are also available on most products.

Please allow a minimum lead time of eight weeks when placing an order from our stone range. For our full range, please see the Stone Finish brochure.



Square Dressed Pennine



Rough Dressed Cotswold



Rough Dressed Southwold



Traditional Buff Cotswold

STRAIGHT SLIPS, CORNERS AND ANGLES

All brick types from the Classic and Britannia ranges are available as straight slips and 90° pistol corners as illustrated.

Britannia range straight slips are typically 215x65x15mm and Classic range are typically 215x65x(20-25mm) depending on brick type.


Special pieces such as face and bed corner/s or special angles (eg. 135°) can be "cut and stuck" to order.



STRAIGHT SLIP



90° PISTOL CORNER



SPECIALLY MADE SHAPES

Please enquire about lead times and costs.




CUT TO ORDER

Where a project requires a particular brick type, not matched by any of the blends carried as stock at Eurobrick we can source these and have them cut to fit within the systems.

Slips can be cut from any FL grade (frost resistant) brick. Slips are usually cut 20mm to 25mm thick, depending on the characteristics of the brick, and can be used with the cladding systems provided the height of the bricks does not exceed 65mm.

Terms and Conditions

Any quantity can be considered for cutting. Pistol corners can also be provided. Please contact us to discuss lead times, costs, terms and conditions relating to orders for specially cut bricks.




Charcoal



Light Grey




Standard Grey



Sandstone




Light Sandstone



White



Brick Red



Dark Brown

MORTAR

Specially formulated by Eurobrick, Europoint is an easy to use dry pack mortar available in eight standard colours.

Coloured mortars enable the desired aesthetic effect to be achieved either by complementing or contrasting the brick colour.

Europoint is a pre-prepared cement based mortar; just add water and mix. It has been developed for application by gun or grout bag injection. Pointing bags, tips and guns are available.

The colours shown left are indicative, please see **IMPORTANT** section on the back of this guide for further information.

EUROBRICK CLADDING SYSTEMS

Our cladding systems offer the perfect solution for exterior or interior use and can be fitted to most substrate types with or without insulation.



Lightweight, highly effective insulated system suitable for new build, modular and retrofit projects.



For interior use, plasterboard or polystyrene based systems can be fixed directly to an existing masonry, steel or timber framed wall.



Designed for use as an external sheathing structure when additional insulation is not required.



CERTIFICATION

The above systems have a Certificate of Assessment issued by British Board of Agrément (BBA) - No. 13/5079.

Please contact us if you would like further details on any of our products or to discuss your project requirements.



INSTALLATION



1. The backer panel is a composite sheet including a laminated ribbed profile skin. The panel is mechanically fixed to the substrate. (Fixings vary according to substrate.)



2. The brick slips are attached with permanent bonding adhesive. The ribs in the skin align and support the brick slips.



3. Specially formulated mortar is then piped into the brick joints.



4. Mortar is tooled in the manner of traditional pointing.



For technical queries or further advice on ordering please call +44 (0)117 971 7117



Please visit our website at www.eurobrick.co.uk for more information.

IMPORTANT

It should be noted that as the materials used in the manufacture of bricks, stone and mortars are from natural sources, variations in shade and dimension can occur. This should not be viewed as a fault in production and should be taken into account at the design stage of the project. Coloured mortars will change the appearance of brickwork.

Whilst every reasonable effort is made to ensure that Classic range slips and other specially cut bricks and pistol corners are supplied to a tolerance of +/- 2mm of the prescribed thickness, it is possible that some deviation from size tolerance may be experienced in thickness, shape and length of bricks.

Installers must carefully monitor all materials used and reject any sub-standard or unsuitable materials prior to installation. **Eurobrick Systems Limited** will not accept any liability for any costs arising from the rejection of materials once they have been installed.

STANDARDS

Our systems have been comprehensively assessed and certified by the British Board of Agrément (BBA). We are an ISO 9001:2015 and ISO 14001:2015 company and also provide our own 25 year guarantee for all of our products, please visit our website for further details - www.eurobrick.co.uk

Prices of brick slips will vary dependent on blend chosen and volume required.

Our brick slip range is constantly evolving. From time to time, products illustrated in this guide may be discontinued or superseded and new products may be added. For up to date product information, please visit our website or call us to check current stock levels.

MORTAR

The mortar colours shown are indicative. Please note, colour variations can be expected due to the porosity of the brick, finishing techniques, mixing procedures and weather conditions (temperature, humidity and wind) at time of application.



VISIT OUR SHOWROOM

You can see all of our cladding systems and finishes at our showroom which is open to visitors Monday-Friday, 9am-4.30pm. An appointment is not necessary but if you would prefer to make one you can do so by calling us on **0117 971 7117**.

EUROBRICK
CLADDING SYSTEMS

Eurobrick Systems Ltd

Unit 5, Newbridge Trading Estate,
Newbridge Close, Bristol, BS4 4AX

T: +44 (0)117 971 7117 F: +44 (0)117 933 2909

info@eurobrick.co.uk www.eurobrick.co.uk

As part of our continuing product development and improvement policy, Eurobrick Systems Ltd reserve the right to change product specifications without prior notice.

Terms and conditions apply, please see our website for more details.

