VortX roof and floor drainage

Roof outlets

VortX is a new range of roof, floor and shower drainage products designed in compliance with BS EN 1253 criteria and backed by the quality commitment of the PAM brand with nearly 100 years' experience in drainage.

Product Standard: BS EN 1253 Applications

- Various flat roof structures
- > Concrete
- > Timber
- > Lightweight metal structure
- Warm, cold and inverted roofs
- Parapet wall construction
- Load bearing situations exposed to vehicular traffic i.e. car parks

Features—Cast iron bodies with spigots or BSP

- Vertical spigot roof outlets in 100mm and 150mm diameters
- > 88° and 45° angled roof outlets in 100mm> Flexible clamping ring
- Balcony outlets with Flat or notched gratings
- Two-way or parapet outlets
- Smaller diameter outlets (50/70mm):
 > 100mm BSP Outlets with reducing spigot adaptors VX-F501
- Raising pieces and gravel guard

Coatings Grey epoxy

- Cast iron bodies
- · Cast II OII DOUIES

Black Polyester

- Domical gratings to suit vertical and angled roof outlets
- All clamping rings
- All raising pieces

Sheradised coating

- Flat gratings to suit vertical and angled roof outlets
- Flat and notched gratings to suit balcony outlets.

Benefits

- Strong and robust performance
- Clamping Ring on the vertical and angled roof outlets can accommodate a liquid membrane of 2-3mm to full membranes with hot bitumen of 8mm
- Robust domical gratings in cast iron
- Quality coatings with proven performance for these applications
 - > Black polyester for performance in sunlight
 - > Sheradised gratings to protect for load bearing applications
- Optimised range of bodies
- High flow rates—tested by CRM Rainwater Drainage Consultancy
 - > 150mm vertical roof outlet achieved 14.5 l/s
- Cost-effective solutions compared to Aluminium outlets

VortX roof outlets utilising spigot adapters to connect small diameter pipework



Prices exclude VAT [†]Made to order ^ADelivery Service Category DSC (see page 13)

DESCRIPTION	SIZE	PACK SIZE	NOMINAL WEIGHT KG	FLOW RATE L/S	LOADING CLASS	[∆] DSC.	PRODUCT CODE	UNI PRICE
ROOF OUTLETS								
/ertical Roof Outlet wi	th Flat Grate and 110mm	า Spigot (Sเ	uitable for ca	r park app	olications)		VX-R100	
(TES)	110mm OD Spigot	1	10.5	8.1	L15	В	241180	108.5
0520				011	2.0	2	2	
	For 150mm use 6" BSP with		- -					
/ertical Roof Outlet wi	th Dome Grate and 110n	nm Spigot						
a second	110mm OD Spigot	1	8.9	10.7	K3	В	VX-R105 241181	108.5
Unin				10.7	110	D	211101	100.0
	For 150mm use 6" BSP with							
Vertical Roof Ou	utlets with Flat Grate (Sui	table for ca	ar park applic	ations)			10/ 0450	
	4" BSP	1	10.5	8.1	L15	В	VX-R150 241182	114.7
6520	4 BSP	1	14.9	14.2	L15	C	247428	223.1
		-				-		
Vertical Roof Ou	utlets with Dome Grate							
		1	0.0	107	K2	D	VX-R155	444
(Immu)	4" BSP 6" BSP	1	8.9 12.4	10.7 14.5	K3 K3	B C	241183 247418	114.7 223.1
ATTIMUS	For smaller diameter outlets					C	247410	225.
Horizontal Roof	Outlet 88° with Flate Gra	ate						
							VX-R250	
(100-500)	4" BSP	1	6.5	8.1	L15	С	255262	121.5
IEW Horizontal Roof	Outlet 88° with Dome G	rate						
							VX-R255	
(Cimile)	4" BSP	1	7.9	10.7	K3	С	255261	121.5
T								
Angled Roof O	utlet 45° with Flate Grate							
							VX-R251	
AND DESCRIPTION OF	4" BSP	1	8.5	8.1	L15	С	255250	121.5
Angled Roof Ou	utlet 45° with Dome Grat	е						
							VX-R256	
	4" BSP	1	9.9	10.7	K3	С	255249	121.5
alcony Roof Outlet w	Please Note: Flow rates calcu ith Flat Grate and 110mn		n 35mm head inde	ependently te	sted in accordance v	vith BS EN 1253		
acony noor outlet w		-spigot-					VX-R300	
A start	110mm OD Spigot	1	6.3	4.99	К3	В	241184	93.0
alaamy Roof Outlater	with Notobool Creater and	10	a ot					
alcony Noor Outlets V	with Notched Grate and ´	-ronin spi	901-				VX-R305	

<u>^</u>							VX-R305	
100	110mm OD Spigot x 100mm	1	5.8	4.99	К3	С	241187	93.03
(CO)	110mm Spigot x 75mm	1	6.1	4.15	K3	С	241186	93.03
	110mm Spigot x 50mm	1	6.3	1.41	К3	С	241185	93.03

DESCRIPTION Balcony Roof Outlet w	SIZE	PACK SIZE	NOMINAL WEIGHT KG	FLOW RATE L/S	LOADING CLASS	[∆] DSC.	PRODUCT CODE	UNIT PRICE £
Balcony Roof Outlet w	ith Flat Grate						VX-R350	
	4" BSP	1	6.2	4.99	К3	В	241188	105.42
C	•							
Balcony Roof Outlets v	with Notched Grate							
	4" BSP x 100mm	1	5.8	4.99	K3	С	VX-R355 241191	105.42
6 Com	4" BSP x 75mm	1	6.0	4.99	K3 K3	C	241191	105.42
	4" BSP x 50mm	1	6.2	1.41	K3 K3	C	241190	105.42
	For smaller diameter outlet					C	241107	105.42
wo Way Outlet with A			ommuse spigot ac		5/ • • • • • • • • •			
							VX-R500	
TITTE	4" BSP	1	6.2	1.09	K3	С	241192	88.05
Marin	For smaller diameter outlet	s 70mm and 5	0mm use spigot ac	dapter VX-500)/VX-F501			
Allana and		s /onin and s	omm use spigot de	apter vi Sot	<i>y</i> vx i 301			
Two Way Outlet with F	lat Steel Grate						100 0504	
	41 505		()		1/2	0	VX-R501	
1 Income	4" BSP	1	6.2	1.09	K3	С	247964	89.91
	For smaller diameter outlet	s 70mm and 5	0mm use spigot ac	dapter VX-500	0/VX-F501			
wo Way Outlet with B	loxed Steel Grate						VX-R502	
Ban	4" BSP	1	6.2	1.09	K3	С	248015	90.54
A DECEMBER OF	For smaller diameter outlet	s 70mm and 5				-		
ush-fit Two Way Down	n Spout						100 0540	
	110 00	1	0.0			<u> </u>	VX-R510	(2.00
	110mm OD	1	2.2		—	С	253762	62.00
aising Piece to suit 10	00mm and 150mm Verti	cal Outlets						
							VX-R710	
\mathbf{C}	285 x 75mm high	1	2.5	_	—	В	241193	43.41
Raising Piece to suit Ba	alcony Outlets							
							VX-R720	
	50mm effective heigh	nt 1	0.9	_	_	С	241194	43.41
SP Spigot Adaptors								
		Length					VX-F500	
	4" BSP to 110mm	215mm	1 2.7	_	—	С	227131	19.06
	EW 4" BSP to 110mm	450mm	1 5.4	_	_	С	270322	33.08
	6" BSP to 160mm	300mm	1 4.6	—	—	С	247429	70.23
N REAL REAL	EW)6" BSP to 160mm	450mm	1 8.0	_	—	С	269866	42.29
	**3" BSP to 80mm	215mm	1 2.1	_	_	С	234204	14.93
	**2" BSP to 60mm	215mm	1 1.3	_	—	С	234205	12.07
						0	004007	40.07

**Used with reducing bushes

**2" BSP to 56mm 215mm 1 1.1

12.07

234207

С


Prices exclude VAT [†]Made to order ^ΔDelivery Service Category DSC (see page 13)

DESCRIPTION	SIZE	PACK SIZE	NOMINAL WEIGHT KG	FLOW RATE L/S	LOADING CLASS	[∆] DSC.	PRODUCT CODE	UNIT PRICE E
NEW BSP Adaptors								
							VX-F501	
	Eccentric 300 x 80mm to 4"	1	2.8			C	256614	07.4
		1	2.0	_		С	20014	27.6
	Concentric 300 x 80mm to 4"	1	2.8			С	256615	27.6
	300 x 60mm to 4"	1	2.0	_		С	256613	27.8
BSP Reducing Bushes	300 x 8011111 to 4	I	2.3			C	230013	22.0
							VX-F510	
	4" x 3"	1	1.1	_	_	В	227136	19.0
	4" x 2"	1	1.9	_	_	В	227137	19.0
ACCESSORIES								
Domical Grate Suites v	vith Vertical Angled Outle	ets						
NE .		1	2.4	—	—	С	247775	52.7
WITTEN								
-lat Grates—to suit Ve	rtical Angled Outlets							
A.F.F.S.A	100mm	1	4.0	_		С	247776	44.0
(((·_·))))	150mm	1	4.0	_	—	C	247777	44.0
	13011111	I	4.0		_	C	247777	44.0
Stainless Steel Gravel (Guard & Strainers—to sui	t Vertical	Analed Outle	ts				
	Gravel Guard		3				VX-R730	
	290 x 155mm	1	0.2	_	_	С	247752	68.8
	Strainers						VX-R740	
	290mm x 300mm	1	3.3	_	—	С	253154	133.3
	290mm x 200mm	1	2.8	_	_	С	253155	126.8
Clamping Rings—to su	iit Vertical Angled Outlet	S						
	100mm	1	1.3	_	_	С	247778	36.5
	150mm	1	3.3	_	_	C	247779	36.5

Warm Roof Applications

Vertical spigot outlet with raising piece


- A. Gravel
- E. Raising Extension Piece VX-R710
- B. Unsulation F. VX-R105 Spigot Body
- C. Membrane G. Ensign Coupling EC002
- D. Concrete Deck H. Ensign Pipework



All roof outlets are tested to BSEN 1253

2-way outlet with spigot adaptor

- A. VX-R500 D. Insulation
- B. VX-F500 Adaptor E. Concrete Deck
- C. VX-R510 2-way downspout F. Cast Iron Rainwater Head



VortX roof and floor drainage

Floor drainage products



PAM VortX offers a simplified range of floor drainage products for most applications

Applications:

- Suitable for all commercial and industrial applications
- Grates available for tiled, marble, terrazzo, concrete, vinyl and resin floors.
- Gratings Load class options as depicted in BS EN 1253:
- > K3—Pedestrian areas and wet room applications such as shower areas, bathrooms, swimming baths, leisure centres, balconies, retail areas, hotels, offices, schools, public buildings, hospitals, prisons, terraces and roof gardens
- > L15—Areas of light vehicular traffic such as cycle ways and domestic drives
- > M125—Car parks

Features

- Simplified range of trapped and untrapped cast iron gullies
- Lighter weight P-Trap and S-Trap gullies
- New cast iron modular gullies with spigot/ BSP outlets that configure to:
 - > Deep sumps/bell traps/brewery traps

- Gratings and rodding eyes: > Nickel bronze & stainless steel

 - > Cast iron
 - > New Anti-Ligature stainless-steel gratings
- Full range of accessories
 - > Funnels
 - > Security screws
 - > Cast iron raising pieces
 - > Spigot adaptors for various pipe diameter connections

Benefits

- Simplified range easy to navigate and specify
- S-trap offers space saving—only requiring a 180mm core hole
 - > Saving cost
- Cast iron gullies are robust and are grey epoxy coated
- Spigot adaptors to connect to most pipe sizes and materials
- New modular deep sump gullies that can configure to bell and brewery type traps.



in London including the VortX grating shown above

Prices exclude VAT *†*Made to order △Delivery Service Category DSC (see page 13)

ESCRIPTION	SIZE	PACK SIZE	NOMINAL WEIGHT KG	FLOW RATE L/S	LOADING CLASS	[∆] DSC.	PRODUCT CODE	
LOOR DRAIN (
50mm Circular Grat	ings in Nickel Bronze						10/ 5010	
Cares		1	1 7	2.0	1/2	C	VX-F010	(0.0
((1997)	S 150mm NPSM S 150mm Direct Fit	1	1.7 1.7	2.0 2.0	K3 K3	C C	227049 233415	60.83 60.83
	5 ISOMIN Direct Int	I	1.7	2.0	ICJ	C	233413	00.0
50mm Circular Grat	ings in Stainless Steel						10/ 5000	
(GES)	S 150mm NPSM	1	1 5	2.0	V2	С	VX-F020	111 0
(1 <u>5</u> 2)	S 150mm NPSW S 150mm Direct Fit	1	1.5 1.5	2.0 2.0	K3 K3	C	227050 233407	111.2 111.2
	5 ISOMM Direct Fit	I	1.5	2.0	N3	C	233407	111.2
50mm Square Grati	ngs in Nickel Bronze							
11 Sta	0 450 1004					0	VX-F030	(= 0
	S 150mm NPSM	1	1.3	2.2	K3	С	227101	65.9
	S 150mm Direct Fit	1	1.3	2.2	K3	С	233408	65.9
50mm Square Grati	ngs in Stainless Steel							
ALC: NO							VX-F040	
Alle Son	S 150mm NPSM	1	1.2	2.2	K3	С	227102	111.2
	S 150mm Direct Fit	1	1.2	2.2	K3	С	233421	111.2
00mm Square Grati	ngs in Nickel Bronze							
							VX-F050	
Contraction of the second	S 200mm NPSM	1	3.1	3.0	K3	С	227103	125.8
\sim	S 200mm Direct Fit	1	3.1	3.0	К3	С	233423	125.8
00mm Square Grati	ngs in Stainless Steel							
All a							VX-F060	
	S 200mm NPSM	1	2.8	3.0	K3	С	227104	177.2
	S 200mm Direct Fit	1	2.8	3.0	K3	С	233424	177.2
0mm Circular Grat	ings in Nickel Bronze for	Vinvl Floor	s					
	5						VX-F070	
(General)	S 150mm NPSM	1	2.3	1.85	К3	С	227111	98.4
(GEED)	S 150mm Direct Fit	1	2.3	1.85	К3	С	233434	98.4
i0mm Circular Grat	ings in Stainless Steel for	Vinvl Floor	rs					
							VX-F080	
Curring	S 150mm NPSM	1	2.1	1.85	K3	С	227112	158.5
	S 150mm Direct Fit	1	2.1	1.85	K3	С	233435	158.5
W 150mm Circul	ar Gratings in Cast Iron							
							VX-F090	
UE W	150mm NPSM	1	2.9	1.5	L15	С	247771	58.3
W 150mm Squar	150mm Direct Fit e Gratings in Cast Iron	1	3.0	1.5	L15	С	247773	58.3
	e eratings in cast non						VX-F100	
C. D. C.	150mm NPSM	1	2.9	1.5	L15	С	247772	62.6
	150mm Direct Fit	1	3.0	1.5	L15	С	247774	62.6
Circular Anti-l	igature Grating in Stainle	ess Steel						
7	- John - Ording In Ordinic						VX-F021	
	S 150mm NPSM	1	1.5	1.1	K3	С	250676	139.5

	SIZE	PACK SIZE	NOMINAL WEIGHT KG	FLOW RATE L/S	LOADING CLASS	[∆] DSC.	PRODUCT CODE	UNIT PRICE £
NEW Square Anti-Li	igature Grating in Stainles	s Steel					VX-F041	
	S 150mm NPSM	1	1.6	1.1	К3	С	250677	139.53
NEW Circular Anti-L	Ligature Grating in Stainle	ss Steel for	⁻ Vinyl Floors				10/ 500/	
(SNIZ)	S 170mm	1	2.1	1.1	K3	С	VX-F081 250678	160.60
	5 1700000		2.1	1.1	K3	C	230070	100.00
FLOOR DRAIN F								
150mm Circular Rod	ding Eyes in Nickel Bronze	e					VX-F015	
-	S 150mm NPSM	1	1.8	N/A	К3	С	227105	63.14
	S 150mm Direct Fit	1	1.8	N/A	K3	С	233426	63.14
150mm Circular Rod	ding Eyes in Stainless Stee	el					VX-F025	
	S 150mm NPSM	1	1.6	N/A	K3	С	227106	139.19
	S 150mm Direct Fit	1	1.6	N/A	K3	C	233427	139.19
150mm Square Rodo	ding Eyes in Nickel Bronze						VX-F035	
	S 150mm NPSM	1	1.4	N/A	К3	С	227107	68.32
	S 150mm Direct Fit	1	1.4	N/A	K3	С	233428	68.32
150mm Square Rodo	ding Eyes in Stainless Stee						VX-F045	
	S 150mm NPSM	1	1.3	N/A	K3	C	227108	139.19
	S 150mm Direct Fit	1	1.3	N/A	К3	С	233430	139.19
200mm Square Rodo	ding Eyes in Nickel Bronze						VX-F055	
	S 200mm NPSM	1	3.4	N/A	K3	С	227109	139.19
\checkmark	S 200mm Direct Fit	1	3.4	N/A	K3	С	233431	139.19
200mm Square Rodo	ding Eyes in Stainless Stee						VX-F065	
	S 200mm NPSM	1	3.1	N/A	К3	С	227110	177.21
150mm Circular Rod	S 200mm Direct Fit	1 for Vinyl	3.1	N/A	К3	С	233433	177.21
							VX-F075	
(())	S 150mm NPSM	1		N/A	К3	С	227113	113.58
	S 150mm Direct Fit	1	2.4	N/A	К3	С	233438	113.58
150mm Circular Rod	lding Eyes in Stainless Ste	el tor Vinyl	Floors				VX-F085	
· ·	S 150mm NPSM	1	2.2	N/A	К3	С	227114	168.16
	S 150mm Direct Fit	1	2.2	N/A	К3	С	233439	168.16
ABS Airtight Bung (C	Can be fitted to Rodding E	yes to mal	ke a double se	eal)			VX-F430	
	105mm	1	0.1	NI/A		C	VX-F430	1 A E

105mm

1

0.1

N/A

С

241195

4.45

Prices exclude VAT *†*Made to order [△]Delivery Service Category DSC (see page 13)

DESCRIPTION	SIZE	PACK SIZE	NOMINAL WEIGHT KG	FLOW RATE L/S	LOADING CLASS	^DSC.	PRODUCT CODE	UNIT PRICE £
FLOOR DRAINS								
Untrapped Floor Gullies	with Medium Sump (11	l0mm)					VX-F200	
	110mm	1	2.4	_	_	С	227119	20.66
e								
Untrapped Floor Gullies	with Medium Sump (4'	BSP)					VX-F200	
3	4" BSP	1	2.6	_	_	С	227118	25.37
9			2.0			C	227110	20.07
Jntrapped Floor Gully w	hith Sumpless Body						VX-F210	
\bigcirc	110mm NPSM	1	1.6		_	С	227120	24.11
			1.0			0	22,120	2
P Trap Floor Gully							10/ 5000	
(in)	110mm	1	6.4			С	VX-F220 227129	65.47
	Homm	I	0.4	_	_	C	221127	05.47
S Trap Floor Gully							VX-F230	
	110mm	1	6.4	_	_	С	227130	65.47
Clamping Ring to suit Fl	oor Gullies							
							VX-F205	
\mathbf{O}	205mm	1	0.7	_	—	С	233440	9.16
Raising Pieces								
							VX-F350	
\bigcirc	20-40mm	1	0.8	—	—	С	227121	24.51
	40-95mm	1	1.5	-	-	C	227122	30.72
	95-140mm	1	2.0	_	—	С	227123	38.00
3SP Spigot Adaptors		Length					VX-F500	
	4" BSP to 110mm	215mm	1 2.7	_		С	227131	19.06
	4" BSP to 110mm	450mm	1 5.4	_	_	C	270322	33.08
	6" BSP to 160mm	300mm	1 4.6	_	_	C	247429	70.23
NEV NEV	6" BSP to 160mm	450mm	1 8.0	_	_	C	269866	42.29
	**3" BSP to 80mm	215mm	1 2.1	_	_	С	234204	14.93
	**2" BSP to 60mm	215mm	1 1.3	_	_	С	234205	12.07
	**2" BSP to 56mm **Used with reducing bushes	215mm	1 1.1	—	—	С	234207	12.07
BSP Reducing Bushes								
							VX-F510	
	4" x 3"	1	1.1	_	_	В	227136	19.06

DESCRIPTION	SIZE	PACK SIZE	NOMINAL WEIGHT KG	FLOW RATE L/S	LOADING CLASS	^A DSC.	PRODUCT CODE	
DEEP SUMP GULL	.IES							
NEW Cast Iron Deep	Sump Body with 3 x 2" BS	P Inlets-	—Epoxy-coate	d				
							VX-F215	
6	110mm OD Spigot Outlet	1	12.3	_	—	С	260384	111.3
20	4" BSP Outlet	1	11.5	_	-	С	260385	123.9
	6" BSP Outlet	1	10.1	—	—	С	260386	131.5
	Body can also include 4" BSP i			lor Enov	u costod Cost	Iron		
NEW Bell Irap Body	with 3 x 2" BSP Inlets and	4 INPSIN	a reducing col	iar—Ерох	y-coated Cast	Iron	VX-F250	
	110mm OD Spigot Outlet/NPSM	1	12.3		_	С	260387	204.9
	4" BSP Outlet/NPSM	1	12.5		_	C	260388	217.4
	Can be fitted with Nickel Bronz	-				0	200000	217.
	Body can also include 4" BSP i							
EW Brewery Trap 3	x 2" BSP Inlets with 300m			ating <u>—Bo</u>	dy Epo <u>xy-coat</u>	ted C <u>ast Irc</u>	on/Grating Sheradise	ed
							VX-F240	
1111111	110mm OD Spigot Outlet	1	29.6	—	—	С	260389	446.0
V	Body can also include 4" BSP i	nlet upon re	equest					
IEW Brewery Trap 3	x 2" BSP Inlets with 300m	m Square	e Cast Iron Gra	ating—Bo	dy Epoxy-coat	ted Cast Irc		ed
		1	20 (C	VX-F244	450.4
	4" BSP Outlet Body can also include 4" BSP i	1 nlet upon re	28.6 equest	_	_	С	260390	459.2
IEW) Galvanised Stee	el Filter Basket to suit Deer	o Sump a	and Bell Trap					
							VX-F415	
	188 x 60mm	1	0.5	_	—	С	260391	113.
IEW) 300 x 300mm S	iquare Grating in Ductile In	on—She	radised to suit	: VXF215/	250			
							VX-F110	
	8" NPSM	1	14	—	M125	С	260392	116.
-11 10 - 11 1 1 1							VX-F130	
	4" NPSM	1	14.5		M125	С	260393	111.
1EW 300 x 300mm S	iquare Grating in Ductile In	on—She	radised to suit	: Bell Trap	VX-F250			
							VX-110	
	200mm Direct Fit	1	14.0	_	M125	С	260394	114.
-++*************							VX-F120	
	150mm Direct Fit	1	14.1	—	—	С	260395	112.
							VX-130	
\frown	100mm Direct Fit	1	14.4	—	—	С	260396	109.
EW Reducina Rina	to suit Bell Trap and Deep	Sump—	Epoxy-coated	Cast Iron				
	4" NPSM		0.5			С	VX-F206 260397	39.2

and the

Prices exclude VAT ⁺Made to order [^]Delivery Service Category DSC (see page 13)

ESCRIPTION	SIZE	PACK SIZE	NOMINAL WEIGHT KG		LOADING CLASS	^DSC.	PRODUCT CODE	UNIT PRICE £
ACCESSORIES – F								
crews & Allen Key (Ba	g of 4 Security Screws a	nd Allen K	ley)				VX-F420	
(A)	—	1	0.1	_	_	С	233455	5.08
Oval Funnel in Nickel B	Bronze						VX-F305	
	_	1	0.7	—	_	С	227116	82.72
ircle Funnel in Nickel	Bronze							
	Dionze						VX-F300	
	—	1	0.3	—	—	С	227117	48.23
0								
ircle Funnel in Stainle	ss Steel							
						-	VX-F310	
	—	1	0.2	—	—	С	227115	50.7
0								
VortX B	ell Trap Arrang	ement			Vc	ortX Bre	ewery Trap	
VX-F010 Optional Clamp Ring for Membrane VX-F205 2" BSP Plug	8	optional Reducing	Collar -F206 n Bell	Supplie with G	ed alvanised ent Bucket			

VortX roof and floor drainage

Shower drains



Robust cast iron shower gullies in 100mm and 50mm with a range of stainless-steel gratings to suit most types of solid or suspended floor construction.

Applications

- Commercial, public and residential buildings
- Solid or suspended floors
- Tiled or flexible sheet floor membranes
- Anti-ligature gratings for incarceration areas i.e. prisons, etc.

Features

- Vertical and horizontal shower gullies 100mm and 50mm
- Cast iron grey epoxy coated
- 50mm removable bottle trap with unique twist and lock mechanism
- Stainless-steel gratings
- Anti-ligature gratings
- Polished finished available to order





Benefits

- Simplified range
- Robust cast iron solutions
- Unique twist and lock removable trap
- Available in kit format
- Cost effective with other materials

Shower Drain Kits

VortX shower drain kits consist of a cast iron body with vertical or horizontal outlet, a removable bottle trap and a stainless-steel grating of choice either in standard or polished finish supplied all together in a cardboard box. Prices exclude VAT ⁺Made to order [^]Delivery Service Category DSC (see page 13)

ESCRIPTION	SIZE		OMINAL VEIGHT KG	RATE LO	ADING CLASS	^A DSC.	PRODUCT CODE	
HOWER DRAII								
ower Drain Kit with	110mm Cast Iron Vert	ical—Supplied co	omplete in a	a box				
90	and VX-F400 Bo	n Vertical Shower ttle Trap Steel Grating to s		elow			TO ORDER THE WHO PLEASE USE THE CODE EXT TO THE REQUIRED	LISTED
nower Drain Kit 110n	nm Cast Iron Vertical v				-			4077
No.	s 150mm	1	3.3	1.1	K3	С	239376	106.6
nower Drain Kit 110n	nm Cast Iron Vertical v					-	-	
	s 150mm	1	3.2	1.1	K3	С	239736	106.6
nower Drain Kit 110n	nm Cast Iron Vertical v				-	-		
AND	s 150mm	1	3.5	1.1	K3	С	239734	108.6
nower Drain Kit 110n	nm Cast Iron Vertical v s 150mm	vith VX-S271 150 1	mm Decora 3.4	tive Square	Stainless Ste K3	eel Gratin C	g for Tiled Floor 239738	108.6
nower Drain Kit with	60mm Cast Iron Vertic	cal Shower Drain-	-Supplied	complete in	a box			
9	Kit includes: VX-S260 60mm 9 and VX-F400 Bo plus a Stainless 9		uit listed be	elow			TO ORDER THE WHO PLEASE USE THE CODE EXT TO THE REQUIRED	LISTED
nower Drain Kit 60m	m Cast Iron Vertical Sh	ower Drain with					9 ,	
300 H	s 150mm	1	3.3	1.1	K3	С	239740	106.6
nower Drain Kit 60m	m Cast Iron Vertical Sh							
nower Drain Kit 60mi	m Cast Iron Vertical Sh s 150mm	nower Drain with 1	VX-S270 15 3.3	0mm Decora 1.1	ative Stainle K3	ss Steel C C	irating for Vinyl Floor 239744	106.6
	s 150mm m Cast Iron Vertical Sh	1	3.3 VX-5271 15	1.1 Omm Square	K3 e Stainless S	C teel Grati	239744 ng for Vinyl Floor	
nower Drain Kit 60ml	s 150mm m Cast Iron Vertical Sh s 150mm	1 nower Drain with 1	3.3 VX-5271 15 3.5	1.1 Omm Square 1.1	K3 9 Stainless S K3	C teel Grati C	239744 ng for Vinyl Floor 239742	108.6
nower Drain Kit 60ml	s 150mm m Cast Iron Vertical Sh s 150mm	1 nower Drain with 1	3.3 VX-5271 15 3.5	1.1 Omm Square 1.1	K3 9 Stainless S K3	C teel Grati C	239744 ng for Vinyl Floor	108.6

VortX Range

DESCRIPTION	SIZE	PACK SIZE	NOMINAL WEIGHT KG	FLOW RATE L/S	LOADING CLASS	^DSC.	PRODUCT CODE	UNIT PRICE £
Shower Drain Kit with 60	mm Cast Iron Horizontal	l Shower	Drain—Supp	lied comp	lete in a box			
-	Kit includes: VX-S261 60mm Show and VX-F400 Bottle T plus a Stainless Steel	rap	to suit listed l	pelow			TO ORDER THE WHC PLEASE USE THE COD NEXT TO THE REQUIRED	E LISTED
Shower Drain Kit 60mm (Cast Iron Horizontal Sho [,]	wer Drair	n with VX-S27	'0 150mm	Circular Stainle	ess Steel	Grating for Vinyl Floor	
Shife S	150mm	1	3.4	0.9	К3	С	239748	106.69
Shower Drain Kit 60mm (Cast Iron Horizontal Sho	wer Drair	n with VX-S27	70 150mm	Decorative Sta	ainless St	teel Grating for Vinyl Flo	or
s s	150mm	1	3.3	0.9	К3	С	239752	106.69
Shower Drain Kit 60mm (Cast Iron Horizontal Sho	wer Drair	n with VX-S27	′1 150mm	Square Stainle	ess Steel	Grating for Vinyl Floor	
States S	150mm	1	3.6	0.9	К3	С	239750	108.68
Shower Drain Kit 60mm (Cast Iron Horizontal Sho	wer Drair		71 150mm		uare Sta		iled Floor
S	150mm	1	3.5	0.9	К3	С	239754	108.68
SHOWER DRAINS Cast Iron Shower Drains ((Body only) Vertical						VX-5260	
	110mm OD	1	2.4		_	С	227125	31.79
Cast Iron Shower Drain (E	60mm OD	1	2.4	-	-	C	227126	31.79
							VX-S261	
	60mm OD	1	2.5	-	-	С	227127	31.79
Removable Bottle Trap A							VX-F400	
1	50mm Trap	1	0.1	_	—	С	227128	24.14
Stainless Steel Filter Bask	et to suit Shower Drains	5						
	110mm	1	0.2			С	VX-F410 227138	26.70
Circular Stainless Steel G				_	_	C	22/138	26.70
- Circular Stainless Steel O		101		Horiz/Vert Drain			VX-S270	
Store S		1	0.8	0.9/1.1	K3	С	227132	50.78
Circular Decorative Stain	less Steel Gratings to su	it Showe	r Drains for V				10/ 0070	
	150	4	07	Horiz/Vert Drain	140	~	VX-S270	E0 79

.

S 150mm

1

0.7 0.9/1.1

K3

С

227133

50.78

Prices exclude VAT tMade to order ^ADelivery Service Category DSC (see page 13)

DESCRIPTION	SIZE	PACK SIZE	NOMINAL WEIGHT KG	FLOW RATE L/S	LOADING CLASS	[∆] DSC.	PRODUCT CODE	UNIT PRICE £		
Square Steel Gratings to suit Shower Drains for Vinyl Floor										
AND S				Horiz/Vert Drain			VX-S271			
	5 150mm	1	1.0	0.9/1.1	K3	С	227134	52.75		
Decorative Square Steel	Gratings to suit Showe	er Drains fo	r Tiled Floor							
s s				Horiz/Vert Drain			VX-S271			
	5 150mm	1	0.9	0.9/1.1	K3	С	227135	52.75		
(NEW) Circular Anti-Liga	ture Stainless Steel Gra	ating to sui	t Shower Drai	ns for Ving	yl Floors					
				Horiz/Vert Drain			VX-S272			
s s	5 150mm	1	0.8	0.9/1.1	К3	С	250679	60.78		

NEW Square Anti-ligature Stainless Steel Grating to suit Shower Drains for Tiled Floors												
\bigcirc		Horiz/Vert Drain					VX-S273					
(23) 2 c	S 150mm	1	1.0	0.9/1.1	К3	С	250680	62.69				
(************************************												

