

TRADE PRICE LIST 1st June 2021

Wavin Commercial

Above ground systems



wavin

Wavin Commercial

Above ground systems












Contents


















⌄ Wavin AS+ Acoustic Soil	3
⌄ Wavin Compact Soil & Waste	4-11
⌄ Wavin HDPE Soil, Waste and Vent	12-15
⌄ Tigris K1 Press-fit Plumbing	16-18
⌄ Hep₂O Push-fit Plumbing	19-23

Wavin commercial systems

Wavin AS+

Acoustic Soil system – Astolan® and PVC-U

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Pipe S/S Pipe  3.0m 0.15m 2.0m 3.0m 0.15m 3.0m	50	3080063	123	23.15
	110	3080030	8	34.59
	110	3080034	1	52.59
	110	3080036	1	67.24
	160	3080044	2	58.09
	160	3080050	18	128.75
Couplers Double Socket Coupler 	50	3080016	18	7.29
	110	3080012	8	23.96
	160	3080014	6	46.25
Bends Bends – 15°, 30°, 45°, 67°, 87°  15° 30° 45° 67° 87° 15° 30° 45° 67° 87° 15° 30° 45° 67° 87° Long Bend – 45° 45° 	50	3079965	20	7.28
	50	3079966	18	7.28
	50	3079967	16	5.99
	50	3079968	12	7.28
	50	3079969	12	5.99
	110	3079950	8	23.28
	110	3079951	6	24.88
	110	3079952	8	26.26
	110	3079953	6	26.62
	110	3079954	4	27.30
	160	3079959	4	52.82
	160	3079960	4	54.28
	160	3079961	3	55.80
	160	3079962	3	59.91
	110	3080026	3	31.07
	Branches Branch – 45° and 87°  45° 87° 45° 87° 45° 87° 45° 87° 45° 87° 45° Double Branch – 87°  110/110 /110 Corner Branch – 87°  110/110 /110 Shower Double Branch – 87°  110/110 /50 Shower Double Branch – 87° left  110/110 /50	50/50	3079996	6
50/50		3079997	6	13.07
110/50		3079982	4	29.21
110/50		3079983	4	29.21
110/110		3079981	2	44.27
110/110		3079980	4	79.38
160/110		3079991	2	90.79
160/110		3079992	2	90.79
160/160		3079994	1	125.32
110/110 /110		3080010	2	148.52
110/110 /110	3080008	2	214.16	
110/110 /50	3080095	2	97.64	
110/110 /50	3080096	2	97.64	















Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Shower Double Branch – 87° right 	110/110 /50	3080097	2	97.64
Soil & Waste Connections S/S Soil Manifold 	110	3065902	1	80.71
All-Fit Reducer – 40:32mm – 1½" / 40 x 1¼" / 32 for use with 3065902 	40	4Z124W*	10	7.75
All-Fit Reduction Bend – 50:40mm – 2" / 50 x 1½" / 40 for use with 3065902 	50	2S355W*	10	12.11
All-Fit 90° Spigot Bend – 50mm – 2" / 50 for use with 3065902 	50	2S356W*	5	19.92
Repair Coupler 	110 160	3080088 3080090	8 6	16.58 48.29
Long Socket 	50 110 160	3080023 3080019 3080021	5 8 3	10.08 19.35 47.25
End Cap 	50 110 160	3080106 3080103 3080105	24 8 8	6.77 15.94 58.66
Reducer 	110/50 160/110	3080078 3080082	6 6	16.60 31.95
Reducer 	50/40	5Z124W	10	7.57
Access Piece 	50 110 160	3079917 3079913 3079915	6 4 2	26.44 54.77 129.97
Accessories Wavin LKS-clamp 	50 110 160	4065138 4065141 4065143	50 20 10	19.35 19.35 19.35
Gasket EPDM 	50 110 160	4065145 4065188 4065190	1 1 1	2.48 2.06 5.06
Gasket NBR 	50 110 160	4065192 4025566 4025568	1 1 1	2.48 2.48 2.48
Wavin System Bracket 	50 110 160	4066449 4066452 4066454	50 25 10	8.25 11.79 18.24
M10 x 80mm Bolt 		3020511	50	16.24
Firecollar BM-R90 	50 110 160	4026102 4026106 4026109	1 1 1	63.01 94.00 202.17














Note: Wavin AS+ is available in light grey. * OAG discount applies.

Wavin commercial systems

Wavin Compact

PVC-U Solvent Soil


Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Pipe P/E Pipe – 3.0m ♻️ ♻️ P/E Pipe – 4.0m ♻️ ♻️ ♻️ ♻️ ♻️ ♻️ ♻️  Made with 50% Recycled Raw Materials 	110	4S073E	2	85.30
	82	3S074G	2	132.15
	110	4S074E	2	113.72
	160	6S074E	2	397.87
 Brackets Pipe Bracket ♻️ ♻️ ♻️  Socket Bracket ♻️ ♻️  Pipe or Socket Bracket – BZP coated steel ♻️ ♻️	82	3S082G	5	10.17
	110	4S082E	20	8.69
	160	6S082E	1	31.88
 Suspended Bracketing System (Not suitable for damp inaccessible voids) Adjustable Pipe Bracket Assembly (pack containing threaded rod, threaded bracket, bracket plate and pipe/socket bracket) – BZP coated steel ♻️  Adjustable Socket Bracket and Brace Assembly (pack containing threaded rod, threaded bracket, bracket plate, two adjustable braces and pipe/socket bracket) – BZP coated steel ♻️ ♻️	110	4S086	1	81.57
	160	6S086	1	116.28
 Sockets D/SW Double Socket ♻️ ♻️  S/SW Single Socket ♻️ ♻️ ♻️  D/S Acoustic Socket ♻️	110	4S104E	10	19.12
	160	6S104E	1	46.30
 Reducers SW/S Reducer 110mm x 50mm ♻️ 160mm x 110mm ♻️	110	4S496E	5	39.65
	160	6S499E	1	74.74
 Expansion Cap Expansion Cap – with integral ring–seal	110	4S416E	5	9.22
	160	6S416E	5	23.73
 Bends D/SW Bend 87.5° ♻️ ♻️ ♻️ 45° ♻️ ♻️ ♻️ 110 ♻️ ♻️ ♻️ 160 ♻️ ♻️ ♻️	110	4S461E	5	51.82
	160	6S461E	1	136.50
	110	4S463E	5	51.75
	160	6S463E	1	139.81









Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 SW/S Bend 45° ♻️	110	4S263E	5	56.05
	110	4S268E	5	54.08
 SW/S Long Tail Bend – 87.5° ♻️	110	4S260E	5	59.54
 Offset Bends SW/S Offset Bend – 67.5° (Bottom) ♻️ ♻️	82	3S435G	5	47.15
	110	4S435E	5	49.18
 S/SW Offset Bend – 67.5° (Top) ♻️ ♻️	82	3S440G	5	55.64
	110	4S440E	5	67.47
 D/SW Offset Bend – 67.5° (Top) ♻️	110	4S450E	5	54.88
 Boss Adaptors Solvent Weld – 90° ♻️ ♻️	40	2CS812SE	10	11.61
	50	2CS813SE	10	16.51
 Solvent Weld – Straight ♻️ ♻️ ♻️	32	2CS814SE	10	9.68
	40	2CS815SE	10	8.94
	50	2CS816SE	10	10.66
 Branches D/SW Double 2-Boss Branch – 87° ♻️ ♻️ SW/S Double 2-Boss Branch – 87.5° ♻️	110	4CS829SE	1	183.37
	110	4CS831SE	1	183.37
 D/SW Double 4-Boss Branch – 87.5° ♻️ ♻️ SW/S Double 4-Boss Branch – 87.5° ♻️	110	4CS832SE	1	183.37
	110	4CS834SE	1	183.37
 SW/S Corner Branch – 87.5° ♻️	110	4CS491SE	1	324.51
 Access Branch D/SW 2-Boss Access Branch – 87.5° ♻️	110	4CS893SE	1	139.01
 Single Branches D/SW Single Branch 45° ♻️	110	4S410E	5	82.81
 SW/S Single 3-Boss Branch – 87.5° ♻️	110	4CS889SE	1	75.49

Note: ♻️ Recycore Technology applies to 110mm and 160mm sizes only.

Wavin Compact

PVC-U Solvent Soil







































Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 D/SW Single 3-Boss Branch – 87.5° ▽	110	4CS890SE	5	73.26
 S/SW Single 3-Boss Branch – 87.5° ▽	110	4CS892SE	5	73.29
 D/SW Single Branch – 87.5° (No Bosses) ▽	160	6S490E	1	233.07
Single 5-Boss Branches				
 SW/S Single 5-Boss Branch – 87.5° ▽	110	4CS895SE	5	76.25
 D/SW Single 5-Boss Branch – 87.5° ▽	110	4CS897SE	1	76.25
Soil Manifolds				
 6 Boss Manifold	110	4S597E	1	82.87
Bossed Pipes				
 D/SW Short 3-Boss Pipe ▽	110	4CS588SE	1	18.95
 D/SW Bossed Pipe – plain (four boss sockets) ▽	110	4CS586SE	1	25.33
 SW/S Bossed Pipe – plain (four boss sockets) ▽	110	4CS585SE	5	25.33
 D/SW Bossed Pipe (Solvent Weld) – for 1 1/4" / 32mm BS EN 1329, 1455 and 1566 pipe ▽	110	4S483E	5	22.76
 D/SW Bossed Pipe (Solvent Weld) – for 1 1/2" / 40mm BS EN 1329, 1455 and 1566 pipe ▽	110	4S484E	5	22.76
Strap Boss				
 Strap Boss ▽	110	4CS319SE	5	17.67
Access Fittings				
 D/SW Access Bend – 87.5° ▽	110	4S469E	5	130.60
 D/SW 3-Boss Access Pipe – with screwed access and three boss sockets ▽	110	4CS474SE	5	92.05






















Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 SW/S 3-Boss Access Pipe – with screwed access and three boss sockets ▽	110 160	4CS574SE 6CS474SE	5 5	92.05 196.88
Plugs				
 P/E Access Plug ▽	82 110	3S292G 4S292E	5 1	44.02 41.20
 SW/S Access Plug ▽	110	4S492E	5	51.90
 P/E Socket Plug – with one boss socket ▽	110	4S296E	5	29.05
Terminal Fittings				
 Balloon Grating	82 110	3S302G 4S302E	5 5	16.02 12.20
 Weathering Collar	82 110	3S300G 4S300E	5 5	19.35 18.04
 SW/S Vent Cowl ▽	110	4S310E	1	61.61
Roof Outlets				
 SW/S Domed Roof Outlet	82 110	3S414G 4S414G	1 1	155.03 171.99

Wavin commercial systems

Wavin Compact

PVC-U Ring-seal soil








Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Pipe S/S Pipe – 3.0m   S/S Pipe – 4.0m    Made with Wavin Recycore Technology	82	3S043G	2	101.32
	160	6S043E	10	330.26
	82	3S044G	2	132.67
	110	4S044E	2	119.63
 Sockets D/S Double Socket – for repairs   	82	3S105G	5	38.23
	110	4S105E	1	41.27
	160	6S105E	1	116.28
 Connectors S/S Connector to CI or clay drain socket 	110	4S107E	5	34.62
 Reducers S/S Reducer 82mm x 50mm   110mm x 50mm  110mm x 82mm  160mm x 110mm 	82	3S094G	5	46.70
	110	4S096E	5	43.95
	110	4S095E	5	40.31
	160	6S099E	1	103.18
 Bends S/S Bend 87.5°    67.5°    45° 	82	3S161G	5	45.26
	110	4S161E	5	52.70
	82	3S162G	5	56.43
 Adjustable Bends S/S Adjustable Bend – 30° 	82	3S163G	5	45.26
	110	4S173E	1	66.20
 Boss Adaptors Push-fit – 90°    Push-fit – Straight  	32	2CS801SE	10	16.51
	40	2CS802SE	10	16.51
 Branches S/S Double 2-Boss Branch – 87.5° 	32	2CS804SE	10	9.68
	40	2CS805SE	10	9.68
 Branches S/S Double 2-Boss Branch – 87.5° 	110	4CS830SE	1	186.01





Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Variable 6-Boss Branch S/S 110mm Variable 6-Boss Branch – 87.5° 	110	4CS852SE	5	155.48
 Single Branches S/S Single 2-Boss Branch – 87.5°   S/S Single 3-Boss Branch – 87.5° 	82	3CS190SG	5	80.55
	110	4CS891SE	5	74.39
 Single 5-Boss Branches S/S Single 5-Boss Branch – 87.5° 	110	4CS896SE	5	96.41
 Unequal Single 5-Boss Branch D/S Unequal Single 5-Boss Branch – 87.5° 	160	6CS897SE	1	179.81
 Unequal Junctions S/S Unequal Junction 45° 	160	6CS218SE	1	322.30
 Manifolds Soil Manifold System   All-Fit Reducer – 40:32mm – 1½" / 40 x 1¼" / 32 for use with 4S595  All-Fit Reduction Bend – 50:40mm – 2" / 50 x 1½" / 40 for use with 4S595  All-Fit 90° Spigot Bend – 50mm – 2" / 50 for use with 4S595	110	4S595E	1	91.12
	40	4Z124W	10	7.75
	50	2S355W	10	12.11
	50	2S356W	5	19.92
 Bossed Pipes S/S Bossed Pipe – plain with one boss socket 	82	3CS649SG	10	43.20
	110	4CS590SE	5	36.70
 Access Fittings S/S Access Pipe – no bosses 	82	3S274G	5	88.93

Note: ♻️ Recycore Technology applies to 110mm and 160mm sizes only.

Wavin Compact

PVC-C Solvent Weld waste






















Description	Nom dia mm	Cat no	Pack qty	Price £ per piece	
 Pipe P/E Pipe – 3.0m	32	4M073B	10	28.37	
	32	4M073E	10	28.37	
	32	4M073W	10	28.37	
	40	5M073B	10	30.95	
	40	5M073E	10	30.95	
	40	5M073W	10	30.95	
	50	2M073B	5	47.62	
	50	2M073E	5	47.62	
 Bracket Pipe Bracket	32	4M081B	40	1.30	
	32	4M081E	40	1.30	
	32	4M081W	20	1.30	
	40	5M081B	35	1.32	
	40	5M081E	35	1.32	
	40	5M081W	35	1.32	
	50	2M081B	10	2.68	
	50	2M081E	20	2.68	
	50	2M081W	10	2.68	
	 Sockets Double Socket	32	4M104B	10	5.34
32		4M104E	20	5.34	
32		4M104W	10	5.34	
40		5M104B	10	6.73	
40		5M104E	20	6.73	
40		5M104W	10	6.73	
50		2M104B	5	10.92	
50		2M104E	10	10.92	
50		2M104W	5	10.92	
 Expansion Socket – with solvent socket tail		32	4M124E	10	11.28
		32	4M124W	10	11.28
		40	5M124E	10	11.78
	40	5M124W	10	11.78	
	50	2M124E	5	21.05	
	50	2M124W	5	21.05	
 Bends Knuckle Bend – 90°	32	4M160B	30	7.98	
	32	4M160E	30	7.98	
	32	4M160W	30	7.98	
	40	5M160B	30	9.39	
	40	5M160E	30	9.39	
	40	5M160W	30	9.39	
	50	2M160B	5	16.77	
	50	2M160E	5	16.77	
	50	2M160W	5	16.77	
	 Bend – 87.5°	32	4M161B	10	9.76
		32	4M161E	10	9.76
		32	4M161W	10	9.76
		40	5M161B	40	11.78
		40	5M161E	40	11.78
40		5M161W	40	11.78	
50		2M161B	5	16.38	
50		2M161E	5	16.38	
 Bend – 45°	32	4M163B	10	7.41	
	32	4M163E	10	7.41	
	32	4M163W	10	7.41	
	40	5M163B	20	8.33	
	40	5M163E	20	8.33	
	40	5M163W	20	8.33	
	50	2M163B	5	14.08	
	50	2M163E	5	14.08	
	50	2M163W	5	14.08	





Description	Nom dia mm	Cat no	Pack qty	Price £ per piece	
 Spigot Bend – 90°	32	4M260B	5	10.30	
	32	4M260E	5	10.30	
	32	4M260W	5	10.30	
	40	5M260B	10	12.43	
	40	5M260E	10	12.43	
	40	5M260W	10	12.43	
	50	2M260B	5	18.48	
	50	2M260E	5	18.48	
	50	2M260W	5	18.48	
	 Tees Tee – 87.5°	32	4M190B	5	12.75
32		4M190E	5	12.75	
32		4M190W	5	12.75	
40		5M190B	15	14.53	
40		5M190E	15	14.53	
40		5M190W	15	14.53	
50		2M190B	5	22.64	
50		2M190E	5	22.64	
50		2M190W	5	22.64	
 Plug Access Plug		32	4M292B	5	7.89
	32	4M292E	5	7.89	
	32	4M292W	5	7.89	
	40	5M292B	5	7.75	
	40	5M292E	5	7.75	
	40	5M292W	5	7.75	
	50	2M292B	5	13.47	
	50	2M292E	5	13.47	
	50	2M292W	5	13.47	
	 Reducers Reducer 1½" / 40mm x 1¼" / 32mm	40	5M455B	10	4.96
40		5M455E	10	4.96	
40		5M455W	10	4.96	
2" / 50mm x 1¼" / 32mm		50	2M458B	5	9.36
		50	2M458E	5	9.36
		50	2M458W	5	9.36
2" / 50mm x 1½" / 40mm		50	2M456B	5	9.36
		50	2M456E	5	9.36
		50	2M456W	5	9.36

Wavin commercial systems

Wavin Compact

Accessories – WC connectors

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
WC Manifold Branches (for WC to BS 5503) S/SW Manifold Branch – Straight 	110	4S601W	1	262.58
S/SW Manifold Branch – 8° (LH)  (RH) 	110	4S602W	1	262.58
S/SW Manifold Branch – 15.5° (LH)  (RH) 	110	4S603W	1	262.58
S/SW Manifold Branch – 23° (LH)  (RH) 	110	4S604W	1	262.58
S/SW Manifold Branch – 30.5° (LH)  (RH) 	110	4S605W	1	262.58
S/SW Manifold Branch – 38° (LH)  (RH) 	110	4S606W	1	262.58
S/SW Manifold Branch – 38° (LH)  (RH) 	110	4S616W	1	262.58
WC Connectors (for WCs to BS 5503) P/E WC Connector – 2.5° 	110	4S791W	10	39.89
SW/S WC Connector – 2.5° 	110	4S792W	5	42.21
P/E WC Connector – 14° 	110	4S711W	5	47.30
P/E WC Connector – 90° 	110	4S771W	10	67.68
SW/S WC Connector – 90° 	110	4S772W	10	58.74
WC Connectors and Gaskets (for WCs to BS 1213) SW/S WC Connector – 87.5° 	110	4S745W	5	52.47
WC Gasket – for WC spigots from 4" to 4¼" 	110	4S121W	10	24.27
WC Gasket – for WC spigots from 4¼" to 4½" 	110	4S120W	10	22.76

















Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
WC Connectors – Ancillaries S/S Long Tail Bend – 87.5° 	110	4S790W	5	67.47
P/E Pipe – 600mm length   Made with Wavin Recycore Technology 	110	4S600W	1	38.28

Accessories – WC connectors: Easy-fit

Description	Nom dia inch	Cat no	Pack qty	Price £ per piece
Easy-Fit Pan Connectors Style 1 – Straight 	3½in 4in	WC003W WC004W	1 1	28.56 21.16
Style 1 – Offset 	4in	WC204W	1	25.97
Style 1 – 14° 	4in	WC144W	1	27.32
Style 90° 	4in	WC904W	1	30.34
Straight Extension Piece 	4in	WC404W	1	26.01

Wavin Compact



















Accessories

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Air Admittance Valves				
 OsmaVent 40 Air Admittance Valve – fits 1¼" / 32mm and 1½" / 40mm pipe 	40	4S303W	1	92.32
 OsmaVent Air Admittance Valve – can also be adapted to fit 82mm soil 	110	4S304W	1	208.64
Pipe Flashings				
 VariPitch Pipe Flashing – 400mm x 400mm – for flat roofs		4S281G	5	165.94
 – 450mm x 450mm – for pitched roofs		4S283G	5	159.84
Connectors				
 Internal Drain Connector – for 32mm/40mm waste pipe – for 50mm waste pipe	110 110	4S298 4S299	5 5	20.20 23.26
 Female Iron Connector – solvent weld socket and BSPT socket	32 40	4Z127W 5Z127W	5 10	10.81 11.43
 Male Iron Connector – SW/S and BSPT spigot	32 40 50	4Z128W 5Z128W 2Z128W	5 10 5	10.21 10.81 13.46
Spares				
 Snap Cap	82	3S116G	1	2.65
Cleaners, Solvent Cements, Lubricants				
 Degreasing Cleaner No. 1 – 250ml can	–	4S380G	10	21.93
 Solvent Cement No. 2 – 250ml can  – 500ml can 	– –	4S384G 4S385G	10 10	34.20 74.44
 Silicone Lubricant – 50g tube	–	4S391G	5	28.54
 Silicone Lubricant Spray – 400ml can	–	4S392	1	49.68

Wavin commercial systems










Wavin Compact

Water seal traps

Description	Nom Dia mm	Cat No	Pack Qty	Price Each £	Description	Nom Dia mm	Cat No	Pack Qty	Price Each £
Tubular Traps					 Washing Machine Half Trap – Swivel 76mm seal	40	5V864W	1	37.25
 Tubular 'P' Outlet – Fixed 19mm shallow seal	32 40	4V806W 5V806W	1 1	20.09 16.68	 Washing Machine Tee	40	5V871W	1	17.06
 Tubular 'P' Outlet – Lowline bath 50mm seal	40	5V802W	1	24.59	<hr/>				
 Tubular 'P' Outlet – Swivel, 76mm seal ♥	32 40	4V801W 5V801W	1 1	18.48 21.03	 Cap and Lining Cap and Lining – BSP Male Iron Tail Unequal ends, 1 1/4" – 32mm to 1 1/2" – 40mm ♥	32	4Z363W	10	7.93
 Tubular 'P' Outlet – Swivel, 76mm seal c/w cleaning eye ♥	40	5V846W	1	31.20	 Unequal ends, 1 1/2" – 40mm to 1 1/4" – 32mm ♥	40	5Z363W	10	7.93
 Tubular 'P' Outlet – Swivel, 76mm seal telescopic maximum 40mm extension ♥	40	5V807W	1	31.95	 Spigot Bend Spigot Bend – 87.5° – Varifix socket to convert 'P' to 'S' outlet	32 40	4A830W 5A830W	20 10	6.65 7.14
 Tubular 'Running' – Swivel, 76mm seal	40	5V805W	1	37.09					
 Tubular 'S' Outlet – Swivel, 76mm seal ♥ ♥	32 40	4V803W 5V803W	1 1	22.62 33.88					
 Pedestal Trap – Fixed, 76mm seal	32	4V825W	1	30.79					
 Bottle 'P' Outlet 38mm seal	32 40	4V809W 5V809W	1 1	19.38 25.75					
 Bottle 'P' Outlet 76mm seal	32 40	4V812W 5V812W	1 1	24.13 29.55					
 Bottle 'P' Outlet – 76mm seal telescopic maximum 100mm extension	40	5V808W	1	41.82					
 Bottle 'P' Anti-Syphon – 76mm seal	32 40	4V814W 5V814W	1 1	32.18 40.61					
<hr/>									
 Washing Machine Traps Washing Machine Trap Kit – 76mm seal c/w 0.6m pipe	40	5V870W	1	31.85					





Wavin Compact

Overflow

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Pipe P/E Pipe – 3.0m solvent	21.5	1E073W	10	8.97
 Pipe Clip Solvent	21.5	1E082W	10	1.41
 Double Socket Solvent	21.5	1E104W	30	4.02
 Bends Solvent 90° 45° 25°	21.5 21.5 21.5	1E160W 1E166W 1E163W	10 10 10	4.17 4.78 4.78
 Tee Solvent – 90°	21.5	1E190W	5	5.15
 Tank Connectors Straight Tank Connector	21.5	1E129W	5	6.27
 Bent Tank Connector – 90° Solvent	21.5	1E139W	5	7.00
 Reducers Solvent 32 x 21.5mm reducer 40 x 21.5mm reducer	32 40	1E344W 1E346W	5 5	5.80 5.80
 Cap and Lining Cap and Lining	21.5	1E156W	20	5.80

Wavin Compact















Condensate drainage

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Soakaway – 110mm OD with 21.5/32/40mm pipe connections	110	1V403G	1	103.97
 Connectors and Adaptors Pipe Clamp – 32/40mm waste and 21.5mm connection	21.5	1V402W	1	52.01
 Tubular Swivel Trap – 40mm x 75mm (adjustable) with 21.5mm connection	40	5V407W	1	48.34
 Tubular Swivel Trap – 40mm x 75mm (adjustable) with 21.5mm connection and washing machine nozzle	40	5V468W	1	55.45

Wavin commercial systems

Wavin HDPE




Soil, waste and vent







Description	Nom dia mm	Cat no	Pack qty	Price £ per piece	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Pipe					Elbows				
 PE Pipe – 3.0m	110	3075609	1	40.74	 Elbow 15°	110	3017993	20	24.49
 PE Pipe – 5.0m	40	3003465	1	19.29	160	3043453 ^Δ	1	41.33	
	50	3003466	1	22.85	200	3043454 ^Δ	1	47.57	
	56	3003477	1	26.91	250	3043455 ^Δ	1	77.99	
	63	3003467	1	31.44	315	3043457 ^Δ	1	111.86	
	75	3003468	1	36.35	 Elbow 30°	110	3003576	20	24.87
	90	3003458	1	54.18	160	3003584	5	38.01	
	110	3003459	1	67.89	 Elbow 45°	40	3084563	10	2.65
	125	3003460	1	97.67	50	3084565	10	2.68	
	160	3003461	1	152.63	56	3003597	20	3.18	
	200	3003462	1	203.56	63	3003569	20	4.05	
	250	3003463	1	324.24	75	3003572	20	5.13	
	315	3003464	1	504.01	90	3003574	20	7.44	
					110	3003577	25	7.28	
Reducers					125	3003582	10	11.94	
Concentric Reducer					160	3003585	5	31.04	
	50/40	3084576	40	3.26	200	3018820	5	86.31	
	56/50	3003820	20	3.26	250	3018821*	1	141.10	
	63/40	3003796 ^Δ	20	4.40	315	3018822 ^Δ *	1	195.02	
	63/50	3003797 ^Δ	20	4.40	 Elbow 45° Long Tail	110	3075824 ^Δ	6	8.97
	63/56	3003798	20	3.24	 Elbow 88.5°	40	3084564 [†]	10	2.67
	75/50	3003800 ^Δ	20	4.76	50	3084566 [†]	10	3.57	
	75/63	3003801 ^Δ	20	4.76	56	3003598	20	3.57	
	90/50	3003803 ^Δ	20	4.89	63	3003570 [†]	20	4.46	
	90/63	3003804 ^Δ	20	5.99	75	3003573 [†]	20	6.33	
	90/75	3003805 ^Δ	20	5.99	90	3003575	20	9.02	
	110/50	3003807 ^Δ	10	5.99	110	3003579 [†]	20	9.77	
	110/56	3003858	10	5.93	125	3003583 [†]	10	15.67	
	110/63	3003808	10	5.99	160	3003587 [†]	5	40.22	
	110/75	3003809	10	5.99	 Elbow 90° Welded	160	3003943	10	30.26
	110/90	3003810	10	5.93	 Elbow 90° Segment Welded	200	3018818*	1	149.29
	125/63	3003812 ^Δ	20	9.53	250	3017978*	1	249.13	
	125/110	3003815	10	9.53	315	3018819 ^Δ *	1	363.58	
	160/110	3003816	5	10.57	 Elbow 90° Extended	40	3084577	10	2.65
	160/125	3003817 ^Δ	5	10.57	50	3084567	10	3.16	
	200/160	3018808*	1	67.21	56	3003944	20	3.78	
	250/200	3018809*	1	176.62	63	3003601 ^Δ	20	5.57	
	315/250	3018810*	1	244.67	75	3003622	25	6.75	
Eccentric Reducer	50/40	3003821	20	3.51	90	3003602	25	9.02	
	56/50	3003841	20	3.84	110	3003603	20	8.97	
	63/40	3003822Q ^Δ	20	4.04	125	3003605 ^Δ	10	16.48	
	63/50	3003823Q	20	4.04	Airmix				
	63/56	3003842Q	20	4.04	HDPE Airmix "sovent"				
	75/40	3003824	20	4.62	110	3003791 ^Δ	23	107.45	
	75/50	3003825	20	4.64	160	4042219 ^Δ	10	366.86	
	75/56	3003843	20	4.63					
	75/63	3003826	20	4.64					
	90/50	3003827Q ^Δ	20	5.71					
	90/63	3003828	20	6.21					
	90/75	3003829	20	6.25					
	110/40	3003830	20	6.78					
	110/50	3003831	20	6.61					
	110/56	3003835	20	6.76					
	110/63	3003832	20	6.78					
	110/75	3003833	20	6.79					
	110/90	3003834	20	6.75					
	125/75	3003836Q ^Δ	10	11.25					
	125/90	3003837Q	10	11.25					
	125/110	3003838Q	10	11.25					
	160/110	3003839	5	14.82					
	160/125	3003840	5	14.83					
Eccentric Reducer – Long	200/110	3018811	5	108.66					
	200/125	3018812	1	107.64					
	200/160	3018813	1	107.64					
	250/200	3070632*	1	171.56					
	315/200	3014918*	1	244.67					
	315/250	3003856*	1	243.65					

Note: * = Segment welded, † = Swept type, Δ = Available on a made to order basis.
Please contact us regarding lead times.

Wavin HDPE

Soil, waste and vent

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Branches				
	Swept Branch 88.5°			
	110	3003792	10	14.88
	Double Branch 45°			
	90/50	3018005 ^Δ	10	32.15
	100/50	3003730 ^Δ	10	22.11
	Branch 45°			
	110/110	3003728	5	24.65
	40/40	3084570	20	6.51
	50/40	3084574	25	6.75
	50/50	3084572	25	6.71
	56/50	3003725Q	20	6.15
	56/56	3003724	20	6.38
	63/40	3003635Q ^Δ	20	6.84
	63/50	3003637Q	20	7.23
	63/56	3003639Q	20	4.61
	63/63	3003633	20	7.04
	75/40	3003643Q	20	9.08
	75/50	3003645Q	20	8.61
	75/56	3003649	20	7.87
	76/63	3003647Q	20	6.01
	75/75	3003641	20	7.83
	90/40	3003654Q	10	11.78
	90/50	3003656Q	10	13.47
	90/63	3003658Q ^Δ	10	16.38
	90/75	3003660Q ^Δ	10	17.60
	90/90	3003651Q ^Δ	15	15.87
	110/40	3003664 ^Δ	10	13.07
	110/50	3003666	10	13.43
	110/56	3003674	10	13.01
	110/63	3003668	10	13.43
	110/75	3003670	10	13.56
	110/90	3003672Q ^Δ	10	16.51
	110/110	3003662	15	13.64
	125/50	3003678Q	10	24.37
	125/63	3003679 ^Δ	10	17.91
	125/75	3003681Q ^Δ	10	22.13
	125/90	3003683Q ^Δ	10	24.95
	125/110	3003685	10	17.91
	125/125	3003676 ^Δ	5	18.09
	160/110	3003688	5	62.30
	160/125	3003690 ^Δ	5	62.36
	160/160	4009725	5	61.49
	200/110	3070633*	5	134.08
	200/125	3018824Q ^Δ	1	145.32
	200/160	3070634*	5	140.03
	200/200	3070630*	5	201.04
	250/110	3003705*	1	224.42
	250/125	3003707Q ^Δ	1	187.38
	250/160	3003709*	1	248.35
	250/200	3003710*	1	248.51
	250/250	3018826*	1	341.98
	315/110	3003723*	1	396.75
	315/125	3018827 ^Δ	1	293.54
	315/160	3018828*	1	396.50
	315/200	3003718*	1	415.23
	315/250	3003719*	1	420.37
	315/315	3018829*	1	501.56









Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Branch 88.5°				
	40/40	3084571	20	5.29
	50/40	3084575	20	6.76
	50/50	3084573	20	6.75
	56/50	3003726	20	6.75
	56/56	3003727	20	6.73
	63/50	3003638	20	6.99
	63/63	3003634 ^Δ	20	8.31
	75/50	3003646 ^Δ	20	8.26
	75/56	3003650	20	8.26
	75/63	3003648 ^Δ	20	10.53
	75/75	3003642	20	8.31
	90/40	3003655	10	10.57
	90/50	3003657	10	10.53
	90/63	3003659 ^Δ	10	10.53
	90/75	3003661 ^Δ	10	15.44
	90/90	3003652	10	10.50
	110/40	3003665	10	12.53
	110/50	3003667	10	12.53
	110/56	3003675	10	12.95
	110/63	3003669 ^Δ	10	12.95
	110/75	3003671	10	12.07
	110/90	3003673 ^Δ	10	12.95
	110/110	3003663	15	12.12
	125/63	3003680 ^Δ	10	18.02
125/110	3003686 ^Δ	10	18.02	
125/125	3003677	10	18.02	
160/110	3003689	5	67.32	
160/125	3003691 ^Δ	5	51.46	
160/160	3003687	5	66.64	
200/110	3003698*	20	134.08	
200/125	3018832 ^Δ	1	190.79	
200/160	3003702*	1	133.51	
200/200	3018831*	1	133.51	
250/110	3018002*	1	190.79	
250/125	3018832 ^Δ	1	190.79	
250/160	3018003*	1	192.02	
250/200	3018833*	1	192.58	
250/250	3003704*	1	191.88	
315/110	3018834 ^Δ	1	224.42	
315/125	3003716 ^Δ	1	224.42	
315/160	3018835 ^Δ	1	224.42	
315/200	3018836 ^Δ	1	226.55	
315/250	3018837 ^Δ	1	225.89	
315/315	3003713 ^Δ	1	271.78	
Boss Pipe				
	Boss Pipe – Four Way Extended Spigot			
	110/56	3075823	6	38.67
Connectors and Adaptors				
	Universal Connector			
	40	5W102G •	5	7.59
	50	2W102G •	10	7.30
	Expansion Socket – with Solvent Socket Tail			
	50	2Z124W •	5	13.14
	Long-Tail Bend – 87.5°			
	50	2Z359G •	5	15.37
	Rubber Boss Adaptor			
	56/32	4063088 ^Δ	1	9.64
	56/40	4063089 ^Δ	1	9.77









Note: * = Segment Welded, Δ = Available on a made to order basis. Please contact us regarding lead times. • OAG discount applies.

Wavin commercial systems

Wavin HDPE

Soil, waste and vent









Description	Nom dia mm	Cat no	Pack qty	Price £ per piece	
 Brackets Galvanised HDPE Bracket M10 Connection	40	4012113	10	3.89	
	50	4012117	10	5.37	
	56	4063090 ^Δ	1	5.51	
	63	4012121 ^Δ	10	5.63	
	75	4012125	10	5.85	
	90	4012131	10	6.28	
	110	4012137	10	6.87	
	125	4012141	10	7.21	
	160	4012146	10	8.03	
	 Bracket Insert	40	4012329	50	3.56
50		4012331	50	7.13	
56		4063093 ^Δ	25	7.30	
63		4012333 ^Δ	50	8.56	
75		4012335	50	7.30	
90		4012337	50	7.52	
110		4012339	50	5.82	
125		4012341 ^Δ	50	7.92	
160		4012343	50	6.55	
200		4012345	20	27.93	
250		4023375	20	32.86	
315		4023376	20	37.45	
 Galvanised HDPE Bracket		50 x 1/2"	4012118	10	6.25
		56 x 1/2"	4063094 ^Δ	50	6.84
	63 x 1/2"	4012122	10	6.84	
	75 x 1/2"	4012126	10	6.90	
	90 x 1/2"	4012132	10	7.91	
	110 x 1/2"	4012138	10	7.98	
	125 x 1/2"	4012142	10	7.87	
	160 x 1/2"	4012147	10	9.77	
	200 x 1"	4012151	10	29.10	
	250 x 1"	4012155	10	29.50	
	315 x 1"	4012159	10	34.34	
 Mounting Plate	M10	4063092 ^Δ	50	5.10	
	G 1/2"	4012326	50	5.10	
 Fire Collar Fire Collar EFM	40	4063766	1	17.97	
	50	4063767	1	17.97	
	63	4063768	1	17.97	
	75/78	4063769	1	22.85	
	90	4063770 ^Δ	1	22.85	
	110	4026438	1	24.54	
	125	4026439 ^Δ	1	25.47	
	160	4063772	1	38.39	
	200	4026441 ^Δ	1	125.29	
	250	4026442 ^Δ	1	260.50	
	 Spherical Branches Spherical Branch, 2 Stubs Type A – 180°	110/110	3003755	5	45.53
		110/110	3003756	5	45.15
 Spherical Branch, 3 Stubs Type E – 90°	110/110	3003776 ^Δ	5	54.96	
	110/110	3003777	5	61.00	
 Spherical Branch, 4 Stubs Type F – 90°	110/110	3003777	5	61.00	












Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Access Tees Access Tee 45°	110/110	3003739	5	38.79
	125	3003741 ^Δ	5	48.53
	160/110	3003743	5	95.87
 Access Tee 88.5°	50	3003732 ^Δ	10	20.94
	63	3003734 ^Δ	10	26.67
	75/75	3003736	10	29.23
	90	3003738Q ^Δ	10	40.44
	110/110	3003740	10	40.22
	125	3018815Q ^Δ	10	35.62
	160/110	3070631*	5	95.07
	200/110	3017974*	1	158.12
	250/110	3017975*	1	203.18
	315/110	3017976*	1	245.41
 Toilet Connectors Wall Mounted Toilet Connector	90/90	3003550 ^Δ	10	24.57
	110/110	3003554 ^Δ	10	23.95
 Wall Mounted Toilet Connector Elbow 90° for hanging toilets	90/90	3003619 ^Δ	10	46.12
	110/90	3018007 ^Δ	10	45.95
	110/110	3003620 ^Δ	10	45.81
 Wall Mounted Double Toilet Connector Elbow 90°	110/110	3003621 ^Δ	5	92.59
	110/110	3003621 ^Δ	5	92.59
 Electro-fusion Coupler – Universal Type (WAVIDUO)	40	3003478	20	6.11
	50	3003479	20	6.25
	56	3003489	20	6.26
	63	3003480	20	6.46
	75	3003481	20	8.99
	90	3003482	20	8.76
	110	3003483	20	9.20
	125	3003484	10	16.27
	160	3003485	24	21.06
	200	4061068	6	156.15
	250	4064881	2	261.30
315	4064882	2	297.35	
 Sockets, Caps and Flange Adaptors Push-fit Socket with Gasket and Cap	40/40	3084561	10	4.48
	50/50	3084562	10	5.35
	56/56	3003493	20	5.98
	63/63	3003494 ^Δ	20	5.98
	75/75	3003495	20	8.50
	90/90	3003496 ^Δ	20	8.50
	110/110	3003497	20	10.78
	125/125	3003498 ^Δ	10	17.17
	160/160	3003499	18	33.88
	 Expansion Socket with Gasket and Cap	40/40	3003505	20
50/50		3003506	20	11.68
56/56		3018008	15	11.17
63/63		3003507	20	13.98
75/75		3003508	20	14.85
90/90		3003509	10	15.23
110/110		3003510	20	15.62
125/125		3003511 ^Δ	10	23.74
160/160		3003512	5	43.10
200/200		3003513*	15	199.76
250/250		3070629	1	293.48
315/315		3003515	1	506.20

Note: * = Segment Welded, Δ = Available on a made to order basis. Please contact us regarding lead times.

Wavin HDPE

Soil, waste and vent

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Complete Screw Connection	40	3003905 ^Δ	20	7.54
	50	3003935 ^Δ	20	7.54
	63	3003936 ^Δ	10	12.83
	75	3003937 ^Δ	10	12.83
	110	3003938 ^Δ	10	21.21
 Complete Closing Cap	40	3003869	10	7.94
	50	3003870	10	8.06
	63	3003871 ^Δ	10	8.06
	75	3082542	10	18.85
	90	3003872 ^Δ	10	19.03
	110	3003873	10	25.64
 Weld Cap	40	3003860	20	3.33
	50	3003861	20	2.84
	56	3003874	20	2.84
	63	3003862 ^Δ	20	2.84
	75	3003863	20	2.85
	90	3003865 ^Δ	20	3.59
	110	3003866	20	6.75
	125	3003867 ^Δ	10	8.43
 Protection Cap for pipes and fitting	40	3018704 ^Δ	40	3.50
	50	3018705 ^Δ	40	4.57
	63	3018706 ^Δ	40	4.57
	75	3018707 ^Δ	40	5.29
	90	3018708	50	0.86
	110	3018709	40	0.96
	125	3018710 ^Δ	50	5.29
	160	3018711	50	6.41
 Flange Adaptor	50	4025986 ^Δ	5	27.94
	63	4025988 ^Δ	5	38.92
	75	4025989 ^Δ	5	27.94
	110	4009748	5	31.07
	125	4009749 ^Δ	5	61.43
	160	4009750 ^Δ	5	52.90
	200	4009751 ^Δ	5	101.69
	250	4025992 ^Δ	1	175.07
	315	3018031 ^Δ	1	298.51
	 Galvanised Steel Flange 1"	1"	4009793	20
 Brass Nut Connection	40x3/4"	3003908 ^Δ	20	9.14
	40x1"	3003910 ^Δ	20	9.14
	40x1 1/4"	3003912 ^Δ	20	9.14
	40x1 1/2"	3003913 ^Δ	20	9.14
	50x3/4"	3003917 ^Δ	20	21.57
	50x1 1/4"	3003921 ^Δ	20	21.57
	50x1 1/2"	3003924 ^Δ	20	21.57
	50x2"	3003927 ^Δ	20	21.57
	63x2"	4009761 ^Δ	10	9.14
 Shrink-on Socket with Seal	50	3003516 ^Δ	5	32.41
	63	3018026 ^Δ	5	32.41
	75	3018027 ^Δ	5	32.41
	90	3018028 ^Δ	5	32.41
	110	3003528 ^Δ	5	38.84
	125	3018029 ^Δ	5	38.84
	160	3018030 ^Δ	5	56.57
	200	3018025 ^Δ	1	67.62















Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Accessories Electrofusion Welding Tool DUO 315 230v	—	4036330	1	POA
	—	4064999	1	POA
 Electrofusion Welding Tool 110v	—	4065001	1	286.37
	—	4065000	1	286.37
 Electrofusion Welding Tool Cable 40-160 Spare, for use with 4064999	75-250	4011401 ^Δ	1	POA
	—	4011403	1	705.73
 Heat Reflector Butt-Welding Tool Media 250, 75-250mm	90-315	4011402 ^Δ	1	POA
	—	4011396	1	2547.57
 Welding Mirror Complete with metal case Class X1, TP200	40-63	4026014 ^Δ	1	318.75
	50-125	4011390	1	525.12
	110-160	4011393	1	536.96
	200-315	4011396	1	2547.57
 Heat Reflector Butt-Welding Tool Maxi 315, 90-315mm	—	4042914	1	1675.26
	—	4024493	1	1675.26
 PE Pipe Cutter	—	4024569	1	2004.32
	—	4024432	1	2004.32
 HDPE Rotary Peelers for pipe 50mm	—	4024189	1	2004.32
	—	4024393	1	2004.32
 Replacement blade	—	4024190	1	2333.40
	—	4066330	1	173.51
 Other Processing Aids PE marker pen China Marker	—	4011453	12	15.58
	—	4020757	10	54.64
 PE cleaner 0.7 litre bottle	—	4025509	12	32.02

Note: Δ = Available on a made to order basis. Please contact us regarding lead times.

Wavin commercial systems

Tigris K1

Press-fit plumbing system







Description	Nom dia mm	Cat no	Pack qty	Price £ per piece	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Pipe					Elbows				
Pipe – Straight Lengths					Elbow 45°				
	16mm x 2.0mm x 3m	3072958	25	9.68		25	3023498	10	9.09
	16mm x 2.0mm x 5m	3061211	25	16.57		32	3023499	5	13.21
	20mm x 2.25mm x 3m	3072989	18	13.88		40	3027839	3	25.31
	20mm x 2.25mm x 5m	3061212	18	23.85		50	3024668	2	39.75
	25mm x 2.5mm x 3m	3072990	10	21.12		63	3027849	2	90.05
	25mm x 2.5mm x 5m	3061213	10	36.18		75	3065642	2	98.10
	32mm x 3.0mm x 3m	3070827	6	26.44	Elbow 90°				
	32mm x 3.0mm x 5m	3041228	6	45.36		16	3023363	10	4.27
	40mm x 4.0mm x 5m	3004371	4	73.15		20	3023364	10	5.37
	50mm x 4.5mm x 5m	3004372	5	143.23		25	3023365	10	7.62
	63mm x 6.0mm x 5m	3028271	3	233.65		32	3023500	5	11.88
Pipe – Coils						40	3024666	3	23.25
	16mm x 2.0mm x 100m	3018297	1	261.16		50	3024667	2	36.33
	16mm x 2.0mm x 200m	3018302	1	522.31		63	3027848	2	81.88
	16mm x 2.0mm x 500m	3061202	1	1239.61		75	3065643	2	99.83
	20mm x 2.25mm x 100m	3018299	1	369.26	Elbow 90° – single male BSP thread				
	25mm x 2.5mm x 50m	3018300	1	299.48		16	3023542	10	5.40
	32mm x 3.0mm x 50m	3004370	1	410.54		20	3023543	10	6.58
Pipe – Coils 9mm Pre-insulated						20	3023544	10	9.51
	16mm x 2.0mm x 50m RED	3004378	1	279.28		25	3023545	10	10.59
	20mm x 2.25mm x 50m RED	3004379	1	372.07		32	3023539	5	18.89
	25mm x 2.5mm x 25m RED	3071219	1	243.23	Elbow 90° – single female BSP thread				
	16mm x 2.0mm x 50m BLUE	3071220	1	279.28		16	3023546	10	8.23
	20mm x 2.25mm x 50m BLUE	3071221	1	372.07		20	3023547	10	10.44
	25mm x 2.5mm x 25m BLUE	3071222	1	259.65		20	3023548	10	12.72
Pipe – Coils 13mm Pre-insulated						25	3023549	10	14.22
	16mm x 2.0mm x 50m + 13mm RED	3004380	1	329.01		32	3023540	5	21.62
	20mm x 2.25mm x 50m + 13mm RED	3004381	1	410.31	Backplate Elbow – female BSP thread				
	25mm x 2.5mm x 25m RED	3070529	1	304.80		16	3023344	10	11.21
	16mm x 2.0mm x 50m BLUE	3071224	1	329.01		20	3023555	10	13.76
	20mm x 2.25mm x 50m BLUE	3071225	1	410.31		20	3023537	10	14.22
	25mm x 2.5mm x 25m BLUE	3071226	1	304.80	Tees				
Couplers					Equal Tee				
	Straight Coupler	3023348	10	3.42		16	3023345	10	5.80
		3023359	10	4.46		20	3023346	10	8.31
		3023360	10	6.70		25	3023347	5	11.93
		3023488	5	11.66		32	3023521	5	20.33
		3024665	3	18.56		40	3024664	2	33.27
		3027832	2	27.47		50	3027829	2	51.99
		3027847	2	72.46		63	3027853	2	98.11
		3065639	2	92.11		75	3065644	2	137.99
Reducing Coupler					One End Reduced Tee				
	20 x 16mm	3023525	10	4.75		20	3023505	10	7.60
	25 x 16mm	3023526	10	6.15	Double End Reduced Tee				
	25 x 20mm	3023527	10	6.73		20	3023504	10	7.60
	32 x 20mm	3023528	5	11.38		25	3023510	5	10.38
	32 x 25mm	3023522	5	11.14		32	3023515	5	16.75
	40 x 32mm	3023529	3	17.88					
	50 x 32mm	3027833	2	27.88					
	50 x 40mm	3027834	2	30.71					
	63 x 40mm	3027852	2	70.09					
	63 x 50mm	3027850	2	73.62					
	75 x 50mm	3065641	2	84.64					
	75 x 63mm	3065640	2	87.06					

* This product is currently awaiting WRAS approval.

Wavin commercial systems





Tigris K1

Press-fit plumbing system

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Branch Reduced Tee				
20x16x20mm	20	3023506	10	7.60
25x16x25mm	25	3023508	5	10.52
25x20x25mm	25	3023511	5	11.46
32x16x32mm	32	3023513	5	15.95
32x20x32mm	32	3023514	5	17.04
32x25x32mm	32	3023516	5	18.45
40x25x40mm	40	3023518	3	25.98
40x32x40mm	40	3023519	3	28.70
50x25x50mm	50	3027830	2	37.95
50x32x50mm	50	3027842	2	39.86
50x40x50mm	50	3027831	2	42.77
63x25x50mm	63	3027856	2	66.71
63x32x63mm	63	3027855	2	74.07
63x40x63mm	63	3027854	2	88.03
75x32x75mm	75	3065647	2	94.01
75x40x75mm	75	3065646	2	106.14
75x50x75mm	75	3065645	2	110.18
 Branch and One End Reduced Tee				
20x16x16mm	20	3023507	10	7.60
25x16x16mm	25	3023509	5	9.81
25x20x20mm	25	3023512	5	10.55
32x25x25mm	32	3023517	5	16.81
40x32x32mm	40	3023520	3	25.55
 One Sided Female Thread Tee				
16mm x 1/2"	16	3023557	10	14.00
20mm x 1/2"	20	3023558	10	15.62
20mm x 3/4"	20	3023559	10	16.23
25mm x 3/4"	25	3023560	5	20.18
Connectors				
Connector – single male BSP thread				
16mm x 1/2"	16	3023495	10	4.29
20mm x 1/2"	20	3023496	10	5.46
20mm x 3/4"	20	3023550	10	6.05
25mm x 3/4"	25	3023551	10	6.91
25mm x 1"	25	3023552	10	8.98
32mm x 1"	32	3023541	5	13.17
32mm x 1 1/4"	32	3023553	5	19.78
40mm x 1 1/4"	40	3027836	3	21.70
50mm x 1 1/2"	50	3027837	2	31.90
 Connector – single female BSP thread				
16mm x 1/2"	16	3023494	10	5.81
20mm x 1/2"	20	3023361	10	6.60
20mm x 3/4"	20	3023497	10	8.54
25mm x 3/4"	25	3023362	10	11.29
32mm x 1"	32	3023554	5	19.08
40mm x 1 1/4"	40	3027838	3	28.15
 Tap Connector – female BSP thread				
16mm x 3/4"	16	3023489	10	6.89
20mm x 3/4"	20	3023490	10	7.66
25mm x 1"	25	3023491	5	16.38
32mm x 1 1/4"	32	3023492	5	23.81
40mm x 1 1/2"	40	3023493	3	31.70
 End Cap				
16	16	3023561	10	4.96
20	20	3023562	10	5.50
25	25	3023563	5	6.29

Tigris M1*

Metal-body Press-fit plumbing system

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Connectors				
Connector – single male BSP thread				
16mm x 3/4"	16	4032676	10	6.89
63mm x 2"	63	4032685	2	73.54
75mm x 2 1/2"	75	4049178	2	93.28
Connector – single female BSP thread				
50mm x 1 1/2"	50	4032698	3	49.32
63mm x 2"	63	4032699	2	77.64
75mm x 2 1/2"	75	4049179	2	126.32
Tap Connector – female BSP thread				
16mm x 1/2"	16	4032700	10	6.89
 Elbow 90° – Radiator Connector				
16	16	4037512	10	22.38
 Equal tee – Radiator Connector				
16	16	4037506	10	35.66
20	20	4037508	10	35.92
Accessories				
Transition Fitting to Copper				
16 x 15mm	16	4032721	5	8.90
20 x 15mm	20	4032722	5	9.60
20 x 22mm	20	4037451	5	12.21
25 x 22mm	25	4032723	5	17.83
25 x 28mm	25	4032724	5	19.91
 Compression Adaptor				
16 x 15mm	16	4013355	2	4.95
Pressure Stopper				
16	16	4013571	1	25.96
20	20	4013572	1	25.96
25	25	4013573	1	25.96
 Adaptor Fitting to Hep₂₀				
16 x 15mm	16	3052945	10	6.80
20 x 22mm	20	3052946	10	12.16
25 x 22mm	25	3052947	10	14.14
25 x 28mm	25	3052948	10	18.61
32 x 28mm	32	3052949	10	20.19

Note:

* M1 fittings are manufactured from a UBA listed 617 brass.

– Materials on the UBA list are accepted as drinking water quality by the 4 member state.












– The UK is a member of the 4 member state, together with Germany, Netherlands and France.

* M1 fittings do not carry WRAS approval.

Wavin commercial systems

Tigris K1




Press-fit plumbing system

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece		
Accessories and Tools											
	Internal Bending Spring	16	4013553	1	31.04		Pressing Jaws	75	4053509	1	401.85
		20	4013559	1	39.93			– for use with 4048907 and 4053510			
		25	4013562	1	42.75		Pressing Adaptor for 75mm Jaw	75	4053510	1	391.28
	External Bending Spring	16	4023071	1	24.34			– for use with 4048907 and 4053509			
		20	4023073	1	26.60		Calibration Mandrel	16	4999998	1	70.76
		25	4023075	1	34.95			20	4999999	1	71.70
	Pipe Bending Pliers	16	4043224	1	182.65			25	4023364	1	75.38
	Pipe Bending Tool	20	4043225	1	195.44			32	4023365	1	80.88
	Pipe Bending Pliers 16/20/25mm	–	4023077	1	395.97		Calibration Mandrel	40	4031987	1	138.75
								50	4031988	1	135.42
	Pipe Straightener 16/20/25mm	–	4013530	1	602.51			63	4035780	1	200.59
								75	4053507	1	213.20
	Pipe Cutter	–	4053508	1	84.18		Calibration Mandrel 16/20/25mm	–	3021196	1	85.97
	16mm-75mm	–	4036273	1	82.68			Handgrip Calibration Mandrel	–	3011162	1
	Pipe Cutter with hold function	–	4036273	1	82.68			Handgrip Calibration Mandrel	–	4036272	1
	16/20/25mm	–	4037386	1	16.17			Calibration Set	–	4013541	1
	Replacement Blade for 4036273	–	4037386	1	16.17			16mm-32mm			
	Hand Press Tool	–	4013538	1	210.44						
	16-20mm	–	4013542	1	72.01						
	Note: contains the tool only	–	4013543	1	72.01						
	Hand Tool Insert	16	4013542	1	72.01						
		20	4013543	1	72.01						
	Cordless Pressing Tool	–	4048906	1	2115.00						
	16mm-40mm	–	4048907	1	3384.00						
	Cordless Pressing Tool	–	4048907	1	3384.00						
	16mm-75mm	–	4066723	1	185.06						
	Battery for 4048906	–	4066723	1	185.06						
	Battery for 4048907	–	4066725	1	359.55						
	Pressing Jaws	16	4046556	1	211.50						
	– for use with 4048906	20	4046557	1	211.50						
		25	4046558	1	232.65						
		32	4046559	1	232.65						
		40	4046560	1	338.40						
	Pressing Jaws	16	4046691	1	243.23						
	– for use with 4048907	20	4046694	1	243.23						
		25	4046695	1	253.80						
		32	4046756	1	253.80						
		40	4046758	1	359.55						
		50	4046759	1	380.70						
		63	4035779	1	560.48						

Wavin commercial systems

Hep₂O Flexible Plumbing














Polybutylene pipe

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Plumbing and Underfloor Heating Pipe Coils – Barrier Please Note: Order pipe by unit (coil) not by metre				
25m ♡	10	HXX25/10W	1	58.43
50m ♡	10	HXX50/10W	1	115.09
100m ♡	10	HXX100/10W	1	226.73
10m ♡	15	HXX10/15W	1	27.51
25m ♡	15	HXX25/15W	1	68.73
50m ♡	15	HXX50/15W	1	136.03
80m ♡	15	HXX80/15W	1	217.63
100m ♡	15	HXX100/15W	1	267.84
120m ♡	15	HXX120/15W	1	321.42
10m ♡	22	HXX10/22W	1	53.68
25m ♡	22	HXX25/22W	1	134.17
50m ♡	22	HXX50/22W	1	265.66
10m ♡	28	HXX10/28W	1	72.36
25m ♡	28	HXX25/28W	1	180.90
50m ♡	28	HXX50/28W	1	360.10
 Straight Lengths – Barrier				
3m ♡	15	HXX03/15W	10	8.61
3m ♡	22	HXX03/22W	10	16.85
3m ♡	28	HXX03/28W	10	23.11
6m ♡	15	HXX06/15W	40	17.77
6m ♡	22	HXX06/22W	20	34.87
6m ♡	28	HXX06/28W	12	47.55
 Pipe in Pipe System Coil of Hep₂O Barrier Pipe in Blue or Red Conduit Please Note: Order pipe by unit (coil) not by metre				
50m ♡	10	HXXC5010 BU	1	239.03
50m ♡	10	HXXC5010 RD	1	239.03
50m ♡	15	HXXC5015 BU	1	274.85
50m ♡	15	HXXC5015 RD	1	274.85
50m ♡	22	HXXC5022 BU	1	422.78
50m ♡	22	HXXC5022 RD	1	422.78
25m ♡	28	HXXC2528 BU	1	348.06
25m ♡	28	HXXC2528 RD	1	348.06

Important Note:
Order pipe by unit (length) not by metre. Cut lengths only available as pack quantities.

Hep₂O Flexible Plumbing

Demountable fittings







Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Straight Connector				
♡	10	HD1/10W	10	4.40
♡	15	HD1/15W	10	2.63
♡	22	HD1/22W	10	3.70
♡	28	HD1/28W	5	10.65
 Elbow 90°				
♡	10	HD5/10W	10	4.98
♡	15	HD5/15W	10	3.20
♡	22	HD5/22W	10	4.69
♡	28	HD5/28W	5	12.75
 Equal Tee				
♡	10	HD10/10W	10	6.15
♡	15	HD10/15W	10	4.49
♡	22	HD10/22W	10	6.15
♡	28	HD10/28W	5	17.60
 Demountable Stop-End				
♡	10	HD62/10W	10	3.90
♡	15	HD62/15W	10	3.49
♡	22	HD62/22W	10	4.40
♡	28	HD62/28W	5	7.32
 SmartSleeve Pipe Support				
♡	10	HX60/10W	20	0.57
♡	15	HX60/15W	50	0.58
♡	22	HX60/22W	50	0.75
♡	28	HX60/28W	20	1.11
 Spigot Elbow 90° Single Socket				
♡	10	HD4/10W	5	4.98
♡	15	HD4/15W	5	3.37
♡	15x10	HD4A/15W	5	4.98
♡	22	HD4/22W	5	4.98
 Socket Reducer				
♡	15	HD2/15W	10	4.56
♡	22	HD2/22W	10	3.53
♡	28	HD2/28W	5	8.54
 Socket/Socket Reducer				
♡	15	HD3B/15W	10	8.28
♡	22	HD3B/22W	10	7.21
♡	22	HD3C/22W	10	8.28
 Obtuse Bend 135° Single Socket				
♡	10	HD8/10W	5	5.38
♡	15	HD8/15W	5	3.73
♡	22	HD8/22W	5	5.38
 End Reduced Tee				
♡	22	HD12/22W	5	6.51
♡	28	HD12/28W	5	17.60
 Double End Reduced Tee				
♡	15	HD18/15W	5	6.51
♡	22	HD18A/22W	5	6.88
♡	22	HD18/22W	5	6.51
♡	28	HD18/28W	5	17.60
 Branch Reduced Tee				
♡	15	HD13/15W	5	6.51
♡	22	HD13A/22W	5	6.51
♡	22	HD13/22W	5	6.51
♡	28	HD13A/28W	5	17.60
♡	28	HD13/28W	5	17.60
 Branch Reduced Tee – Spigot				
♡	15	HD15/15W	5	6.51
♡	22	HD15/22W	5	6.51

Important Note: All fittings are pre-lubricated - no additional lubrication required.
Hep₂O fittings are fully compatible with Hep₂O and copper pipe.

Wavin commercial systems

Hep₂O Flexible Plumbing







Demountable fittings

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Branch and One End Reduced Tee 15 x 10 x 10mm ♡ 22 x 10 x 10mm ♡ 22 x 15 x 15mm ♡ 28 x 22 x 22mm ♡	15	HD14/15W	5	6.51
	22	HD14A/22W	5	6.51
	22	HD14/22W	5	6.51
	28	HD14/28W	5	17.60
 Blanking Peg For demountable Hep ₂ O fittings ♡ ♡ ♡ ♡	10	HX44/10W	10	1.38
	15	HX44/15W	10	1.61
	22	HX44/22W	10	1.61
	28	HX44/28W	10	1.93
 Tank Connector with BSP tail & backnut (For cold water use only) BSP 1/2" BSP 3/4" BSP 1" (brass body)	15	HX20/15W	5	3.80
	22	HX20/22W	5	4.78
	28	HX20/28W	5	21.41
 Straight Tap Connector with brass nut and alternative rubber washer BSP 1/2" ♡ * BSP 3/4" ♡ * BSP 3/4" ♡ *	15	HD25A/15W	10	4.58
	15	HD25B/15W	5	5.41
	22	HD25B/22W	5	5.85
 Bent Tap Connector with brass nut and alternative rubber washer BSP 1/2" ♡ *	15	HD27/15W	5	5.05
 Hand-Titan™ Tap Connector with rubber washer BSP 1/2" ♡ * BSP 1/2" ♡ * BSP 3/4" ♡ * BSP 3/4" ♡ *	10	HD26A/10W	5	4.64
	15	HD26A/15W	5	3.86
	15	HD26B/15W	5	4.64
	22	HD26B/22W	5	5.02

* For intermittent hot and cold water use up to a maximum of 65°C.
Not for use with central heating.

Hep₂O Flexible Plumbing

Flexible tap connectors














Description	Nom dia mm	Cat no	Pack qty	Hose type	Price £ per piece
 Hep₂O x BSP Nut with brass nut and rubber washer 150mm BSP 1/2" * 300mm BSP 1/2" * 300mm BSP 3/4" * 300mm BSP 3/4" (full bore) * 300mm BSP 3/4" * 500mm BSP 1/2" * 500mm BSP 3/4" * 500mm BSP 3/4" (full bore) * 500mm BSP 3/4" * 1000mm BSP 1/2" * 1000mm BSP 3/4" *	15	HD425A/15W	2	Braided	7.56
	15	HD125A/15W	2	Braided	7.98
	15	HD125B/15W	2	Braided	9.45
	22	HD125C/22W	2	Braided	16.26
	22	HD125B/22W	2	Braided	9.45
	15	HD225A/15W	2	Braided	10.94
	15	HD225B/15W	2	Braided	12.36
	22	HD225C/22W	2	Braided	18.98
	22	HD225B/22W	2	Braided	13.15
	15	HD325A/15W	2	Braided	19.87
22	HD325B/22W	1	Braided	24.24	
 Hep₂O x Hep₂O 300mm 15mm x 15mm * 300mm 22mm x 22mm * 500mm 15mm x 15mm * 500mm 22mm x 22mm *	15	HD125H/15W	2	Braided	9.38
	22	HD125H/22W	2	Braided	11.48
	15	HD225H/15W	2	Braided	13.74
	22	HD225H/22W	2	Braided	15.87
 Hep₂O x Elbow BSP Nut with brass nut and rubber washer 300mm Elbow BSP 1/2" *	15	HD125D/15W	2	Braided	10.13
 Hep₂O Brass Service Valve x BSP Nut with brass nut and rubber washer 300mm BSP 1/2" * 300mm BSP 3/4" * 500mm BSP 1/2" * 500mm BSP 3/4" * 500mm BSP 3/4" *	15	HD125E/15W	2	Braided	21.70
	22	HD125E/22W	2	Braided	40.78
	15	HD225E/15W	2	Braided	23.75
	15	HD225I/15W	2	Braided	26.13
	22	HD225E/22W	2	Braided	44.48
 Hep₂O Brass Service Valve (Handle) x BSP Nut with brass nut and rubber washer 300mm BSP 1/2" * 300mm BSP 3/4" *	15	HD125EH/15W	2	Braided	21.70
	22	HD125EH/22W	2	Braided	40.78
 Hep₂O x Monobloc Mixers 300mm 15mm x M10 * 300mm 15mm x M12 *	15	HD125F/15W	• Pair	Braided	14.29
	15	HD125G/15W	• Pair	Braided	14.29

• Sold and priced as a pair.
















* For intermittent hot and cold water use up to a maximum of 65°C.
Not for use with central heating.

Hep₂O Flexible Plumbing

Auxiliary fittings

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Adaptor Male BSP/Hep ₂ O socket DZR Brass				
BSP 1/2" ♡	10	HX29/10W	10	7.52
BSP 1/2" ♡	15	HX29/15W	10	7.32
BSP 3/4" ♡	22	HX29/22W	10	10.51
BSP 1" ♡	28	HX29/28W	5	19.97
 Adaptor Female BSP/Hep ₂ O socket DZR Brass				
BSP 1/2" ♡	10	HX28/10W	10	7.52
BSP 1/2" ♡	15	HX28/15W	10	7.32
BSP 3/4" ♡	15	HX24/15W	10	10.51
BSP 3/4" ♡	22	HX28/22W	10	10.51
BSP 1" ♡	28	HX28/28W	5	20.66
 Adaptor Male BSP/Hep ₂ O spigot DZR Brass				
BSP 1/2" ♡	15	HX31/15W	10	4.07
BSP 3/4" ♡	22	HX31/22W	10	6.72
BSP 1" ♡	28	HX31/28W	5	9.86
 Adaptor Female BSP/Hep ₂ O spigot DZR Brass				
BSP 1/2" ♡	15	HX30/15W	10	3.99
BSP 3/4" ♡	22	HX30/22W	10	6.72
BSP 1" ♡	28	HX30/28W	5	9.86
 Draincock Brass 15mm spigot DZR Brass ♡	15	HX32/15 GY	10	7.32
 Adaptor Converts 1/2" tap connector to 3/4" DZR Brass BSP 1/2" x 3/4" ♡		HX39 GR	10	3.79
 Wall Plate Elbow Hep ₂ O BSP 1/2" ♡ BSP 3/4" ♡	15 22	HX6/15W HX6/22W	5 5	11.29 12.27
 Ball Valve Plated Brass (suitable for central heating use) 15x15mm 22x22mm	15 22	HX22/15W HX22/22W	5 5	14.46 18.87
 Gate Valve DZR Brass – Hep ₂ O ends (suitable for central heating use)	15 22	HX35/15W HX35/22W	5 5	11.45 16.31
 Stopcock – Cold Water fitted with Hep ₂ O ends	15 22	HX36/15W HX36/22W	5 5	11.52 13.77
 Stopcock – Cold Water Hep ₂ O to MDPE Conversion 22mm to 25mm MDPE	22	HX43/22W	5	24.45
 Shut-off Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX37/15W	5	8.14
 Appliance Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX38/15W	5	7.52









*For intermittent hot and cold water use up to a maximum of 65°C.
Not for use with central heating.

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Straight Service Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX18/15W	5	8.65
 Angled Service Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX19/15W	5	8.66
 Double-Check Valve Plastics NB: *SEE USAGE NOTE	15	HX72/15W	1	19.35
 Two Port Manifold 22x15mm ports Closed Spigot ♡	22	HX88/22W	5	8.78
 Two Port Manifold 22x15mm ports All socket ♡	22	HX88B/22W	5	9.07
 Three Port Manifold 22x15mm ports Closed spigot ♡	22	HX89/22W	5	11.79
 Three Port Manifold 22x15mm ports All socket ♡	22	HX89B/22W	5	12.22
 Two Port Manifold 22x10mm ports All socket ♡	22	HX92B/22W	5	9.61
 Four Port Manifold 22x10mm ports All socket ♡	22	HX94B/22W	5	12.22
 Two Port Manifold 22x10mm ports Socket and closed spigot ♡	22	HX92/22W	5	8.78
 Four Port Manifold 22x10mm ports Socket and closed spigot ♡	22	HX94/22W	5	11.79
 Four Port Manifold 22x10mm ports Socket and closed spigot, on one side ♡	22	HX96/22W	5	13.48
 Four Port Manifold 22x10mm ports All socket, on one side ♡	22	HX96B/22W	5	13.48
 One Port Valved Manifold Plated Brass 3/4" BSP Male/female 22mm Hep ₂ O port ♡	22	HX91T/22W	1	24.55
 Two Port Valved Manifold Plated Brass 3/4" BSP Male/female 15mm Hep ₂ O ports ♡	15	HX92T/15W	1	41.24

Wavin commercial systems















Hep₂O Flexible Plumbing

Auxiliary fittings

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Three Port Valved Manifold Plated Brass 3/4" BSP Male/female 15mm Hep ₂ O ports ♡	15	HX93T/15W	1	60.47
 Four Port Valved Manifold Plated Brass 3/4" BSP male/female. 15mm Hep ₂ O ports ♡	15	HX94T/15W	1	82.56
 Manifold End Caps 3/4" BSP Female End Cap 3/4" BSP Male End Cap		HX97 GY HX98 GY	5 5	3.59 4.17
 Manifold Bracket – Pair for HX92T/15, HX93T/15 and HX94T/15		HX95A GR	1	23.64
 Radiator Outlet Back Box Plastic (for stud wall)		HX109 GY	5	3.80
 Radiator Outlet Back Box Metal (for solid wall)		HX110 GY	5	3.19
 Radiator Outlet Cover with Flap For use with HX109 and HX110		HX113 WH	5	8.35
 Back Box Grommet For use with HX110		HX112 GY	50	0.21






Hep₂O Flexible Plumbing

Tools, fixings and accessories

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 HepKey Plus Demounting Tool	10 15 22 28	HX79/10W HX79/15W HX79/22W HX79/28W	10 10 10 10	0.40 0.46 0.46 0.51
 HepKey Demounting Tool	10 15 22 28	HX78/10W HX78/15W HX78/22W HX78/28W	10 10 10 10	0.35 0.40 0.40 0.45
 HepTool Demounting Tool 10/28mm 15/22mm	10 15	HX77/10W HX77/15W	10 10	2.40 1.97
 Cold Forming Bend Fixture Metal with passivate finish	15 22	HX75/15 GR HX75/22 GR	5 5	2.46 3.45
 Pipe Cutter – Scissor Type Standard		HD74 GR	1	20.33
 Pro Cutter		HD75 GR	1	50.10
 Pipe Cutter – Ratchet Type up to 42mm pipe up to 28mm pipe		HD77 GR HD78 GR	1 1	73.86 51.26
 Hep₂O Joint Test Kit Hep ₂ O Joint Test Kit		HX81 GR	1	587.52
 Pipe Clips – Screw	15 22 28	HX85/15W HX85/22W HX85/28W	50 50 50	0.38 0.38 0.62
 Pipe Clip – Spacers	15 22	HX86/15W HX86/22W	20 20	0.28 0.38
 Pipe Clip Cable Type	10 15 22 28	HX65/10W HX65/15W HX65/22W HX65/28W	50 50 50 50	0.23 0.38 0.38 0.46
 Hep₂O Silicone Lubricant Spray 400ml aerosol can Hep ₂ O fittings		HX200	1	13.97
 Flat Tap Connector Washers – Rubber	15 22	HX58/15 GY HX58/22 GY	20 20	p/pack 5.37 p/pack 5.37
 Conical Tap Connector Washers – Rubber	15 22	HX57/15 GR HX57/22 GR	20 20	p/pack 5.37 p/pack 5.37

Hep₂O Flexible Plumbing

Conduit system

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Conduit Pipe				
 25.0m	15	HXC25/15 BL	1	42.72
50.0m	15	HXC50/15 BL	1	85.51
25.0m	22	HXC25/22 BL	1	53.45
50.0m	22	HXC50/22 BL	1	106.35
Conduit Junction Box				
		HX100 BL	1	7.09
Conduit Junction Box Lid				
		HX104 BL	1	2.37
Conduit Terminal				
	15	HX101/15W	2	9.87
Terminal Back Plate				
		HX103 BL	1	1.97

Discover our broad portfolio at www.wavin.co.uk


Water management

Plumbing and heating

Waste water drainage

Water and gas distribution

Datacom



Wavin is part of Orbia, a community of companies working together to tackle some of the world's most complex challenges. We are bound by a common purpose: To Advance Life Around the World.



Wavin Limited | Registered Office | Edlington Lane | Doncaster | DN12 1BY
Tel. 0844 856 5152 | www.wavin.co.uk | info@wavin.co.uk

Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions.

© 2021 **Wavin Limited** reserves the right to make alterations without prior notice. Due to continuous product development, changes in technical specifications may change. Installation must comply with the installation instructions.