

PRODUCT SELECTOR

Solid hardwood floors
Suitable for use with underfloor heating


JUNCKERS
Walking on Danish design

JUNCKERS.CO.UK



W A L K I N G O N D A N I S H D E S I G N

ABOUT JUNCKERS

**WITH JUNCKERS AS A
PROFESSIONAL PARTNER,
YOU ARE ALWAYS
ENSURED PROPER
TECHNICAL SERVICE
BEFORE, DURING AND
AFTER A PROJECT.**

Junckers Industrier A/S is Europe's leading manufacturer of solid wood flooring for the sports, residential and commercial segments.

At the same time, we are the only flooring company in the market that can complement our products with a carefully balanced range of our own woodcare products for regular maintenance and renovation of wooden floors. Therefore Junckers is always able to provide a complete solution regardless of the task at hand.

All our wood floors and wood-care products are produced in Denmark and are therefore developed using solid traditions of Danish craftsmanship.

Junckers products are produced locally, which means we can focus on individual customer requirements. The advice and guidance from our professional team comes from their close involvement with the design and manufacture of our products.

Junckers is represented in more than 30 countries through 7 subsidiaries and a network of distributors and agents. Exports account for two-thirds of the total sales and the products are sold in more than 45 countries worldwide.

OUR FLOORS WORK WITH UNDER FLOOR HEATING

Junckers is the only solid hardwood floor manufacturer guaranteeing that our floors work with under floor heating.

Every year we supply thousands of square metres of solid hardwood flooring for use with under floor heating, and we have been doing this for over 25 years – all without problem.

CONTENTS

2	ABOUT JUNCKERS
4	A WIDE PRODUCT RANGE
6	2 STRIP FLOORING
8	PLANK FLOORING
12	TEXTURED AND COLOURED PLANK FLOORS
14	OTHER OPTIONS WITH TEXTURED FLOORS
16	TWIN HERRINGBONE FLOORS
18	HERRINGBONE FLOORS - SINGLE STAVES AND PLANKS
19	HEXPARKET



We are able to draw upon a wealth of experience gained in many types of building and with many under floor heating systems. Whether your floor is in a residential property, shop, office, sports hall or dance studio, you get the same reliable performance that underpins all Junckers hardwood floor systems.

For the designer, Junckers floor systems are very easy to use with under Floor Heating, often it is unnecessary to alter the hardwood floor system in any way to include the heating system and we have yet to find a heating system which cannot be used with our floors.

We offer full technical and design back up for all our systems so you can be sure that the floor will perform at its best. For the client and end-user you have a floor which is tried and tested, properly designed and one which will provide you with decades of trouble-free service.

SUSTAINABILITY ABOVE ALL!

- No waste - The whole log is used in the production process.
- PEFC™ and FSC® certified to ensure legal and sustainable forestry.
- CE-marked, ensures compliance with the EU legislation relating to safety, health and environment.
- Danish Indoor Climate labelled, ensures no presence of chemical substances to affect the air quality of the room.
- Certified according to environmental management system ISO 14001
- Contributes positively to LEED, DGNB and BREEAM certification of buildings.
- Junckers is a CO2-neutral company!



Ask Junckers for FSC® or PEFC™ certified products



A WIDE PRODUCT RANGE

ALLOWS INDIVIDUAL EXPRESSION

Combine wood species, grain features and even a ships decking look with a choice of lacquer, oil, texture or colour surface treatments.



2 STRIP WOODEN FLOORING

Designed from individually selected solid hardwood strips.
Authentic and with a unique character.



PLANK FLOORING

Designed from one piece of solid hardwood.
Fashionable and with a timeless expression.



HERRINGBONE FLOORING

Creates an exclusive and elegant feel to the room



HEXPARKET

by Carpenter CPH & Hartmann
Design with nature's perfect pattern

2 STRIP WOODEN FLOORING

UP TO THREE DIFFERENT STYLES

CLASSIC:

Uniform look with very little colour and structural graining variation.

HARMONY:

Natural look with a more natural range of colour and structural graining variation.

VARIATION:

A rustic look with substantial colour and graining variation.


BEECH

Thickness: 14/22 mm

Width: 129 mm

Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with a uniform structure, white to reddish heartwood and a red-brown grain pattern. The classic floor.




BEECH NORDIC

Thickness: 14/22 mm

Width: 129 mm

Surface: Ultra matt lacquer

A Beech floor board with a white toned surface. Adds a light Scandinavian touch to the floor.






BEECH SYLVAKET

Thickness: 14/22 mm

Width: 129 mm

Surface: Clear oil, ultra matt and silk matt lacquer

A Beech floor board coloured through its full thickness. Can be sanded without loss of colour. Adds a warm golden glow to the floor.



BEECH SYLVAKET NORDIC

Thickness: 14/22 mm

Width: 129 mm

Surface: Ultra matt lacquer

A Beech floor board coloured through its full thickness in combination with a white toned surface. An appearance very similar to Oak.





BEECH SYLVARED

Thickness: 14/22 mm

Width: 129 mm

Surface: Ultra matt and silk matt lacquer

A Beech floor board coloured through its full thickness in combination with a warm red stain. An interesting alternative to exotic wood species like Merbau and Mahogany.




OAK

Thickness: 14/22 mm

Width: 129 mm

Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with a warm and golden glow and an interesting grain structure.
Natural ageing gives the wood an authentic appearance.




OAK NORDIC

Thickness: 14/22 mm

Width: 129 mm

Surface: Ultra matt lacquer

An Oak floor board with a white toned surface.
Adds a light Scandinavian touch to the floor.




MAPLE

Thickness: 22 mm

Width: 129 mm

Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with a light colour and a very uniform grain pattern. A very elegant floor.



ASH

Thickness: 22 mm

Width: 129 mm

Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with an elegant, light appearance combined with a characteristic dark grain pattern.
Over time, the natural ageing gives Ash a warm and golden glow.




ASH NORDIC

Thickness: 22 mm

Width: 129 mm

Surface: Ultra matt lacquer

An Ash floor board with a white toned surface.
Adds a light Scandinavian touch to the floor.




BLACK OAK

Thickness: 14/22 mm

Width: 129 mm

Surface: Clear oil and ultra matt lacquer

An Oak floor board coloured through its full thickness. Can be sanded without loss of colour.
Adds a very dark appearance similar to Oak preserved in a bog for centuries.



*Black Oak with clear oil: Refresh with Junckers TopOil right after installation.
Transportation and handling on site can cause a slightly worn look on oiled dark wood species.*

PLANK COLLECTION

UP TO THREE DIFFERENT STYLES

CLASSIC:

Uniform look with very little colour and structural graining variation.

HARMONY:

Natural look with a more natural range of colour and structural graining variation.

VARIATION:

A rustic look with substantial colour and graining variation.

15MM OAK

Thickness x width: 15 x 129 mm

Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.

20.5MM OAK

Thickness x width: 20,5 x 140 mm

Surface: Clear oil, ultra matt and silk matt lacquer

A floor board with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.

15MM OAK NORDIC

Thickness x width: 15 x 129 mm

Surface: Ultra matt lacquer

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

20.5 MM OAK NORDIC

Thickness x width: 20,5 x 140 mm

Surface: Ultra matt lacquer

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

BLACK OAK

Thickness x width: 15 x 129 mm / 20,5 x 140 mm

Surface: Clear oil and Ultra matt lacquer

An Oak floor board coloured through its full thickness. Can be sanded without loss of colour. Adds a very dark appearance similar to Oak preserved in a bog for centuries.



*Black Oak with clear oil: Refresh with Junckers TopOil right after installation.
Transportation and handling on site can cause a slightly worn look on oiled dark wood floors.*

For a truly superior look, choose Junckers Boulevard floors - Solid hardwood oak planks 185 mm wide. Extra width and extra luxury. The planks convey a sense of style and class that looks outstanding in any room.



OAK BOULEVARD

Thickness: 20,5 mm

Width: 185 mm

Surface: Clear oil, ultra matt or silk matt lacquer

A floor board with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.



OAK NORDIC BOULEVARD

Thickness: 20,5 mm

Width: 185 mm

Surface: Ultra matt lacquer

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.




BLACK OAK BOULEVARD

Thickness: 20,5 mm

Width: 185 mm

Surface: Clear oil or ultra matt lacquer

An Oak floor board coloured through its full thickness. Can be sanded without loss of colour. Adds a very dark appearance similar to Oak preserved in a bog for centuries.



*Black Oak with clear oil: Refresh with Junckers TopOil right after installation.
Transportation and handling on site can cause a slightly worn look on oiled dark wood species.*

COLOUR RANGE

2 STRIP AND PLANK

Coloured Hardwood Flooring can sometimes be the final touch that brings a room to life. Choose from a broad variety of colours to get a completely unique look.

DARK COCO

Beech 2 Strip Harmony

Thickness: 14/22 mm Width: 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness: 20,5 mm Width: 140/185 mm

Surface: Ultra matt lacquer



RAW SUGAR

Beech 2 Strip Harmony

Thickness: 14/22 mm Width: 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness: 20,5 mm Width: 140/185 mm

Surface: Ultra matt lacquer



SMOOTH RUM

Beech 2 Strip Harmony

Thickness: 14/22 mm Width: 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness: 20,5 mm Width: 140/185 mm

Surface: Ultra matt lacquer



WILD HAZEL

Beech 2 Strip Harmony

Thickness: 14/22 mm Width: 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness: 20,5 mm Width: 140/185 mm

Surface: Ultra matt lacquer



SPICY PEPPER

Beech 2 Strip Harmony

Thickness: 14/22 mm Width: 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness: 20,5 mm Width: 140/185 mm

Surface: Ultra matt lacquer



TENDER OLIVE

Beech 2 Strip Harmony

Thickness: 14/22 mm Width: 129 mm

Surface: Ultra matt lacquer




BLACK OIL

Beech 2 Strip Harmony

Thickness: 14/22 mm Width: 129 mm

Surface: Black Oil



WHITE BEECH

Beech 2 Strip

Thickness: 14/22 mm **Width:** 129 mm

Surface: Ultra matt lacquer

NATURAL PEARL

Oak 2 Strip Harmony

Thickness: 14/22 mm **Width:** 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm

Surface: Ultra matt lacquer

GOLDEN PEARL

Oak 2 Strip Harmony

Thickness: 14/22 mm **Width:** 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm

Surface: Ultra matt lacquer

SILVER PEARL

Oak 2 Strip Harmony

Thickness: 14/22 mm **Width:** 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm

Surface: Ultra matt lacquer

DRIFTWOOD GREY

Oak 2 Strip Harmony

Thickness: 14/22 mm **Width:** 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm

Surface: Ultra matt lacquer

OYSTER GREY

Beech 2 Strip Harmony

Thickness: 14/22 mm **Width:** 129 mm

Surface: Ultra matt lacquer

TWILIGHT GREY

Beech 2 Strip Harmony

Thickness: 14/22 mm **Width:** 129 mm

Surface: Ultra matt lacquer

NORDIC WHITE PLUS

Oak 2 Strip Harmony

Thickness: 14/22 mm **Width:** 129 mm

Surface: Ultra matt lacquer

Oak plank Harmony

Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm

Surface: Ultra matt lacquer



TEXTURED AND COLOURED PLANK FLOORS

Junckers textured oak floors have a distinct surface created by a special brushing technique. By removing the softer sapwood from the upper surface of the wood, the tougher and darker heartwood is raised, showing off the lively grain structure in a silky-soft surface.

The addition of a surface colour and a beautiful tactile surface texture combine to make the ultimate floor with unique style and personality.

DRIFTWOOD GREY

Oak plank Harmony

Thickness: 20,5 mm

Width: 140/185 mm

Surface: Ultra matt lacquer



FROSTED WHITE

Oak plank Harmony

Thickness: 20,5 mm

Width: 140/185 mm

Surface: Ultra matt lacquer




RAW SUGAR, DARK COCO, SPICY PEPPER

Oak plank Harmony

Thickness: 20,5 mm

Width: 140/185 mm

Surface: Ultra matt lacquer



VISTA GREY

Oak plank Harmony

Thickness: 20,5 mm

Width: 140/185 mm

Surface: Ultra matt lacquer





TEXTURED 2 STRIP AND PLANK FLOORS IN NATURAL WOOD COLOURS

Textured hardwood adds a whole new dimension to the floor and room. Combining the stunning looks of wooden floors, with the textured details adds an extra sensory dimension to the experience.

OAK

Oak 2 Strip Harmony

Thickness: 14/22 mm **Width:** 129 mm

Surface: Untreated, clear oil, nordic, ultra matt and silk matt lacquer



15mm Oak plank Harmony

Thickness x width: 15 x 129 mm

Surface: Untreated, clear oil, nordic, ultra matt and silk matt lacquer



20.5mm Oak plank Harmony

Thickness x width: 20,5 x 140/185 mm

Surface: Untreated, clear oil, nordic, ultra matt and silk matt lacquer



BLACK OAK

Black Oak 2 Strip Harmony

Thickness: 14/22 mm **Width:** 129 mm

Surface: Untreated, clear oil and ultra matt lacquer



Black Oak plank Harmony

Thickness x width: 15 x 129 mm / 20,5 x 140/185 mm

Surface: Untreated, clear oil and ultra matt lacquer





TRADITIONAL PATTERNS

THE TWIN HERRINGBONE RANGE

Twin Herringbone is inspired by traditional Herringbone flooring, but now with a twist and an exclusive look.

Each floor board consists of two rows of staves. One row with a full length stave and one row with two half-length staves.



OAK

Thickness x width x length:

14/22 mm x 129 mm x 516,6 mm

Surface: Clear oil, Silk matt lacquer or ultra matt lacquer



TWIN HERRINGBONE COLOURS - GRADE HARMONY

BEECH



Surface: Clear oil, ultra matt and silk matt lacquer

BEECH SYLVAKET



Surface: Clear oil, ultra matt and silk matt lacquer

BEECH SMOOTH RUM



Surface: Ultra matt lacquer

BEECH RAW SUGAR



Surface: Ultra matt lacquer

BEECH OYSTER GREY



Surface: Ultra matt lacquer

OAK



Surface: Clear oil, ultra matt and silk matt lacquer

OAK DRIFTWOOD GREY



Surface: Ultra matt lacquer

ash nordic (Available only in 22mm)



Surface: Ultra matt lacquer

BEECH NORDIC



Surface: Ultra matt lacquer

BEECH SYLVAKET NORDIC



Surface: Ultra matt lacquer

BEECH WILD HAZEL



Surface: Ultra matt lacquer

BEECH SPICY PEPPER



Surface: Ultra matt lacquer

BEECH TWILIGHT GREY



Surface: Ultra matt lacquer

OAK NORDIC



Surface: Ultra matt lacquer

BLACK OAK



Surface: Clear oil

WHITE BEECH



Surface: Ultra matt lacquer

BEECH SYLVARED



Surface: Ultra matt and silk matt lacquer

BEECH DARK COCO




Surface: Ultra matt lacquer

BEECH TENDER OLIVE



Surface: Ultra matt lacquer

BEECH BLACK OIL



Surface: Black oil

OAK NORDIC WHITE PLUS



Surface: Ultra matt lacquer

ASH (Available only in 22mm)



Surface: Clear oil, ultra matt and silk matt lacquer

TRADITIONAL PATTERNS

HERRINGBONE FLOORING - SINGLE STAVES AND PLANKS

Wooden floors in geometric pattern, tell stories of castles, classical mansions, galleries and museums. The aesthetics and timeless elegance of a herringbone floor is unique and this is why it forms a key design element in heritage, period and contemporary architecture.

Tongued and grooved single staves or planks. Can be installed in numerous patterns.





SINGLE STAVES

Oak
Thickness: 15/22 mm
Short stave: 58.3 x 467.6 mm
Long stave: 62.1 x 623.5 mm
Surface: Untreated to be sealed on site



SINGLE STAVES - PLANKS

Thickness x width x length:
20.5 x 140 x 701 mm
15 x 129 x 775 mm
Surface: The floor is delivered surface treated from factory and is available in the exact same variety of surfaces as Junckers Plank Flooring.



*Black oak with clear oil: Refresh with Junckers Rustic TopOil right after installation.
Transportation and handling on site can cause a slightly worn look on oiled dark wood species.*

CONTEMPORARY PATTERN FLOORS

HEXPARKET

BY CARPENTER & HARTMANN

Shapes and patterns in nature have a great impact on architecture and interior design. We let ourselves be inspired and the hexagon - a pattern based on equilateral triangles - is just one of several basic geometric patterns emerged by forces of nature and basic mathematics. Just take a look at a beehive, snow crystals or the shape of certain flowers.



OAK

Thickness: 20.5 mm

Size: 370 x 370 x 370 mm

Surface: Untreated to be sealed on site



BLACK OAK

Thickness: 20.5 mm

Size: 370 x 370 x 370 mm

Surface: Untreated to be sealed on site



*Black oak with clear oil: Refresh with Junckers Rustic TopOil right after installation.
Transportation and handling on site can cause a slightly worn look on oiled dark wood species.*



JUNCKERS

Walking on Danish design