

DIMENSIONS (mm)

Width: 1187/1274/1741/2061

Depth: 1270/1319

Height: 970/1000

Width of passage: 530/600/765/900

Glass height: 915/920/1700

CONSTRUCTION

Standard finish in stainless steel, other options are available

DATASHEET

SPEED GATES

FULL CABINET

Safetell's Full Cabinet Speed Gates provide a sleek entrance control and anti-tailgating solution to a building or secure area. Typical applications include airports, authorised personnel entry points, government buildings, corporate buildings, museums, theatres, arenas, stadiums, leisure centres and gyms.

MAIN FEATURES

- Easy setup – easy configuration of operation modes and functions via the touch panel
- LED pictograms – shows active/inactive traffic directions in the passage, the red arrow shows the inactive/blocked traffic direction and the green arrow shows the active/unblocked traffic direction
- Sound signalling – an alarm sounds in unusual situations e.g. two people trying to pass through, unauthorised access or an unauthorised object in the movement detection area
- Emergency exit – the gate remains open in case of a power failure
- Overload protection – all gates have additional overload protection systems to stop the wings and sound the alarm if an obstacle is detected
- Sensor array – system software analyses sensor signals to detect two people trying to pass through at once, or a person passing without authorisation

OPTIONAL

- Available in different sizes and styles
- Glazing colour options include clear, dark grey, dark blue, bronze
- Finish options include Inox, Galvanised, Galvanised + RAL, RAL 5010, RAL 9003, RAL 7016














SERVICE &
MAINTENANCE
AVAILABLE

+44 (0) 1322 223 233

sales@safetell.co.uk safetell.co.uk


TECHNICAL DRAWINGS



FINISHES



CLEAR




DARK GREY



DARK BLUE




BRONZE



INOX



GALVANISED



GALVANISED + RAL



RAL 5010



RAL 9003



RAL 7016



HALF HEIGHT GLASS

Glass Height = 915mm
Width of Passage = 530 or 765mm



FULL HEIGHT GLASS

Glass Height = 1700mm
Width of Passage = 530 or 765mm



HALF HEIGHT GLASS DDA

Glass Height = 920mm
Width of Passage = 900mm



FULL HEIGHT GLASS DDA

Glass Height = 1700mm
Width of Passage = 900mm



COMPACT CAB

Height = 970mm
Width of Passage = 600mm

WE ARE FULLY ACCREDITED



+44 (0) 1322 223 233

