

DIMENSIONS (mm)

Width: 1279 Depth: 1296

Height: 1013 or 1032

Width of passage: 650 or 800 or 900

Glass height: 905 or 1303

CONSTRUCTION

Simplified fixing to a foundation due to glued anchor bolts (anchors not included)

DATASHEET

SPEED GATES

GLASS CABINETS

Safetell's Glass Cabinet Speed Gates provide an aesthetically pleasing entrance control and anti-tailgating solution to a building or secure area. Typical applications include airports, authorised personnel entry points, government buildings, corporate buildings, museums, theatres, arenas, stadiums, leisure centres and gyms.

MAIN FEATURES

- Easy set up a control panel equipped with a display and a multifunction selector allows easy setup of functions and operating modes
- LED icons show active/inactive traffic directions in the passage
- Sound signalling an alarm sounds when an unusual situation occurs, e.g. two people trying to pass in the same or opposite directions without authorisation, unauthorised access or an unauthorised object within the movement detection area
- Emergency exit the gate remains open of a power failure
- Sensor array system software detects if two people try to pass through at one time or an unauthorised person tries to enter
- Overload protection all gates have additional overload protection systems to stop the wings and sound an alarm if an obstacle is detected
- Standard finish is stainless steel

OPTIONAL


- Optional finishes include RAL 9003, RAL 7016, RAL 5010, RAL 6002
- Glazing colour finishes include clear, dark grey, dark blue, bronze



SERVICE &
MAINTENANCE
AVAILABLE

+44 (0) 1322 223 233

TECHNICAL DRAWINGS



FINISHES





















INOX

GALVANISED

GALVANISED + RAL

RAL 5010

RAL 9003

RAL 7016



SQUARE CAB Glass Height = 905mm Width of Passage = 650 or 900 mm



SQUARE CAB Glass Height = 1303mm Width of Passage = 650 or 900mm









WE ARE FULLY ACCREDITED











