
FENCE TOPPINGS

Fence spikes can be used on our fencing and gates or in and around the perimeter to increase levels of security against intrusion, damage, acts of vandalism or terrorism. In some cases, the installation of security extras may require planning permission or building regulations approval, if in doubt, please consult your relevant Local Authority department.

ROTA SPIKE®

The ultimate fence and gate topping deterrent Rota Spike® can also be utilised on buildings, to protect vulnerable points, for example windows and roof parapets.

- Supplied 6m lengths or to suit
- Inner tube 41.5mm Ø
- 70 Rota Spike® per tube per 6m
- Fixed at 3m centres (top of wall)
- Fixed at 2m centres (face of wall)
- Spikes to rotate making it virtually impossible to climb over



VIPER SPIKE®

Viper Spike® represents a new dimension in security - more imposing than barbed wire, it offers a formidable deterrent to the would-be climber. Designed to form a three dimensional barrier, its strong 170mm long 10mm diameter spikes are complete with extremely sharp points.


- 1.1m long
- 40 x 6mm flat bar
- 9 pairs of spikes 10mm diameter
- Width (including spikes) 230mm
- Height 170mm



VIPER SPIKE® 3

Viper Spike® 3 is designed to prevent intruders from climbing drainpipes or other vertical structures. Available at 200mm wide x 150mm stand-off as standard or made to measure to suit applications.


- 100mm deep x 230mm high x 170mm wide
- 8 pairs of spikes
- 40 x 60mm flat bar



COBRA SPIKE®

Cobra Spike® security topping is a Secured by Design accredited product designed for use on the tops of fences, gates or walls.

- 1.5m long with 110mm spikes
- Pitch of spikes 80mm and depth of spikes 95mm
- Width of base approximately 50mm



COBRA SPIKE® ROTARY

Cobra Spike® Rotary is made up of two lengths of modified Cobra Spike® affixed to a 3.0m x 41mm galvanised tube.


- 3.0m long x 180mm wide x 270mm high
- Easy to install
- Virtually impossible to climb over

We recommend that spikes should be attached to wall and fences at a minimum height of 2.5m, with warning signs every 10m or change in direction.

SENTRY COMB

Sentry Comb is made up of a double row of 25mm high sharp-pointed steel double comb for additional security.

- 25mm high
- Double row
- Easy to install




BARBED WIRE AND TAPE

A range of galvanised barbed tape and wire is available to further enhance the perimeter security in different applications whether as a fence and gate topping or in drop zones.

CONCERTINA RAZOR WIRE

COIL DIAMETER (mm)	EXTENDED DIAMETER (mm)	APPROX COIL LENGTH (M)
450	400	8
710	620	10
980	820	10



BARBED WIRE ROLL

STRANDS	GAUGE (mm)	APPROX COIL LENGTH (mm)
2	1.7	200

FLAT BARBED TAPE

COIL HEIGHT (mm)	APPROX COIL LENGTH (mm)
500	14
700	14
900	14

