

# Bevel Brick

Glazed Ceramic  
Wall Tiles




---

 **Bevel Brick** is available in **one** versatile slim-format size option.

---

**Size**




200 x 100mm

---


**Thickness**

200 x 100mm - 6.5mm thick

---

 **One finish**, combining both form and function.

Example below is not to scale but has been enlarged to show detail:



---

**Gloss**



## Seven colours, offering a neutral and contemporary palette.

For the most up-to-date availability information, please visit our website.



White

### White


Size	Finish
200 x 100mm	Gloss BVBR1A



Cream

### Cream

Size	Finish
200 x 100mm	Gloss BVBR2A



Black

### Black

Size	Finish
200 x 100mm	Gloss BVBR3A



Red

### Red

Size	Finish
200 x 100mm	Gloss BVBR4A



Sage

---

### Sage

Size	Finish
	Gloss
200 x 100mm	BVBR5A

---




Light Grey

---

### Light Grey

Size	Finish
	Gloss
200 x 100mm	BVBR6A

---



Dark Grey

---

### Dark Grey

Size	Finish
	Gloss
200 x 100mm	BVBR7A

---

---

**Bevel Brick** will bring any interior space alive. Fix the 200 x 100mm size format of Bevel Brick in different patterns; such as herringbone or with coloured grouts for stunning results.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

---

### Specification

200 x 100mm

Wall	Floor	Shade Variation	Material	Finish
Internal	-	V1	Glazed Ceramic [BIII]	Gloss

---

### Colour Notations

Colour	Code	NCS	LRV
Black	BVBR3A	9000-N	4
Cream	BVBR2A	1505-Y40R	62
Dark Grey	BVBR7A	5502-B	21
Light Grey	BVBR6A	3005-R50B	42
Red	BVBR4A	1580-Y90R	14
Sage	BVBR5A	3005-G50Y	42
White	BVBR1A	1002-Y50R	73

**Note:** These results are from Johnson Tiles' internal test reports and are to be used for guidance only.  
LRV: Light Reflectance Value (Reflectance Y).

Front Cover Image: **Bevel Brick Black**

---

### Samples

Tel: +44 (0)1782 524043  
Fax: +44 (0)1782 577379  
Email: [samples@johnson-tiles.com](mailto:samples@johnson-tiles.com)

### Technical Helpline

Tel: +44 (0)1782 524111  
Fax: +44 (0)1782 577379  
Email: [techadvice@johnson-tiles.com](mailto:techadvice@johnson-tiles.com)