


JOHNSON • TILES

Absolute Collection



Tactile

Un-glazed Porcelain
Wall and Floor Tiles



Tactile is available in **one** bold and impactful size.

Size




400 x 400mm

Thickness


All tiles in this range are 10mm thick.

Two finishes combine form and function.

Examples below are not to scale but have been enlarged to show detail:



Blister



Corduroy


Two colours offering a neutral and contemporary palette.



Stone

Stone

Size	Finish	
400 x 400mm	Blister	Corduroy
		KCORD2



Graphite

Graphite

Size	Finish	
400 x 400mm	Blister	Corduroy
	KBLIS1	KCORD1



Tactile Stone Corduroy

Tactile, a range of textured warning floor tiles to assist the visually impaired. Complete with a corundum finish for added slip resistance.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

Specification

Size - All sizes

Wall	Floor	Wet barefoot	Material	Finish
Internal and external	Internal and external	-	Un-glazed Porcelain	Various

Floor values - Blister

Pendulum 4S	R value	Shade variation	Wet ramp	Traffic
-	-	VI	-	Commercial

Floor values - Corduroy

Pendulum 4S	R value	Shade variation	Wet ramp	Traffic
-	-	VI	-	Commercial

Due to the highly profiled surface of Tactile, we are unable to carry out a pendulum test. Given this, we suggest you refer to our website or call our technical helpline for the most up-to-date information.

Colour notations

Code	Colour	NCS	LRV
KBLIS1/KCORD1	Graphite	7502-R	11
KCORD2	Stone	2005-Y30R	56

Note: These results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value (Reflectance Y).

Front cover image: **Tactile Stone Corduroy and Kerastar Hail Natural**

Samples

Tel: +44 (0) 1782 524043
Fax: +44 (0) 1782 577379
Email: samples@johnson-tiles.com



Technical helpline

Tel: +44 (0) 1782 524111
Fax: +44 (0) 1782 577379
Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

© 2017 Johnson Tiles.
All rights reserved.