

# Polar

Glazed Ceramic  
Wall Tiles




---

 **Polar** is available in **two sizes**, with scored options perfectly designed for seamless installation.

---


**Sizes**



300 x 200mm



300 x 200mm  
Scored One Way



300 x 200mm  
Scored Two Ways



200 x 200mm

---


**Thickness**

300 x 200mm = 8mm  
200 x 200mm = 6.5mm

---

 **Five finishes**, combining form and function.


Examples below are not to scale but have been enlarged to show detail:




**Gloss**



**Bumpy Gloss**



**Gloss Wave**



**Satin**



**Satin Structured**

 **One colour**, offering a refreshingly simple palette.

For the most up-to-date availability information, please visit our website.



**White**

**White**

Sizes	Finishes		
	Gloss	Bumpy Gloss	Gloss Wave
200 x 200mm	PRG I	ALPN I A	-
300 x 200mm	PURE I A	ALPN I A	PURE I W
300 x 200mm Scored One Way	PURE I E	-	-
300 x 200mm Scored Two Ways	PURE I F	-	-
		Satin	Satin Structured
200 x 200mm	PRS I 2	-	-
300 x 200mm	CLAS I A	CLAS I L	-
300 x 200mm Scored One Way	CLAS I E	-	-



**Polar White Satin and White Satin Structured 300 x 200mm**

---

**Polar** white tiles are perfect for adding sophistication and elegance to busy spaces. Reflecting light, they can also make a room feel clean, cool and refreshingly simple.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

---

## Specification

### Size - All Sizes

Wall	Floor	Wet Barefoot	Material	Finish
Internal	-	-	Glazed Ceramic	Various

---

## Colour Notations

Colour	Code	NCS	LRV
White	PURE I /ALPN I A/PRG I	0500-N	86
White	CLAS I /PRS I 2	0603-Y80R	81

**Note:** These results are from Johnson Tiles' internal test reports and are to be used for guidance only.  
LRV: Light Reflectance Value (Reflectance Y).

Front Cover Image: **Polar White Gloss and White Scored One Way Gloss 300 x 200mm**

---

## Samples

Tel: +44 (0)1782 524043  
Fax: +44 (0)1782 577379  
Email: [samples@johnson-tiles.com](mailto:samples@johnson-tiles.com)

## Technical Helpline

Tel: +44 (0)1782 524111  
Fax: +44 (0)1782 577379  
Email: [techadvice@johnson-tiles.com](mailto:techadvice@johnson-tiles.com)

