Intro Collection



7 Colours



1 Finish






Country Stones Glazed Vitrified

Wall Tiles



Country Stones is available in **two sizes**, perfectly designed for seamless installation.



Thickness

All tiles in this range are 6.5mm thick.

One finish

Example below is not to scale but has been enlarged to show detail:



Satin

Seven colours offering a neutral and contemporary palette.



Midnight



Summer Storm



Hearth Grey



Dovetail



Millstone White



Barley Cream



Clay Brown



Midnight

Midnight		
Size	Finish	
	Satin	
100 x 100mm	COS07A	
200 x 100mm	COS07A	



Summer Storm

Summer Storm	
Size	Finish
	Satin
100 x 100mm	COS06A



Hearth Grey

Hearth Grey		
Size	Finish	
	Satin	
100 x 100mm	COS05A	
200 x 100mm	COS05A	



Dovetail

Dovetail		
Size	Finish	
	Satin	
100 x 100mm 200 x 100mm	COS04A COS04A	



Millstone White

Millstone White		
Size	Finish	
	Satin	
100 x 100mm	COS03A	
200 x 100mm	COS03A	



Barley Cream

Barley Cream		
Size	Finish	
	Satin	
100 x 100mm	CO\$02A	
200 x 100mm	COS02A	



Clay Brown

Clay Brown		
Size	Finish	
	Satin	
100 x 100mm	COSOIA	

Country Stones, a beautiful collection of glazed vitrified tiles. Gentle muted tones that work perfectly on their own, or mixed together to create stunning designs.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

Specification

Size - All sizes

Wall	Floor	Wet barefoot	Material	Finish
Internal	_	_	Glazed Vitrified	Satin

Colour notations

Code	Colour	NCS	LRV
COS02A	Barley Cream	2005-Y40R	54
COSOIA	Clay Brown	5010-Y10R	24
COS04A	Dovetail	2005-Y50R	53
COS05A	Hearth Grey	4005-Y50R	31
COS07A	Midnight	8000-N	8
COS03A	Millstone White	1505-Y50R	62
COS06A	Summer Storm	6500-N	16

Note: These results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value (Reflectance Y).

Front cover image: Country Stones Clay Brown, Barley Cream and Dovetail

Samples

Tel: +44 (0) | 782 524043 Fax: +44 (0) | 782 577379

Email: samples@johnson-tiles.com



Technical helpline

Email: techadvice@johnson-tiles.com