



Shimmer

Glazed Ceramic and Vitrified
Wall and Floor Tiles



Shimmer is available in **two sizes**, perfectly designed for easy installation.

Size



600 x 200mm



316 x 316mm

Thickness

All tiles in this range are 9.5mm thick.


One finish

Example below is not to scale but has been enlarged to show detail:



Satin

Three colours offering a neutral and contemporary palette.



Warm White **PEI IV**

Warm White

Size

316 x 316mm
600 x 200mm

Finish

Satin

SHI01F
SHI01A



Platinum **PEI III**

Platinum

Size

600 x 200mm

Finish

Satin

SHI02A



Buff Steel **PEI II**

Buff Steel

Size

316 x 316mm
600 x 200mm

Finish

Satin

SHI03F
SHI03A

Shimmer offers three contemporary colours, complete with a stylish silver effect finish. Try combining different colours from within the palette to create zoned areas.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

Specification

Size - 600 x 200mm

Wall	Floor	Wet barefoot	Material	Finish
Internal	-	-	Glazed Ceramic	Satin

Size - 316 x 316mm

Wall	Floor	Wet barefoot	Material	Finish
Internal	Internal	-	Glazed Vitrified	Satin

Floor values

Colour	Pendulum 4S	R value	Shade variation	Wet ramp	Traffic
Warm White	Dry 36+ Wet 0 - 24	-	V2	-	Commercial
Buff Steel	Dry 36+ Wet 25 - 35	-	V2	-	Domestic

Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, we suggest you refer to our website or call our technical helpline for the most up-to-date information.

Colour notations

Code	Colour	NCS	LRV
SHI03A/3F	Buff Steel	6005-Y80R	18
SHI02A	Platinum	2500-N	50
SHI01A	Warm White	1000-N	74
SHI01F	Warm White	1500-N	65

Note: These results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value (Reflectance Y).

Front cover image: **Shimmer Warm White and Buff Steel**

Samples

Tel: +44 (0) 1782 524043
Fax: +44 (0) 1782 577379
Email: samples@johnson-tiles.com



Technical helpline

Tel: +44 (0) 1782 524111
Fax: +44 (0) 1782 577379
Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

© 2017 Johnson Tiles.
All rights reserved.