

CONCRETE SIKA ADMIXTURES TECHNOLOGY





WE UNDERSTAND AND SUPPORT YOUR BUSINESS

EXPERIENCE AND MARKET LEADERSHIP IN CONSTRUCTION CHEMICALS

Since 1910 Sika has provided products and systems with a clear mission: to optimise the construction process. We can contribute significantly to improved performance, enhanced quality and reduced overall costs, in every construction project.

PROVEN COMPETENCE IN CEMENT AND CONCRETE

Cement and concrete are core competencies of Sika. From the production of cement to extensive ready-mix concrete operations; from site-batched concrete on large projects to precast concrete in factory conditions. We can solve technical

problems, and bring improvements to your production processes. We can generate "added value" for your customers and create new opportunities for your business.

SPECIFIED SIKA SOLUTIONS IN MAJOR CONSTRUCTION PROJECTS, WORLDWIDE

Sika specialists provide extensive support to project owners and engineers in the planning, design and specification phases. Sika products and systems are widely specified worldwide. They are used in tunnels, bridges, power plants, industrial facilities, logistics centres, housing, education, health and office projects – all types of concrete structure.

WELCOME ON EVERY CONSTRUCTION SITE, WORLDWIDE

More than 4,000 Sika specialists visit the contractors on construction sites around the world every single day. We provide special solutions and products to improve the construction process, particularly concreting, throughout the whole range of global climatic conditions and operating environments.

ADVANCED DEVELOPMENT CONCEPTS

In our research and development activities we focus on technical innovations with the greatest benefit to our customers. We operate in the same technology, market and business environments and can therefore give the additional benefit of many potential synergies

CONTENT

04	Sika Technologies for a Changing Ibdustry
06	Sika Technologies for Durable Concrete
80	Technologies for your Early and High Strength Concrete
10	Sika® ViscoCrete® Technology for Self Compacting Concrete
12	Sika Technologies for Pumped Concrete
14	Sika Technologies for Precast Concrete
16	Sika Technologies for Semi-Dry Concrete
18	Sika Technologies for Cement

FOR A SUSTAINABLE FUTURE

Sika is committed to a sustainable future, we place the highest priority on environmental considerations and on the safety of our employees and the local population.

COMMITMENT

Sika is committed to the guiding principle of Sustainable Development. Sustainable Development is a pattern of resource use that aims to meet human needs while preserving the environment so that these needs can be met not only in the present, but also for future generations, closely linking economic, ecological and social aspects. Sika puts many resources to work in support of its environmentally conscious management. Sika is committed to the global introduction

and maintenance of ISO 14001, the Environmental Management System. This international standard specifies a process for controlling and improving an organisation's environmental performance by means of an assessment of the company's activities, products, processes and services that might affect the environment.

PRODUCT ECOLOGY

We assume our responsibility for safety and the environment. The optimisation of resource consumption and the safety of products are of paramount importance in any developmental work within the company. A significant part of sustainable development is borne by the products themselves. The energy and raw material use in the production of Sika products is often compensated

for, many times over by that saved in application.

EXAMPLE

Concrete is a mixture of cement, water and aggregates such as sand and gravel. A common concrete mix design requires 200 litres of water per cubic metre of concrete. With Sika® ViscoCrete®, a new generation concrete Superplasticiser, the consumption of the precious resource water can be lowered by up to 40%.

SIKA TECHNOLOGIES FOR A CHANGING INDUSTRY

RECENT TRENDS, INCLUDING ECONOMIC AND ECOLOGICAL PRESSURES, COMBINED WITH INCREASED REQUIREMENTS FOR CONCRETE PROPERTIES AND PERFORMANCE, CREATE

NEW CHALLENGES. These are relevant for all of the parties involved in the design, planning, production and construction processes of concrete and concrete structures These factors have created a demand for improved and innovative concrete technologies, the core business of Sika. Sika can contribute significantly to your concrete technology excellence!

INNOVATION

The first Sika product was an innovative waterproofer for concrete. Since 1910 we have been recognised as a company who listens to the needs of our customers, developing innovative technologies, systems, concepts and products.

PROFESSIONAL SERVICE

Our global and regional Technology Centres and rapid technology transfer process, combined with our team of Sika specialists enables us to provide increased value for your business.

ADVANTAGES OF SIKA SOLUTIONS FOR CONCRETE TECHNOLOGY

A new chapter in concrete admixture technology, Sika® ViscoCrete® superplasticiser, was opened by Sika's innovation for concrete production at the end of the 1990's. Its unique properties allow for the production of high quality concrete and cost optimisation.

Other Sika Technologies:

- Sika® Control® shrinkage reducing admixtures
- Sika® FerroGard® corrosion inhibiting admixtures
- SikaGrind® cement additives
- SikaCrete® silicafume
- SikaPaver[®] / Plastiment[®] SD semi-dry concrete admixtures
- Sikament® / SikaPlast® water reducing and superplasticsing admixtures
- Sika® AER air entraining admixtures
- Sikatard® hydration stabilisation admixtures
- Sika® Rapid accelerating concrete admixtures
- Sika® Watertight watertight concrete admixtures
- Sika® Separol® concrete release agent



Concreting



Durable Concrete



Watertight Concrete



High Strength Concrete



Self Compacting Concrete (SCC)



Pumped Concrete



Underwater Concrete



Concrete Essentials



Concrete Systems for Floors



Semi-dry Concrete



High Early Strength Concrete

SIKA TECHNOLOGIES FOR DURABLE CONCRETE

THE KEY TO DURABLE CONCRETE PRODUCTION IS THE SELECTION OF QUALITY CONSTITUENT MATERIALS BROUGHT TOGETHER IN A DENSE CEMENT MATRIX.

This is achieved by:

- Reducing the water/cement ratio
- High consistence with a good flowability in order to fill even intricate formwork
- Proper curing which starts as soon as possible and which is maintained for a sufficient period

With the extraordinary superplasticising capabilities of Sika® ViscoCrete® technology, it is possible to reduce the water content of the concrete significantly and extend its flowability. Depending on the exposure conditions of the concrete, further improvements in durability can be obtained with the addition

ot:

- Sika® Control®-40 for the minimisation of shrinkage
- Sika® AER to ensure a defined amount of artificially entrained air voids, for increased frost and freeze/thaw resistance
- SikaCrete® silicafume to improve the density of the matrix and the bond between the cement matrix and the aggregates
- Sika® FerroGard® as a corrosion inhibitor for reinforcement steel, particularly in marine/chloride environments.
- Sika® Watertight Concrete to ensure that a structure can prevent the ingress of water and even vapour.

DURABLE CONCRETE ACHIEVED WITH SIKA TECHNOLOGIES

The durability of the concrete is a particularly important topic when designing a concrete structure. Sika technologies will ensure the achievement of your specified placing and performance requirements.

Such high durability concrete is used for the following types of applications and structures:

- Dams and watertight structures
- Sewage treatment plants and chemical plants
- Concrete structures with enhanced frost and freeze/thaw resistance such as roads and bridges

Improved durability results in:

- Prolonged service life of concrete structures
- Lower costs for maintenance and refurbishment works
- Improved appearance of the concrete surfaces
- More satisfied customers



Concreting



Carbonation ResistanceImproved carbonation resistance



Frost and Freeze/Thaw ResistanceAir entrained concrete for roads and bridges improves the durability



Watertight Concrete
Reduced permeability leads to better waterproofing properties which increase the durability of underground structures and potable water reservoirs



Abrasion Resistance Improved abrasion resistance



Chemical ResistanceTank constructions, sewage treatment plants and chemical plants require chemically resistant concrete



Reduced ShrinkageMinimised shrinkage of the concrete leads to extended service life of concrete structures

SIKA TECHNOLOGIES FOR YOUR EARLY AND HIGH STRENGTH CONCRETE

STRENGTH IN CONCRETE IS REFERRED TO AS "INITIAL/EARLY STRENGTH" OR "ULTIMATE / HIGH STRENGTH".

The critical factors influencing the strength of the concrete are:

- The type of cement
- The concrete admixtures
- The concrete temperature
- The water/cement ratio

Special Sika® ViscoCrete® products have been developed, which produce a significant increase in initial or ultimate strength. Due to the strong water reducing and plasticising effects of the Sika® ViscoCrete® technology, the water/cement ratio can be kept to a minimum and the optimum mix design can be

developed.

If it is necessary to speed up the hydration process even further, SikaRapid® technology will enable you to reach target strengths within hours.

- Sika® ViscoCrete® to reduce water contents, improve rheology characteristics and cement hydration efficiency
- SikaRapid® to improve early strength development and/or modified setting characteristics

EARLY AND HIGH STRENGTH CONCRETE ACHIEVED WITH SIKA TECHNOLOGIES

The production of early and high strength concrete with Sika® ViscoCrete® and/or SikaRapid® technology results in significant advantages:

For ready mixed concrete the advantages of early and high strength concrete are:

- Faster construction time
- Development of most cost efficient mix designs
- Lower concrete consumption (when thinner elements can be designed)
- Improved site capacity by increasing formwork rotation
- Improved service life of structure

For precast concrete the advantages of a fast and defined strength development are:

- Rapid rotation of moulds and finishing of concrete surfaces
- Early pre-stressing at low temperatures
- Reduced energy consumption for heat or steam curing
- Development of most cost efficient mix designs
- Reduced cycle times will allow the reduction of the number of moulds required



Concreting



High Early Strength for Precast ConcreteSaves energy and reduces production and material costs



Early Strength for Increased Formwork RotationReduced cost and shortened stripping times



High Strength Concrete Reduce structure thicknesses



Improved Early Strength for Slipformed Concrete Speeds up the construction process



Improved Early Strength in Cold WeatherMakes it possible to work at lower temperatures



High Strength Concrete for Ready Mixed Concrete Reduced mix cost

Sika® ViscoCrete® TECHNOLOGY FOR SELF COMPACTING CONCRETE

STRENGTH IN CONCRETE IS REFERRED TO AS "INITIAL/EARLY STRENGTH" OR "ULTIMATE / HIGH STRENGTH".

Sika® ViscoCrete® technology enables results, once thought impossible

- Excellent self compacting properties
- Significant water reductions
- Easy and simplified placing
- Excellent flow even around dense reinforcement
- Easy finishing
- High strength
- Consistent slump and flow

Sika® ViscoCrete® Self Compacting Concrete (SCC) is a concept to produce concrete, which is extremely fluid as well as cohesive. With the Sika® ViscoCrete® range of concrete admixtures, it is possible to produce a concrete which is very easy and fast to pour and place without vibration. The concrete moves effortlessly, even through intricate formwork and dense reinforcement, without bleeding or segregation.

- Sika® ViscoCrete® to reduce water contents, improve rheology characteristics and cement hydration efficiency
- Sika® Stabiliser to improve the internal cohesion properties of fresh concrete

SELF COMPACTING CONCRETE (SCC) ACHIEVED WITH SIKA TECHNOLOGIES

The outstanding properties and advantages of Sika® ViscoCrete® technology are of considerable benefit to everyone involved in the project: concrete producers, contractors, specifiers and clients.

Improved Production and Placing Process:


- Reduced labour and equipment costs
- Faster placing times
- Less finishing work
- Lower concrete consumption (when thinner elements can be produced)
- Faster turnaround of formwork and moulds

Improved Health and Safety:

- Less vibration reduces the danger of "white finger syndrome" for operatives
- Reduced vibration prevents hearing damage and improves workplace communication
- Less disturbance of other trades or neighbours

Improved Quality and Durability:

- Fewer rejects or claims
- Increased service life
- Smooth and uniform surfaces



Concreting



Improved Placing Properties

Faster placing and less finishing work on site reduces labour and equipment costs



Enhanced Workability

Simplified concreting of complicated structures, accelerates the production and the whole construction process



Outstanding Filling of Intricate Formwork

SCC allows the production of very thin elements, saving materials and increasing architectural design possibilities



Self Compacting Performance

Elimination of vibration and less noise improves the production process and working conditions



Optimised Rheology for Uniform Surfaces

Improved surface finish, even around complex details, increasing quality and durability



Excellent Flowability

With enhanced flow the concrete compacts even around dense reinforcement, improving durability

SIKA TECHNOLOGIES FOR PUMPED CONCRETE

THE DESIGN OF A SUITABLE CONCRETE MIX IS ESSENTIAL SO THAT THE CONCRETE IS PUMPABLE WITHOUT SEGREGATION AND BLOCKING OF THE PIPES

The critical factors influencing the pumpability of the concrete are:

- Low water content to prevent segregation and bleeding
- Optimised mix design with efficient use of fines and cements
- Cement and aggregate type
- Selection of correct consistence for application

With Sika® ViscoCrete® and Sika® Stabiliser technology it is possible to produce fresh concrete with the required consistence and good internal cohesion. Friction and resistance

in pipes is reduced, helping maintain pumping pressure at a more constant and lower level. Sika technology for pumped concrete allows the realisation of the most demanding and challenging concrete requirements on construction sites all over the UK. The successful construction of many structures is based on Sika technology, in combination with our experience in the development of the best mix designs.

- Sika® ViscoCrete® to reduce water contents, improve rheology characteristics and cement hydration efficiency
- Sika® Stabiliser to improve the internal cohesion properties of fresh concrete

PUMPED CONCRETE ACHIEVED WITH SIKA TECHNOLOGIES

The improved internal cohesion of fresh concrete and the reduced friction during pumping created by Sika® ViscoCrete® and Sika® Stabiliser technologies will give significant advantages:.

Increasing the performance of the concreting process will make the concrete more cost efficient with the following additional benefits:

- Faster and consistent placing
- Optimised cost of mix design with efficient use of fines/ cements
- Enables use of poorer aggregates and grading (i.e. recycled aggregates)
- Increased quality and durability
- Less blockages
- Less labour
- Longer pumping distances can be achieved
- Reduced wear on pumping equipment
- Taller heights can be reached in the construction of superstructures
- Improved concrete surfaces




Concreting



Excellent Workability

Reduced labour and manpower with easy and consistent placing of the concrete



Reduces Pump Pressure

Increased pouring speed and reduced wear of equipment



Enhanced Pumping Properties

Improved logistics with faster discharge and concreting in confined surroundings



Cohesive Mix with Improved Workability

Optimised cost of your concrete mix with lower cement content and use of more economic aggregates



Improved Cohesion

Reduced segregation and bleed



Mix Stability

Continuous pumping of concrete over taller heights and longer distances

SIKA TECHNOLOGIES FOR PRECAST CONCRETE

THE PRECAST CONCRETE INDUSTRY IS DRIVEN BY QUALITY WITH SIGNIFICANT VALUE BEING PLACED ON PRODUCTIVITY AND FACTORY EFFICIENCY.

Sika® ViscoCrete® technology is now challenging the world of precast concrete providing the possibility of optimised production.

- Excellent self compacting properties
- Easy and simplified placing
- Reduced water cement ratio
- Improved early age strengths

Sika® ViscoCrete® technology substantially improves the basic properties of concrete. The positive impact is substantial and clearly visible, particularly in outstanding workability, high early

strengths, easy finishing and fine surface finishes.

- Sika® ViscoCrete® reduce water contents, improve rheology characteristics and cement hydration efficiency
- SikaRapid® improve early strength development and/or modified setting characteristics
- Sika® Stabiliser improve the internal cohesion properties of fresh concrete
- Sika® Separol® concrete release agents provide the possibility to produce fair-faced concrete surfaces for fulfilling aesthetical requirements

PRECAST CONCRETE ACHIEVED WITH SIKA TECHNOLOGIES

The manufacture of precast concrete relies on quality constituent materials and the production process.

Sika technology now allow for the optimisation of:.

- Rapid rotation of moulds and finishing of concrete surfaces
- Improved surface finish
- Early prestressing at low temperatures
- Reduced energy consumption for heating or steam curing
- Develop the most cost-efficient mix designs
- Reduction of cycle times allows you to reduce the number of moulds needed
- Reduced cement volume and use of replacement materials
- Accelerated strength development



PROCESS OPTIMISATION

Business Improvement



Materials

Extend the use of cost effective readily available materials. Reduce cement volume and types Improved performance



Quality

Reduced quality variations and rejections. Reduced refinishing works



Production

Accelerate production and reduce vibration With Self Compacting Concrete: No vibration. Reduce labour requirements and improve working conditions



Added Value

Produce top quality architectural finishes. Thinner units and innovative designs



Logistics

Faster development of high early strengths. Faster mould turnaround. Reduce energy cost



Business Support

Sika solutions for specifiers and contractors. Professional technical support from Sika

SIKA TECHNOLOGIES FOR SEMI-DRY CONCRETE

SEMI-DRY CONCRETE IS USED FOR MANY DIFFERENT APPLICATIONS ALL OVER THE UK SUCH AS PAVING STONES, BLOCKS AND PIPES. ITS MAIN ADVANTAGE IS THE ABILITY TO KEEP ITS SHAPE DIRECTLY AFTER COMPACTION. To achieve the desired appearance of the surfaces and meet the demands of the current standards the concrete should be designed with suitable selected locally available materials.

SikaPaver® and Sika® Plastiment® SD Technology improves the:

- Homogeneous filling of moulds
- Compactability of semi-dry concrete
- Dispersion of colour pigments
- Formation of cement paste on the flanks
- Green strength directly after compaction
- Uniform surface texture and product shape
- Early strength after initial curing
- Resistance against efflorescence
- Frost and freeze/thaw resistance

With the use of SikaPaver® and Sika® Plastiment® SD technology it is possible to minimise everyday variations of the raw materials, achieve sufficient compaction of the semi-dry concrete and gain the desired uniform appearance of the final products.

■ SikaPaver® and Sika® Plastiment® SD provides a complete range of products for all semi-dry application

SEMI-DRY CONCRETE ACHIEVED WITH SIKA TECHNOLOGIES

The properties of SikaPaver® and Sika® Plastiment® SD Technology are of considerable benefit to semi-dry concrete producers, specifiers and the final clients. SikaPaver® and Sika® Plastiment® SD Technology has helped to optimise both cost and technical aspects of semi-dry concrete production in compliance to demands of customers and standards.

Increasing the performance of the concreting process will make your concrete more cost-efficient with the following additional benefits

- Cost effective mix design (cement reduction)
- Faster production with increased output

- Reduced wear and tear of equipment
- Fewer rejects
- Reduced tendency of efflorescence
- Brilliant colours



PROCESS OPTIMISATION

Business Improvement



Materials

Extend the use of low-cost, readily available materials. Reduce cement volume/increase use of cement replacements. Optimise pigment dosage consistently



Quality

Improved surface finish and appearance. Reduced quality variations



Production

Ensure optimum compaction. Improve early strengths. Increased uniformity



Added Value

Manufacture of quality products. Shorter delivery times



Logistics

Reduce rejects. Minimise stock of finished products. Faster delivery times



Business Support

Sika solutions for specifiers and contractors. Professional technical support from Sika

SIKA TECHNOLOGIES FOR CEMENT

INCREASED VOLUME DEMANDS, PRICE COMPETITION AND ENVIRONMENTAL REQUIREMENTS HAVE CREATED PRESSURES ON THE CEMENT INDUSTRY. By focusing on these requirements Sika can help to design specific new products based on our innovative and cost effective technologies.

SikaGrind® Technology enables many of these requirement to be achieved by:

- Reducing clinker volumes
- Increased production rates and milling efficiency
- Reduced CO₂ emissions
- Lowering energy consumption
- Improving cement quality

To assist process improvements and cement optimisation, Sika specialists provide technical support to reduce your

energy costs and emissions, increase productivity and speed up loading and transportation. The performance of cements can be substantially increased, allowing the production of high grade cements with reduced clinker content and shorter grinding periods required.

- SikaGrind® ginding additives to enhance the properties of cement and increase the grinding efficiency.
- SikaGrind® quality improvers to improve the performance of cement and allow the use of increased clinker replacement

CEMENT IMPROVEMENTS ACHIEVED WITH SIKA TECHNOLOGIES

In a rapidly changing world, the ability to focus on specific requirements of the cement industry is key.

- Improved milling efficiency
- Reduced CO₂ emissions
- Lower dependence on clinker
- Reduced energy consumption
- More satisfied customers



PROCESS OPTIMISATION

Business Improvement



Materials

Extend the use of cost effective clinker replacements. Reduce clinker volume. Preserve natural resources



Quality

Optimise cement granulometry. Enhance strength development of the cement. Reduced quality variations



Production

Increased production rate. Reduced grinding/energy costs. Improve separator efficiency. Reduced CO, emission



Added Value

Improved cement quality. High value speciality cements



Logistics

Reduced blockages in conveyor systems. Speed up loading and unloading of trucks



Business Support

Sika solutions for specifiers and contractors. Professional technical support from Sika

SIKA FULL RANGE SOLUTIONS OR CONSTRUCTION:



WATERPROOFING



CONCRETE



REFURBISHMENT





SEALING AND BONDING





ROOFING



OR MORE INFORMATION:



WHO WE ARE

Sika Limited and Sika Ireland Limited are part of the global Sika Group, specialising in the manufacture and supply of chemical based products for construction and industry. Sika is a world-leader in its field with subsidiaries in 90 countries around the world and manufactures in over 160 factories. With approximately 17,000 employees Sika generates annual sales of CHF 5.6 billion (£3.9bn). We are also committed to providing quality, service, safety and environmental care.

In the UK and Ireland, we provide market-leading solutions for concrete, waterproofing, roofing, flooring, refurbishment, sealing & bonding, and industry, and have manufacturing sites in Welwyn Garden City, Preston, Leeds and Dublin with more than 700 employees and a turnover of more than £190 million.

The information, and, in particular, the recommendations relating to the application and end use of Sika® products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users should always refer to the most recent issue of the Product Data Sheet for the product concerned, copies of which will be supplied on request.



4001



SIKA LIMITED

Head Office Watchmead Welwyn Garden City Hertfordshire, AL7 1BQ United Kingdom

SIKA IRELAND LIMITED

Sika House Ballymun Industrial Estate St Margaret's Road Dublin 11, D11 DA2V

Contact

Phone +441707 394444 +441707329129 E-Mail enquiries@uk.sika.com www.sika.co.uk

y @SikaLimited

Contact

Phone +353 1 862 0709 +3531 862 0707 E-Mail info@ie.sika.com

www.sika.ie

