

Education range

**We know education
washrooms.**

**Raising the standard
on your behalf.**



Venesta



We know washrooms.
After 100 years of innovation
in partnership with our customers,
we're still passionate about setting
new standards of design, value,
performance and reliability.

At Venesta, we live and breathe washrooms. Ever since the early days, innovation has been our inspiration, and product excellence our goal. With a commitment to setting the benchmark for design and performance, we've partnered our clients in creating solutions that they can rely on to satisfy the most challenging and demanding of briefs.

Today, our expert knowledge and pioneering attitude have inspired our range of commercial toilet cubicle and washroom systems. On the following pages you'll discover great product choice, value for money and uncompromising quality. And because customer care is so important to us, you'll find we're breaking new ground in customer service too.

We invite you to see for yourself.

We know education.

From nurseries to universities and children’s play areas, we’re committed to raising the standard of our children’s washrooms.

Safety
Children have a right to be safe at all times. With this in mind, we've introduced a number of important features into our designs. Low level and shaped door options allow adult supervision, where it's needed, while our clever safety hinges minimise the risk of trapped fingers. We also include door lock options for emergency release, giving you extra peace of mind.

Privacy
Safety may be one of our top priorities but we also believe that children have a right to privacy. That's why we give you the option of full height cubicle doors and partitions. For secondary and further education, our solutions also include urinal privacy screens.

Colours
Children love colour and bold designs. So, we've created the widest and brightest palette featuring 36 fresh and vibrant colours, ensuring you can create a washroom that children will enjoy using. And we've not stopped at colour; our screen prints add extra vibrancy, making them a popular choice for younger children.

Hygiene
A hard-working washroom should also be one that's easy to maintain. That's why our solutions include features that

make cleaning really easy. These include our solid surface washtrough with individual drainers. Also, the solid grade laminate we use is totally impervious to water, which means it can withstand intensive cleaning.

Anti-vandal
At Venesta, we work hard to ensure our stylish and robust designs encourage respect and discourage vandalism. So, our solutions for secondary and further education washrooms feature metal frames renowned for strength and rigidity with durable metal fittings.

Performance
All education ranges are available in all three performance options suitable for every type of wet or dry environment that is likely to be encountered, allowing you to specify the most appropriate option to meet the site requirements and your budget.

MFC
For dry environments with low risk of vandalism. Panels are manufactured from 18mm nominal thickness high performance moisture-resistant melamine faced chipboard. Edges lipped with PVC.

HPL
For more heavily used washrooms, panels are heat, scratch and impact resistant.

Manufactured from moisture-resistant chipboard faced with high pressure laminate, panels are 18mm nominal thickness. Edges lipped with PVC.

SGL
Solid grade laminate is extremely resistant to impact and all surfaces are impervious to water. Panels are 13mm nominal thickness with polished black radiused edges.

Value for money to suit your every budget
A quality product doesn't always mean an expensive product. No one knows that better than Venesta. We strive to ensure that our products are always competitively priced and that whatever your budget, you can expect a wide choice of excellent designs that are surprisingly affordable.



01 Playful colour
Our screen prints add extra vibrancy, making them a popular choice

02 Made to last
Our solutions for secondary and further education washrooms feature satin anodised aluminium headrail and pilasters



03 Easy cleaning
The solid grade laminate we use is totally impervious to water

04 Right to feel safe
Low level and shaped door options allow adult supervision

We know washroom solutions. Choice at your service.




2-11 years



2-11 years



11+ years



11+ years



Panelling



Panelling

Complementary



Complementary

2-11 years Our design team has gone to town to create spaces that challenge and delight young minds. Lollipop, Genesis and Award are perfect combinations of fun, safety and hygiene – perfect for schools, crèches and children's play areas.

Lollipop

Designed to suit the specific needs of young children, Lollipop is a free-standing system that delivers fun and safety in equal measures. It comes with two door height options, a choice of colourful, easy to operate indicator bolts or magnetic catches and specially designed safety hinges.



Main image
Lollipop cubicles in Colours screen print, Jamboree and Baby Blue, shelf height Rapiduct in Baby Blue, HPL Lollipop vanity in Colours screen print, Jamboree and Baby Blue

See p20 for Lollipop technical specifications

Key features
No headrail
Unique shaped doors and partitions
Available in 2 heights for younger children
Total colour flexibility
Anti-finger trap hinges
Door emergency release mechanism
Choice of screen prints
Allows adult supervision
Unique pedestal design, offering rigidity



Case study Belleville Primary School


Before this project went ahead we stipulated that our suppliers needed, not only to provide highly thought out, stylish systems but also to be hot on the quality of their service too. I'm delighted to say, we got both from Venesta.

Mr Grove, Head, Belleville Primary School

Judged 'outstanding' by Ofsted in 2007, Belleville School in Battersea, looks after 730 pupils, aged between 4 and 11. Housed in a classic Victorian building, the school is committed to providing a warm and friendly environment for children to learn and spends a lot of time and effort ensuring its pupils feel safe, secure and stimulated.



Charged with an extensive refurbishment to the whole school, chartered surveyors, Wilby and Burnett briefed Venesta to provide a cubicle range that would answer the school's need for a fun, safe and hygienic environment. Genesis was selected for its design and variety of height options making it the natural choice. School head, Mr Grove, was particularly impressed by Venesta's online design studio which allowed him to visualise different colour mixes before making his selection.

A key consideration on this project was timing. The refurbishment was planned for the school holidays, meaning it had to be gutted and refitted in just six weeks. Thankfully, the highly efficient Venesta team was able to rise to the challenge and delivered the cubicles on time and ready to install.



Genesis

As the recognised standard for children's washroom cubicles, Genesis is a popular, highly flexible choice for your school or nursery. It features four height options, safety hinges and a choice of indicator bolts or magnetic catches.



01 ABS indicator bolt fascia in Smoke

02 Headrail and shaped partition detail

See p19 for Genesis technical specifications



Main image
Genesis cubicles in Jive, Gala, Jamboree and Clementine, HPL vanity and light pelmet in Jive, Gala and Jamboree



- Key features**
- Shaped doors and partitions
 - Available in 4 heights
 - Total colour flexibility
 - Anti-finger trap hinges
 - Door emergency release mechanism
 - Choice of screen prints
 - Suitable for wet and dry environments

Screen prints


Colour and design spark a child's imagination so our design team is constantly working on new ideas to inspire young minds. These screen print designs, available in HPL only, can be applied to the front of cubicle doors, duct panels and vanity units. Door rears are designed to match your chosen partition colour.



- 01 Colours screen print
- 02 Monsters screen print
- 03 Circles screen print
- 04 Fish screen print
- 05 Genesis door heights
- 06 Award low height
- 07 Lollipop
- 08 Quantum

Door heights

Balancing privacy needs with the need to supervise children is something we carefully consider with all our education washroom designs. The option of shaped and low height doors ensures you can achieve both.



Award Low height

Versatile, economical and easy to assemble. Award gives you a tried and tested bespoke solution that works equally well in wet or dry environments. Plus, it comes in our complete range of vibrant colours and a choice of sleek fittings.



The fittings come in a choice of two options: ABS Smoke or Graphite and powder coated aluminium in Light Grey or Dark Grey

01 ABS pedestal in Smoke

02 ABS indicator bolt fascia in Smoke

See p18 for Award low height technical specifications

Key features

- Flexibility
- Anti-finger trap hinges
- Suitable for wet and dry environments
- Simple installation
- Economical

Main image
Award low height cubicles in Monsters Screen print, Clementine and Iceberg

Technical Specifying Award low height

Overall height

2100mm

Floor clearance

100mm

Maximum depth

MFC - 2000mm


HPL - 2000mm

SGL - 2000mm

Door height options

Height A - 1300mm

Height B - 1100mm



Panels and doors
Available in MFC, HPL and SGL.

Colour finish
MFC, HPL and SGL
36 colours.
4 screen prints (HPL only).

Cubicle hardware
ABS – Smoke or Graphite.
Aluminium - Light Grey or Dark Grey.


Edge treatment
MFC and HPL
PVC lipping.
SGL
Polished black radiused edge.

Headrail
Rigid aluminium channel in Light Grey and Dark Grey with matching end cap.

Cubicle hardware
Hinge
Universal zinc safety hinge.
Wall fixing
Cleat with through fixing and snap on outer case accommodates out of line wall.
Indicator bolt
Easy grip indicator bolt with emergency release facility and concealed fixings.
Pedestal
Height adjustable for uneven floors with concealed fixings.

Height
2 door height options.
For standard height option see p40.

Accessories
Coat hooks and toilet roll holders available.



Technical Specifying Genesis

Overall height

1950mm

Floor clearance

150mm

Maximum depth

MFC - 2000mm

HPL - 2000mm

SGL - 2000mm

Door height options

Height A - 900mm

Height B - 1100mm

Height C - 1300mm

Height D - 1500mm

1 Pedestal

2 Indicator bolt

3 Hinge

4 Cleat

Panels and doors
Available in MFC, HPL and SGL.

Colour finish
MFC, HPL and SGL
36 colours.
4 screen prints (HPL only).

Cubicle hardware
ABS – Smoke or Graphite.
Aluminium - Light Grey or Dark Grey.

Edge treatment
MFC and HPL
PVC lipping.
SGL
Polished black radiused edge.

Headrail
Easy to fix, one piece construction.
Available in Light Grey or Dark Grey powder coated aluminium with matching end cap which complement other fittings.

Cubicle hardware
Hinge
Universal zinc safety hinge.
Wall fixing
Cleat with through fixing and snap on outer case accommodates out of line wall.
Indicator bolt
Easy grip indicator bolt with emergency release facility and concealed fixings.
Pedestal
Height adjustable for uneven floors with concealed fixings.


Heights
4 height options.

Vanities
Genesis vanities are available in 600mm, 675mm, 750mm and 800mm height.

Accessories
Coat hooks and toilet roll holders available.

2-11 years

Technical Specifying Lollipop



Panels and doors
Available in MFC, HPL and SGL.

Colour finish
MFC, HPL and SGL
36 colours.
4 screen prints (HPL only).
Cubicle hardware
ABS – Smoke or Graphite.

Edge treatment
MFC and HPL
PVC lipping.
SGL
Polished black radiused edge.

Headrail
Easy to fix, one piece construction.
Available in Light Grey or Dark Grey powder coated aluminium with matching end cap which complement other fittings
Standard with no headrail
Sound concrete sub-floor required.
Full height with headrail
Suitable for any floor type.

Steel support
Structural steel post, bolted to concrete floor with anchors.


Cubicle hardware
Hinge
Universal zinc safety hinge.
Wall fixing
Cleat with through fixing and snap on outer case accommodates out of line wall.
Indicator bolt
Easy grip indicator bolt with emergency release facility and concealed fixings. Magnetic catch option in lieu of indicator bolts.
Pedestal
Height adjustable for uneven floors, with concealed fixings.

Height
2 height options.

Vanities
A complementary Lollipop vanity with shaped under panels is available. Under panels may also feature a choice of 4 screen prints.

Lollipop vanities available in 600mm high K2 profile.

Accessories
Coat hooks and toilet roll holders available.



Case study Lyons Hall Primary School

Lyons Hall Primary School in Essex is recognised as an “Outstanding School” by Ofsted. Part of the Learning Pathways Academy Trust, Lyons Hall is a popular choice for local children. To meet the need for extra pupil places, a new 7-classbase teaching block was commissioned.

Laurie Wood Associates were chosen to undertake the development. Part of the first phase incorporated new washrooms for the early years' pupils and also washrooms for general use. Due to the breadth of product range, flexible service and a good past working relationship, Venesta were specified by Laurie Wood Associates to provide the new washrooms for the school's pupils and staff.

Lollipop cubicles were specified for the early years' children whilst Rapiduct panels were chosen for the staff washrooms.

Lollipop cubicles are designed specifically to meet the needs of young children. The range offers a fun design that will encourage children to use the toilet when needed, a key consideration for their physical and mental well-being in those early school years. Aside from this, Lollipop cubicles also offer great safety features such as anti-finger trap hinges and a magnetic catch option instead of a lock. We know that supervision of children in the washroom is also a priority so, with this in mind, Lollipop offers shaped doors and a free standing design meaning there is no need for a head rail.



11+ years Cleanliness, ease of maintenance, privacy, vandal resistance. With tough demands like these, you'll be glad to know we build these things into our designs as a matter of course. The results speak for themselves.

11+ years

Centurion Full height

As well as being extra robust, Centurion is wonderfully flexible. So, if you're looking for extra privacy with a full height cubicle, Centurion will satisfy your needs.



01 Floor fixed pilasters in satin anodised aluminium

02 Light Grey powder coated aluminium indicator bolt fascia

See p36 for Centurion full height technical specifications

Main image
Centurion full height in Asphalt and Willow with satin anodised aluminium pilasters



- Key features**
- Robust frame design
 - Fluted aluminium pilasters
 - Renowned for strength and rigidity
 - Hardwearing anti-static powder coated fittings
 - Anti-finger trap hinges
 - Easy adjust hinges
 - Floor to ceiling for increased privacy



Centurion

Centurion's strength comes from a number of key details. Wall channels offer extra rigidity and pilasters extend to the floor, so no pedestals are required.



01 Satin anodised aluminium headrail at pilaster junction

02 Light Grey powder coated aluminium indicator bolt fascia

See p37 for Centurion technical specifications

Main image

Centurion in Rouge with satin anodised aluminium pilasters.

Case study Tudor Grange Academy

To meet the rigorous demands of this type of environment, all facilities in our Academy have to be robust, efficient and fit for purpose. Centurion has fulfilled these requirements, and has given an excellent finished appearance in all washroom areas.

Graham Turner, Facilities Manager, Tudor Grange Academy.

Tudor Grange in Solihull is a mixed academy, catering for 11-16 year olds, formed in 1974 from the combination of well established boys' and girls' grammar schools on the same site.

The academy has a reputation for excellence and academic achievement and is popular with parents and students alike. In fact, it's always over subscribed. When it came to refurbishment, Facilities Manager, Graham Turner, was looking for a highly robust, high specification cubicle that would be able to withstand the many rigours of this large and busy academy.

Solihull Council, having specified Venesta in the past, chose our Centurion range for the six male and female toilet facilities situated throughout the campus. Centurion combines strength and rigidity with wall channels and pilasters that extend to the floor, obviating the need for pedestals. This gave the academy the long-lasting quality that they were looking for.



Titan

Titan certainly lives up to its name. A full height design with low floor clearance for privacy and partitions with rigid wall channels for strength where you need it most.



01 Unique aluminium shoe in Light Grey powder coated aluminium

02 Light Grey powder coated aluminium headrail

See p38 for Titan technical specifications

Main image
Titan in Jive




- Key features**
- Total privacy
 - Partition skirting channel
 - Suitable for wet and dry environments
 - Anti-finger trap hinges
 - Floor to ceiling
 - Unique aluminium shoe
 - Wall channels for additional rigidity



Quantum

Quantum, our best selling cubicle range, sets the benchmark for washrooms. Your need for maximum flexibility has inspired us to create a range that suits both wet and dry areas and offers the widest choice of fittings and colours.



- Key features**
- Floating appearance
 - Sculpted headrail design
 - Matching contemporary fixings
 - Suitable for wet and dry environments
 - Anti-finger trap hinges
 - Total colour flexibility
 - Shower curtain track option

01 Pedestals that are fitted to partitions give the range its floating appearance


02 Powder coated aluminium headrail in Smoke

See p39 for Quantum technical specifications

Main image
Quantum in Oxford Blue, Baby Blue and Frozen Blue, V-epps panels in Baby Blue and Iceberg

Award

Versatile, economical and easy to assemble, Award gives you a tried and tested bespoke solution that works equally well in wet or dry environments. Plus, it comes in our complete range of vibrant colours and a choice of sleek fittings.



The fittings come in a choice of four options: ABS Smoke or Graphite and powder coated aluminium in Light Grey or Dark Grey

Key features

- Flexibility
- Suitable for wet and dry environments
- Anti-finger trap hinges
- Simple installation
- Economical

01 ABS pedestal in Smoke

02 ABS indicator bolt fascia in Smoke

See p40 for Award technical specifications

Main image

Award in Honey and Iceberg

Technical Specifying Centurion full height

Centurion full height

Maximum height

MFC - 2770mm

HPL 1 - 2570mm

HPL 2 - 3000mm

SGL - 2550mm

Door clearance

10mm

Ceiling clearance

45mm

Minimum height

MFC - 2000mm

HPL 1 - 2000mm

HPL 2 - 1560mm

SGL - 2000mm



Maximum depth

MFC - 2000mm

HPL 1 - 2000mm

HPL 2 - 1560mm

SGL - 2000mm



Panels and doors
Available in MFC, HPL and SGL.

Colour finish
MFC, HPL and SGL
36 colours.

Cubicle hardware
Light Grey or Dark Grey aluminium.

Edge treatment
MFC and HPL
Matching PVC lipping.
SGL
Polished black radiused edge.

Pilasters
Extruded aluminium sections available in satin anodised or Dark Grey powder coated aluminium.

Headrail
Extruded aluminium headrail available in satin anodised or Dark Grey powder coated aluminium. Overpanels fitted above doors.

Cubicle hardware
Hinge
Universal zinc safety hinge.
Wall fixing
Partitions fixed to walls using aluminium channel.
Indicator bolt
Indicator bolt with emergency release facility and keep, all with concealed fixings.
Floor fixing
The Centurion cubicle has extruded aluminium pilasters which extend down to floor level and fix to floor mounting blocks. Partitions fixed to floor using aluminium channel.

Accessories
Coat hooks and toilet roll holders available.

Technical Specifying Centurion standard height

Centurion standard height

Overall height

2115mm

Floor clearance

100mm

Maximum depth

MFC - 2000mm


HPL - 2000mm

SGL - 2000mm




1

Indicator bolt




1

Indicator bolt




2

Hinge



3

Keep



Panels and doors
Available in MFC, HPL and SGL.

Colour finish
MFC, HPL and SGL
36 colours.

Cubicle hardware
Light Grey or Dark Grey aluminium.

Edge treatment
MFC and HPL
Matching PVC lipping.
SGL
Polished black radiused edge.

Pilasters
Extruded aluminium sections available in satin anodised or Dark Grey powder coated aluminium.

Headrail
Extruded aluminium headrail available in satin anodised or Dark Grey powder coated aluminium.

Cubicle hardware
Hinge
Universal zinc safety hinge.
Wall fixing
Partitions fixed to walls using aluminium channel.
Indicator bolt
Indicator bolt with emergency release facility and keep, all with concealed fixings.
Floor fixing
The Centurion cubicle has extruded aluminium pilasters which extend down to floor level and fix to floor mounting blocks.

Accessories
Coat hooks and toilet roll holders available.

11+ years

Technical Specifying Titan

Maximum height


MFC - 2590mm
HPL 1 - 2570mm
HPL 2 - 3100mm
SGL - 2550mm

Door and Ceiling clearance

10mm

Maximum depth

MFC - 2000mm
HPL 1 - 2000mm
HPL 2 - 1560mm
SGL - 2000mm



Panels and doors

Available in MFC, HPL and SGL.

Colour finish

MFC, HPL and SGL

36 colours.

Cubicle hardware

Aluminium Light Grey or Dark Grey.

Edge treatment

MFC and HPL

Matching PVC lipping or contrasting lipping option.

SGL

Polished black radiused edge.

Headrail

Easy to fix, one piece construction. Available in 2 finishes which complement other fittings. Powder coated aluminium.

Cubicle hardware

Hinge

Universal zinc safety hinge.

Wall fixing

Aluminium wall channel and privacy skirting.

Indicator bolt

Indicator bolt with emergency release facility and keep, all with concealed fixings.

Accessories

Coat hooks and toilet roll holders available.

1 Indicator bolt 1 Indicator bolt 2 Hinge 3 Keep



Technical Specifying Quantum

Overall height

2100mm



Floor clearance

100mm

Maximum depth

MFC - 2000mm
HPL - 2000mm
SGL - 2000mm

Post-formed option



1 Pedestal 2 Indicator bolt 3 Hinge 4 Cleat



Panels and doors

Available in MFC, HPL and SGL.

Colour finish

MFC, HPL and SGL

36 colours.

Cubicle hardware

ABS Smoke or Graphite. Aluminium Light Grey or Dark Grey and Stainless Steel.

Edge treatment

MFC

Matching PVC lipping or contrasting lipping option.

HPL

Matching PVC lipping with the option of post-formed pilasters.

SGL

Polished black radiused edge.

Headrail

Easy to fix, one piece construction. Matching end cap. Headrail available in Light Grey or Dark Grey powder coated aluminium and also a stainless steel effect.

Cubicle hardware

Hinge

Universal zinc safety hinge.

Wall fixing

Cleat with through fixing and snap on outer case accommodates out of line wall.

Indicator bolt

Indicator bolt with emergency release facility and keep, all with concealed fixings.

Pedestal



Height adjustable for uneven floors with concealed fixings.

Accessories

Coat hooks and toilet roll holders available.

Technical Specifying Award

- Overall height**
2100mm
- Floor clearance**
100mm
- Door height**
2000mm
- Maximum depth**
MFC - 2000mm
HPL - 2000mm
SGL - 2000mm



- Panels and doors**
Available in MFC, HPL and SGL.
- Colour finish**
MFC, HPL and SGL
36 colours.
- Cubicle hardware**
ABS Smoke or Graphite. Aluminium
Light Grey or Dark Grey.
- Edge treatment**
MFC and HPL
Matching PVC lipping.
SGL
Polished black radiused edge.

- Headrail**
Rigid aluminium channel in Light
Grey or Dark Grey with matching
end cap.

- Cubicle hardware**- Hinge**
Universal zinc safety hinge.
- Wall fixing**
Cleat with through fixing and snap
on outer case accommodates out
of line wall.
- Indicator bolt**
Easy grip indicator bolt with
emergency release facility and
concealed fixings.
- Pedestal**
Height adjustable for uneven floors,
with concealed fixings.
- Accessories**
Coat hooks and toilet roll
holders available.

Case study The Royal Grammar School

The washroom refurbishment of the Fraser Youens Boarding house at The Royal Grammar School is a 2 phase project for which we have just placed another order with Venesta. In conjunction with your recommended installer, Plumbing and Gas Solutions, we had total confidence that we could achieve exactly what we wanted; a product that really stands out.

Christina Roper, Boarding Administrator

Situated in High Wycombe, Buckinghamshire, The Royal Grammar School (RGS) is an establishment for boys aged 11-18. It was first established in 1562 and has capacity for around 1370 boys. The school pride themselves on their top class exam results, commitment to the individual needs of each pupil and the excellent facilities they can offer their boys; and the washrooms are no exception.

Having previously had Venesta cubicles installed in the late 90s, the school decided it was time for a total refurbishment of their washroom areas. By choosing Venesta again, not only did RGS know that they would get a very durable product, but also one that would really stand out and give their boys washroom facilities to be proud of. The school chose Award cubicles in New England and Smoke High Pressure Laminate with matching Solid Grade Laminite vanity units.

At Venesta we are constantly committed to product improvement and innovation. Our products really do stand the test of time, however we never want to stand still. When asked what she liked most about our range Christina commented: "The product has really improved since the original product 20 years ago. There are now some lovely colour schemes to choose from and the maintenance and cleaning is so easy".



We know panelling.

At Venesta, we're renowned for our innovations in panelling. Whatever type of panelling you need, from our pioneering Venesta Engineered Pre-plumbed System, V-epps, to our cost-effective Rapiduct system, we've a fit for purpose solution to suit your needs.

Panelling

You're assured of the right solution.
Venesta has a proven track record of supplying high quality panelling systems to the UK's most demanding education environments. Our long-standing partnership with Armitage Shanks, Ideal Standard and SanCeram gives you the flexibility to choose industry leading sanitaryware.

V-epps

Pre-plumbed

With over 100 years of washroom innovation, we introduce V-epps. Our ingenious innovation in engineered pre-plumbed systems is perfect for education washrooms and comes complete with factory fitted sanitaryware. What makes V-epps unique is its linear bearing hinges and support ratchets offering easy access to duct space and effortless, smooth movement. A Venesta dowel dock ensures perfect panel alignment whilst zinc plated steel tie backs offer improved stability to the whole system. And of course it comes with Venesta's rock solid 10 year product guarantee.



Frameduct

Non-plumbed

If you're looking for a sturdy, metal-framed panelling system but want the choice of specifying your own sanitaryware, then Frameduct is the ideal solution. It's made to measure and features a click-fix mechanism so it's quick and easy to install. Frameduct can be specified with any Venesta cubicle or vanity system.



Rapiduct

Timber-framed

Simple, functional and highly cost-effective, this panelling system is flexible enough to suit any cubicle range. Unlike the other panelling options, Rapiduct is constructed onto a timber-frame, not supplied by Venesta, and is designed for your own build and installation. You can specify Rapiduct with any Venesta cubicle or vanity system.



Benefits

To help you choose the right system for you, we've put together this at-a-glance benefits checklist.

	V-epps	Frameduct	Rapiduct
Factory fitted sanitaryware	•		
Choice of pre-plumbed WC suites, urinals, basins and vanity units	•		
Fully tested sanitaryware	•		
Speedy installation	•	•	•
Factory assembled guaranteeing a quality product and finish	•	•	
Unique click-fix metal frame	•	•	
Metal framework, impervious to water	•	•	
Product longevity	•	•	•
Suitable for use with all types of sanitaryware		•	•
Lockable duct panel option	•	•	•
Conceals plumbing and services (wastes and traps)	•	•	•
Provides easy access for maintenance	•	•	•
Choice of board types and edge details providing an offering to suit any application	•	•	•
Universal – it complements any cubicle range	•	•	•
10-year product guarantee	•	•	•
Venesta linear-bearing hinge and panel support ratchets for easy maintenance	•	•	

V-epps.

At Venesta we are renowned for our continuous innovation in pre-plumbed systems. Bringing together cutting-edge technology and the latest in sanitaryware designs, we introduce V-epps - the industry's first precision engineered, pre-plumbed system.








You need speedy installation.
Our design team created V-epps to ensure that's what you get. There are four easy steps to installation so you can be up and running in the shortest possible time frame, with a guaranteed quality finish.




- 01** Once the site has been prepared, fix the aluminium docking frame to the wall, ceiling and floor.
- 02** Click-fix the first V-epps unit onto the frame and slide into position. Open the mid panel to a fully hinged position. Attach a vertical flashgap to the frame on either side of the unit, screw-fixing to the frame from the face. Fix tie back to the wall. Repeat until all units are in place.
- 03** Once all the units are in position, connect the plumbing and services.
- 04** Simply close the hinged panel and attach the top and bottom panels of the unit. Installation complete.

 **25 minute installation**

 **30 minute installation**

 **10 minute installation***

 **5 minute installation**

The comparisons given between V-epps, Frameduct and Rapiduct are a guide and are designed to help you choose the right product for your project.
* Dependent on brassware.

V-epps Sanitaryware



Contour 21 back to wall WC
S305601 410mm height
S305701 460mm height



Sandringham 21 back to wall WC
E897401



Contour 21 wall hung WC
S307601



Sandringham urinal
S610301



Orbit 21 550mm fully inset basin
S248601 1 tap hole
S248801 2 tap holes



Sandringham 21 500mm fully inset basin
E895201 1 tap hole
E895401 2 tap holes



Sandringham wall hung WC
V391001



Contour 21 460mm height back to wall WC
S311501 700mm projection



Contour 21 schools back to wall WC
S304601 305mm height
S304701 355mm height



Profile 21 500mm semi-recessed basin
S249201 1 tap hole
S249401 2 tap holes



Sandringham 21 500mm semi-recessed basin
E895801 1 tap hole
E895901 2 tap holes



Contour 21 370mm panel mounted basin
S212201 centre tap hole
S247301 left tap hole
S247401 right tap hole

- WC seats**
- S405601 Contour 21 small schools seat and cover, white, bottom fixing hinges (305)
 - S405701 Contour 21 small schools seat only, white, bottom fixing hinges (305)
 - S405901 Contour 21 standard seat only, white, bottom fixing hinges (355)
 - S406501 Contour 21 seat and cover, white, top fixing hinges
 - S406601 Contour 21 seat retaining buffers, white
 - S406636 Contour 21 seat only, blue, retaining buffers, top fixing hinges (DOC M pack)
 - S4066RN Contour 21 seat only, charcoal, retaining buffers, top fixing hinges (DOC M pack)
 - E907401 Sandringham 21 Seat and cover metal hinges
 - E908601 Sandringham 21 Seat only, metal hinges



Contour hygenIQ urinal
S611901 675mm height



Contour urinal
S611001 665mm height



Portman 21 500mm panel mounted basin
S230801 left tap hole
S225401 right tap hole



Portman 21 400mm panel mounted basin
S215901 left tap hole
S231401 right tap hole



White intergrated solid surface basin
OV10000 no tap hole

V-epps Brassware and fittings



Sensorflow 21 compact deck mounted
A4852AA mains
A4853AA link




Avon 21 basin mixer
B8263AA



Avon bib wall mounted tap
S7241AA



Pneumatic panel mounted palm push button
S4513MY stainless steel



Pneumatic panel mounted finger push button
S4512MY stainless steel




Chrome plated lever
C03SN20CP



Avon 21 pillar taps
B8267AA pair



Sandringham monoblock mixer
B4447AA




Nuastyle 21 pillar taps
B8262AA pair



Shower in a box
S6933MY



Sensorflow 21 shower control
A4185AA mains
A4186AA link



Sandringham pillar taps
S7029AA pair



Sensorflow WC flush
S358967 6 litre flush
S359967 4.5 litre flush



Sensorflow urinal flush
A4854AA mains
A4855AA link



Armitage Shanks unbranded dual flush plate
S4399AA chrome plated



Sandringham 21 lever pillar taps
B9881AA pair



Contour 21 push button shower valve
B8266AA chrome plated



Anti-vandal fixed shower head
A5452AA

V-epps Sanitaryware



Shenley back to wall children's pan
SHWC101



Chartham wall hung WC
CHWC101



Chartham back to wall WC
CHWC103 450mm high
CHWC104 480mm high



Langley countertop basin
LLWB105 centre tap hole
LLWB106 2 tap hole



Shenley countertop basin
SHWB103 centre tap hole
SHWB104 2 tap hole



Chartham semi-recessed basin 450
CHWB108 2 tap hole
CHWB109 right tap hole



Chartham 480mm height back to wall WC
CHWC106 750mm projection



Langley concealed trap urinal
LLUR101



Marden concealed trap urinal
MDUR101



Shenley semi-recessed basin 400
SHWB105 right tap hole



Chartham wall hung basin 450
CHWB103 2 tap hole
CHWB104 centre tap hole



Marden wall hung basin 420
MDWB101 centre tap hole
MDWB102 2 tap hole



Chartham exposed trap urinal
CHUR104



Chartham wall hung basin 380
CHWB101 left tap hole
CHWB102 right tap hole

V-epps Brassware and fittings



Aquarius A45 deck mounted
AT03-011



Basin mounted self closing mixer tap
SCBW106



Aquarius wall mounted sensor
AT02-001



Palm push plate
CIST105



Metal single flush
CIST106



Standard lever, dual flush
CIST101



Self closing pillar
NCT001



DLT short lever pillar
DLT101



Adore basin mixer
ADORE113 / EK




Sequential lever operated concealed shower valve
SHWR112



Push button shower
NCT003



Anti-vandal shower head
AVSH001



Sensor flush
CIST108 - single (battery)
CIST109 - dual (battery)
CIST110 - mains transformer



Urinal sensor
URIN108



Dual flush plate
CIST104



Anti-vandal fixed shower head
SHWR118

Frameduct

Frameduct brings you an intelligent, great looking system that’s easy to install but with one added extra – you get to choose your own sanitaryware.

Frameduct's superbly crafted, metal-framed panelling has been created to give you quick and easy installation. Its clever click-fix mechanism is simplicity itself. Not only that, Frameduct gives you the opportunity to choose your own sanitaryware.



01 Once the site has been prepared, fix the aluminium docking frame to the wall, ceiling and floor.

🕒 20 minute installation



02 Click-fix the first Frameduct unit onto the frame and slide into position. Open the mid panel to a fully hinged position. Attach a vertical flashgap to the frame, on either side of the unit, screw-fixing to the frame from the face. Fix tie back to the wall. Repeat until all units are in place.

🕒 30 minute installation



03 Drill or cut out for sanitaryware.

🕒 10 minute installation



04 Mount sanitaryware and brassware.

🕒 20 minute installation



05 Once all the units are in position, connect the plumbing and services and apply silicone sealant to sanitaryware.

🕒 10 minute installation*



06 Simply close the hinged panel and attach the top and bottom panels of the units. Installation is complete.

🕒 5 minute installation

The comparisons given between V-epps, Frameduct and Rapiduct are a guide and are designed to help you choose the right product for your project.
* Dependent on brassware.

Rapiduct

Simple, functional and highly cost-effective, this timber-framed panelling system is flexible enough to suit any washroom and is designed for your own installation. You can specify Rapiduct with any Venesta cubicle or vanity system.

The best value for function, finish and easy installation. Once delivered, Rapiduct's clever construction means it can be put together in the shortest time.



01 Install timber frame (supplied by others).

🕒 30 minute installation



02 Fit base flashgaps to the site frame followed by vertical, horizontal and top flashgaps.

🕒 20 minute installation



03 Attach fixing clips to the inside edge of the vertical flashgaps, repeat process on back face of panels.

🕒 30 minute installation



04 Drill or cut out for sanitaryware.

🕒 10 minute installation



05 Mount combined panel, sanitaryware and brassware onto flashgaps before completing pipework.

🕒 20 minute installation



06 Once all the units are in position, connect the plumbing and services.

🕒 10 minute installation*




07 Simply attach the top and bottom panels to the units. Installation complete.

🕒 5 minute installation

The comparisons given between V-epps , Frameduct and Rapiduct are a guide and are designed to help you choose the right product for your project.
* Dependent on brassware.

Technical Specifying V-epps



Dimensions

Maximum ceiling height*

MFC 2860mm

HPL 3035mm

SGL 2640mm

*Maximum ceiling height will be 50mm less if using the 50mm baserail.

Skirting/baserail height

Available in 50mm and 100mm (other skirting heights achievable by site packing the baserail).

Top flashgap

50mm

Minimum shelf heights and panel widths are dependant upon sanitaryware.

Sanitaryware



Fitted sanitaryware has been specially engineered to give you the highest quality finish.

WCs

Basins

Urinals

Showers

Wash troughs

Cleaners sinks

Squat pans

Baths

Healthcare items

Performance

Available in 5 material options, V-epps is suitable for every type of wet or dry environment allowing you to specify the most appropriate panel option to meet the site requirements and your budget.

MFC

For dry environments with low risk of vandalism. Panels are manufactured from 18mm nominal thickness high performance moisture-resistant melamine faced chipboard. Edges lipped with PVC.

HPL

For more heavily used washrooms, panels are heat, scratch and impact resistant. Manufactured from moisture-resistant chipboard faced with high pressure laminate, panels are 18mm nominal thickness. Edges lipped with PVC. Post-formed vertical edge option available.

SGL

Solid grade laminate is extremely resistant to impact and all surfaces are impervious to water. Panels are 13mm nominal thickness with polished black radiused edges.

ColourCoat

Panels are 18mm nominal thickness MDF finished with one primer and 2 coats of pigmented polyurethane lacquer creating a semi-gloss finish.

Veneer

Manufactured from moisture resistant chipboard faced with real wood veneer, panels are 18mm nominal thickness. Edges lipped with hardwood lipping to match the veneer.

Detailing

Panels

Available in MFC, HPL, SGL, ColourCoat and Veneer.

Flashgaps

MFC, SGL, ColourCoat and Veneer.

Colour finish

MFC, HPL and SGL 36 colours.

ColourCoat 10 ColourCoat colours

available when specifying V-epps with selected V1 and V2 cubicle ranges.

Unlimited ColourCoat options (any classic RAL) when specifying V-epps with selected V3 cubicle ranges

Veneer Wide range of Alpi veneer options (varying price points).

Edge treatment

MFC and HPL

Matching PVC lipping. Post-formed vertical edge option available with HPL.

SGL

Polished black radiused edge.

ColourCoat

Edges are sprayed with one coat of primer and finished with pigmented polyurethane lacquer.

Veneer

Hardwood lipping to match veneer face.

Flashgaps

Flashgaps have unfinished edges except return end flashgaps which will be PVC lipped (or polished if solid grade laminate).

Docking frame

Headrail, baserail manufactured from extruded aluminium section.

Subframes

Manufactured from rolled galvanised steel section with aluminium cross brace bars. Subframe installed within aluminium docking frame by click-fix nylon location brackets. Back panels fixed to steel section by nylon clips.




Linear-bearing hinge

Manufactured from zinc plated steel with chrome plated rivets and black glass filled nylon linear-bearing.



Panel lock

Manufactured from stainless steel with a polished finish.

Technical Specifying V-epps



Secrets of V-epps



1. Venesta linear-bearing hinge™
Our precision engineered, high strength linear-bearing hinges and panel support ratchets offer smooth movement and allow panels to be positioned at 10 different heights, all without any gaps between panels. Patent pending.

2. Venesta dowel-dock™
Designed for strength and perfect panel alignment, our dowel dock system ensures panels return to their correct position every time. Patent pending.

3. Tie backs
Adjustable zinc plated steel tie backs offer a bracing system for improved stability and allow for easier, speedier installation.

4. Baserail
Designed with a smooth, modern finish in 2 colour choices, the V-epps baserail, now available in 2 height options, ensures compatibility with all cubicle ranges and washroom designs.

5. Panel lock
We understand the need for added security without compromised aesthetics. In stainless steel with a tamper proof security key opening, our panel locks are discreet and ensure maximum security.

6. Wall hung WC carrier
Our wall hung WC carrier is made from virtually indestructible Solid Grade Laminate. It simply locates into the baserail and is fixed back to the building structure without the need for floor bolts. The assembly has been load tested to 400kgs and complies with BSEN 997.

7. Fittings
We understand the need for products that last. That's why all of our metal components are non-ferrous or coated to protect against rusting and corrosion.

Technical Specifying Frameduct

Dimensions

MFC 2850mm.
HPL 3045mm.
SGL 2640mm.

Skirting/baserail height
Available in 50mm and 100mm (other skirting heights achievable by site packing the baserail).

Top flashgap
50mm.

Minimum shelf heights and panel widths are dependent upon sanitaryware.

Performance

Frameduct is available in 3 material options – MFC, HPL and SGL suitable for every type of wet or dry environment that is likely to be encountered, allowing you to specify the most appropriate option to meet the site requirements and your budget.

Detailing

Panels
Available in MFC, HPL and SGL.

Flashgaps
MFC or SGL.

Colour finish
MFC, HPL and SGL
36 colours.

Edge treatment
MFC and HPL
Matching PVC lipping.
Post-formed vertical edge option available with HPL.
SGL
Polished black radiused edge.


Flashgaps
Flashgaps have unfinished edges except return end flashgaps which will be PVC lipped (or polished if solid grade laminate).

Docking frame
Headrail, baserail manufactured from extruded aluminium section.

Subframes
Manufactured from rolled galvanised steel section with aluminium cross brace bars. Subframe installed within aluminium docking frame by click-fix nylon location brackets. Back panels fixed to steel section by nylon clips.

Linear-bearing hinge
Manufactured from zinc plated steel with chrome plated rivets and black glass filled nylon linear-bearing.

Panel lock
Manufactured from steel with a polished finish.



Technical Specifying Rapiduct

Dimensions

Bespoke panel sizes available to suit site dimensions.

Performance

Rapiduct is available in 3 material options – MFC, HPL and SGL suitable for every type of wet or dry environment that is likely to be encountered, allowing you to specify the most appropriate option to meet the site requirements and your budget.

Detailing

Panels
Available in MFC, HPL and SGL.

Flashgaps
MFC or SGL.


Colour finish
MFC, HPL and SGL
36 colours.

Edge treatment
MFC
All edges are lipped with PVC.
HPL
Vertical edges post-formed or matching PVC lipping.
SGL
Polished black radiused edge.

Flashgaps
Flashgaps have unfinished edges except return end flashgaps which will be PVC lipped (or polished if solid grade laminate).

Fixing clips
Two part black plastic fixing clips for site fixing to panels and flashgap.

Site frame
Loose flashgaps only supplied by Venesta. Site frame supplied and fixed by site (softwood or similar).



We know washrooms.

To meet your demands, our range of vanities, accessories, lockers and benches bring form and function together in one collection.

Complementary

Vanities Solid Surface

For luxury, strength and a smooth, seamless finish, our Solid Surface solution wins hands down. Its stone appearance offers a visually stunning yet highly practical installation.



Vanities SGL

The most demanding environments need hard-working solutions to match. This solid grade laminate (SGL) is built to last and is totally impervious to water; plus, it comes in a choice of 36 colours.



01 Solid Surface wash trough in Vermont with Avon 21 mixer taps

02 Solid Surface vanity in Krakatoa and Iceberg with integrated basins and Avon 21 mixer taps

03 SGL vanity in Oxford Blue, Frozen Blue and Baby Blue with Concept Sphere semi recessed basins and Avon 21 mixer taps

04 SGL vanity in Iceberg and New England with Orbit basins and Avon pillar taps

To view the range of Solid Surface, SGL and HPL vanity profiles please turn to p72.

Vanities HPL

High pressure laminate (HPL) is highly economical, delivering top marks on design and a superb choice for any dry environment. Ensuring maximum choice, it comes with a selection of vanity profiles and 36 colour options.



Main image
HPL Lollipop vanity in Colours screen print, Jamboree and Baby Blue

01 Baby change unit in Iceberg and New England with Orbit basin and Tratto lever monoblock tap


02 HPL vanity in Fig and Jive




Technical Specifying Vanities

Reduced vanity bed heights available for children's vanities; Junior 750mm, Infant 675mm and Nursery 600mm.


Solid Surface 13.5mm blend of acrylic polymer minerals with integral moulded-in-reinforcements that provide impact and thermal shock resistance. In order to help maintain pristine conditions, Solid Surface Maintenance Care Kits are available from Venesta. Suitable for heavy duty applications.




H1 Profile
Semi-recessed basin with upstand



H2 Profile
Semi-recessed basin without upstand




H3 Profile
Fully inset basin with upstand




H4 Profile
Fully inset basin without upstand


HPL For light and medium duty applications. High performance moisture resistant chipboard faced with high pressure laminate with post-forming to horizontal edges of under panels. Vertical edges are lipped with PVC.




K1 Profile
Semi-recessed basin with upstand




K2 Profile
Semi-recessed basin without upstand




K3 Profile
Fully inset basin with upstand



K4 Profile
Fully inset basin without upstand





Baby Change Profile
Fully inset basin with upstand




Lollipop
Front Elevation shown
K2 Profile only at 600mm high


SGL Suitable for wet and heavy duty applications. 12.5mm nominal thickness with polished black radiused edges. SGL vanities come with powder coated aluminium extrusions in Light Grey and Dark Grey.




CV1 Profile
Semi-recessed basin with upstand



CV2 Profile
Semi-recessed basin without upstand



CV3 Profile
Fully inset basin with upstand



CV4 Profile
Fully inset basin without upstand


Light pelmets All fixing brackets included. Broken line indicates return end detail.




LP3 Profile
HPL Pelmet

LP6 Profile
SGL Pelmet


Solid surface washtroughs 13.5mm blend of acrylic polymer minerals with integral moulded-in-reinforcements that provide impact and thermal shock resistance. In order to help maintain pristine conditions, Solid Surface Maintenance Care Kits are available from Venesta. Suitable for heavy duty applications.




SW1
Deck mounted taps and underframe



SW2
Wall mounted taps and underframe



SW3
Deck mounted taps and cantilever brackets



SW4
Wall mounted taps and cantilever brackets

Lockers and benches

For over 25 years, we've been designing and manufacturing benches and lockers for leisure centres and education environments. So, whatever environment you're working in, you can rely on our stylish and flexible, tried and tested locker and bench solutions to seamlessly fit and perfectly enhance your space.



Main image
Active lockers, model 3, in Moon, Pineapple and Mink and perimeter benches

01 Coin return lock with wristband

02 Internal coat hook

03 Injection moulded locker base

04 Locker door frame detail

05 Cam lock

06 Coin return lock

07 Electronic lock

08 Coin retain lock

09 Hasp lock

See p76-77 for lockers and benches technical specification



Technical Specifying lockers and benches


Lockers

Active locker



Opening sizes	
Model 1	1740 x 280mm
Model 2	855 x 280mm
Model 3	560 x 280mm
Model 4	410 x 280mm
Model 5	325 x 280mm
Model Z	1310 x 380mm

Bench locker



Opening sizes	
Model 1	1400 x 280mm
Model 2	693 x 280mm
Model 3	456 x 280mm
Model 4	337 x 280mm
Model Z	1055 x 380mm

Overall height

Active lockers	1800mm
Bench lockers	1460mm from bench level

Widths

310mm (not applicable to Model Z)
410mm

Colour finish

36 colours

Locks

- Coin retain
- Coin return
- Cylinder/cam lock
- Electronic
- Hasp (padlock by others)

Accessories

- Numbers for locker doors
- Corresponding wristband colour – red or blue

Performance

Aluminium carcass only
Solid grade laminate (SGL) doors only.

Active lockers key features

- Robust and hardwearing
- Injection moulded tray
- Satin anodised aluminium carcass
- Integrated hinge design
- Available in 310 or 410mm door widths
- 13mm solid grade doors
- Choice of locking mechanisms
- Suitable for wet and dry environments
- Practical in design and functionality
- High impact resistant

Active doors

13mm thick solid grade laminate that offers a high impact resistance and is impervious to water.

Hinge

Strong integral sprung aluminium extruded hinge which returns the door to the closed position.

Body

Silver satin anodised aluminium extruded frame, together with 1mm thick matching aluminium carcass provides a sturdy body assembly.

Dividers

Hygienic, easy to clean, metallic grey injection moulded horizontal dividers.

Ventilation

3mm space between the doors and the frame allows air to circulate through the locker.

Stands

Venesta recommends that the lockers be installed on a raised, concrete base in wet areas. Please contact our sales team for details.

Alternatively, the lockers can be mounted on a powder coated cantilevered bench.


Benches

Our benches have been designed to provide strength, safety and flexibility. They feature solid beechwood slats, available in five styles each with complementary framework in a Light Grey nylon coated galvanised steel.


These bench systems are ideal for any of our washroom or cubicle systems, in both wet and dry environments.

Please note that bench slats are provided oversized to be cut down onsite.


Perimeter cantilever




Cubicle bench




Perimeter



Free-standing



Island



Benching key features

- Designed for strength, flexibility and safety
- Double corrosion protected, powder coated frame
- Hardwearing solid beechwood slats
- Available in five styles, each with complementary framework
- Suitable for wet and dry environments
- Designed for high level use

Profiles

- Perimeter
- Perimeter cantilever
- Cubicle benching
- Island with integral coat hooks
- Free-standing
- Locker benching

Dimensions

Standard bench height 435mm.


Performance

Solid beechwood slats only.
Nylon coated galvanised steel – Light Grey only.

Wall mounted coat hooks

Light Grey aluminium only.
Quantity and position to suit customers' individual requirements.

Wall mounted coat hook



Accessories

Contemporary designs that do the job perfectly – that's our accessory range. To make your life easier, we have everything from soap dispensers to bins, from door signs to coat hooks. It's all here ready for your selection.



Liquid soap dispenser
White plastic
Wall mounted dispenser for liquid soap with white ABS case and 900ml refillable reservoir.
H250 x W115 x D115mm
Code: 0302540



Liquid soap/foam dispenser
Black plastic
Wall mounted dispenser for liquid soap/foam. Black ABS case and stainless steel cover with 900ml refillable reservoir.
H255 x W130 x D120mm
Code: 0302513/0302514



Liquid soap dispenser
Stainless steel
Wall mounted stainless steel liquid soap dispenser with brushed satin finish, key lock and 900ml refillable reservoir.
H251 x W108 x D91mm
Code: 0302525



Liquid soap dispenser
White metal
Wall mounted white metal liquid soap dispenser with key lock and 900ml refillable reservoir.
H251 x W108 x D91mm
Code: 0302521



Paper towel dispenser
White plastic
Wall mounted white ABS towel dispenser for C-fold or interfold paper towels.
H425 x W290 x D145mm
Code: 0302537



Paper towel dispenser
Black plastic
Wall mounted towel dispenser for C-fold or interfold paper towels made from Black ABS with stainless steel cover.
H325 x W325 x D150mm
Code: 0302519



Paper towel dispenser
Stainless steel
Wall mounted stainless steel paper towel dispenser for C-fold or interfold towels with brushed satin finish and key lock.
H300 x W262 x D128mm
Code: 0302526



Paper towel 30L waste bin
Stainless steel
Stainless steel paper towel waste bin with brushed satin finish, bag holder and wall fixings.
H552 x W355 x D163mm
Code: 0302528



Paper towel dispenser
White metal
Wall mounted white metal paper towel dispenser for C-fold or interfold towels with key lock.
H300 x W262 x D128mm
Code: 0302522



Paper towel 30L waste bin
White metal
White powder coated metal paper towel waste bin with bag holder and wall fixings.
H552 x W355 x D163mm
Code: 0302524



Midi-jumbo toilet roll dispenser
White plastic
Wall mounted white ABS jumbo toilet roll dispenser.
H325 x W280 x D145mm
Code: 0302538



Midi-jumbo toilet roll dispenser
Black plastic
Wall mounted dispenser for jumbo toilet roll paper with Black ABS case and stainless steel cover plus spare stub roll.
H350 x W260 x D140mm
Code: 0302518



Jumbo toilet roll dispenser
Stainless steel
Stainless steel jumbo toilet roll dispenser with brushed satin finish, key lock and viewing slot.
Ø320 x H320 x D125mm
Code: 0302527



Jumbo toilet roll dispenser
White metal
White powder coated metal jumbo toilet roll dispenser with key lock and viewing slot.
Ø320 x H320 x D125 mm
Code: 0302523



Toilet tissue dispenser
White plastic
Wall mounted white ABS toilet tissue dispenser.
H275 x W150 x D130mm
Code: 0302539

Accessories



Toilet tissue dispenser
Black plastic
Wall mounted dispenser for toilet tissue paper with Black ABS case and stainless steel cover. H310 x W180 x D125mm
Code: 0302517



Toilet roll holder
Light Grey plastic
Light Grey nylon single toilet roll holder with concealed wall fixings (lockable version also available). H130 x W155 x D25mm
Code: 0300303



Toilet roll holder
Dark Grey plastic
Dark Grey nylon single toilet roll holder with concealed wall fixings (lockable version also available). H130 x W155 x D25mm
Code: 0300146



Toilet roll holder
Light Grey aluminium
Cast aluminium toilet roll holder with lockable single core in Light Grey powder coat finish. H50 x W174 x D88mm
Code: 0380071



Toilet roll holder
Satin chrome aluminium
Cast aluminium toilet roll holder with lockable single core in satin chrome finish. H50 x W174 x D88mm
Code: 0380070



Toilet roll holder
Dark Grey aluminium
Cast aluminium toilet roll holder with lockable single core in Dark Grey powder coat finish. H50 x W174 x D88mm
Code: 0380072



Male WC door sign
Stainless steel
Stainless steel, self adhesive male WC door sign. Ø76mm
Code: 0302503



Female WC door sign
Stainless steel
Stainless steel, self adhesive female WC door sign. Ø76mm
Code: 0302504



Disabled WC door sign
Stainless steel
Stainless steel, self adhesive disabled WC door sign. Ø76mm
Code: 0302505



Cubicle door handles
Dark Grey aluminium
Dark Grey powder coated aluminium C-profile cubicle door pull handles (pair). H175 x W150 x D80mm
Code: 0500101



Cubicle door handles
Polished aluminium
Polished anodised aluminium C-profile cubicle door pull handles (pair). H175 x W150 x D80mm
Code: 0500102



Cubicle door handles
Light Grey aluminium
Light Grey powder coated aluminium C-profile cubicle door pull handles (pair). H175 x W150 x D80mm
Code: 0500103



Grab rail
White aluminium
Aluminium grab rail 600mm long with white polyester coated finish and concealed fixings. W600 x D95 x Ø35mm
Code: S6454AC



Grab rail
Satin chrome aluminium
Aluminium grab rail 600mm long with brushed satin stainless steel coated finish and black concealed fixing flanges. W600 x D95 x Ø35mm
Code: S6454MY



Coat hook
Light Grey plastic
Light Grey nylon light weight coat hook with concealed fixings. H50 x W20 x D38mm
Code: 0300139



Coat hook
Dark Grey plastic
Dark Grey nylon light weight coat hook with concealed fixings. H50 x W20 x D38mm
Code: 0300137



Automatic warm air hand dryer
Stainless steel
Surface mounted automatic warm air hand dryer with brushed stain stainless steel case. H277 x W274 x D135mm
Code: 0302019



Automatic warm air hand dryer
White metal
Surface mounted automatic warm air hand dryer with white painted cast aluminium case. H269 x W336 x D191mm
Code: 0302005



Automatic high speed hand dryer
Metallic Silver
Compact high speed hand dryer with low energy consumption, touch-free start/stop sensor and metallic silver cast aluminium cover. H300 x W280 x D175mm
Code: 0302535



Automatic high speed hand dryer
White metal
Compact high speed hand dryer with low energy consumption, touch-free start/stop sensor and white cast aluminium cover. H300 x W280 x D175mm
Code: 0302533



Automatic hand wash station
Brushed satin stainless steel
Recessed mounted hand wash station with auto hand rinse, soap and warm air dryer. Brushed satin stainless steel case. H815 x W422 x D175mm
Code: 0302024

We know good service.

The quality of our products is only half the story. We know that excellent service can make all the difference to your satisfaction.

Our 6-stage service plan

Whether it's a simple vanity unit or an extensive refit, you'll always find we go the extra mile to ensure you're happy. Here's our 6-stage service plan.

Stage 1 Specification

Our friendly and knowledgeable team of specification managers will help you choose the most suitable products for your project. If you need help specifying, our NBS specification writing service is available free of charge to guide you through all the detail. Remember, whenever you need advice of any kind, just call our helpful sales team, who can also provide you with product literature and samples. And during the specification process, our dedicated technical helpline offers you all the technical support you need.

Stage 2 Estimating

Our estimating service levels have never been stronger; it's our aim to never deliver a late quotation. And, because we pride ourselves on our attention to detail, our comprehensive quotations always give the most detailed breakdowns of materials and prices. Don't forget, our dedicated technical helpline is here to give you technical support on all our products at any stage of the estimating and ordering process.

Stage 3

CAD

Once your order is placed, our highly skilled CAD technicians will prepare layout drawings. At this stage, you'll be given a dedicated CAD technician to work with you throughout your project. Everything from dimensions, colours and drawings can be sent for your approval prior to manufacture.

Stage 4 Manufacture and delivery

We're committed to delivering your order as soon as we possibly can, wherever you are in the country. With that in mind, we've invested £5m in state of the art machinery – allowing us to streamline our manufacturing process to make it more efficient than ever before. 100% on time, in full with no errors is our aim and we monitor our performance closely to ensure we can deliver on this.

Stage 5 Installation

Our highly responsive technical helpline is here to give you technical support throughout the installation process. It's worth remembering that although we're a supply only company, if you need fitting too, there are accredited installers we can recommend who have vast experience installing our products. Accredited installers undergo rigorous training and an approval process so you can be assured of a top quality job.

Stage 6 After sales support and spares

Once your products have been delivered, we'll give you your own dedicated point of contact to efficiently deal with all your after sales needs. Attentive and highly empathetic to your needs, they'll ensure you're completely happy at all times with our service. However, if you're not satisfied, for whatever reason, rest assured we offer replacements within 48-hours. Our friendly and helpful customer service team will be in touch with you 48-hours after delivery to ensure everything is in order.

One final thing, at Venesta, we appreciate customer feedback; it helps us to ensure we can continue to improve what we do in line with your needs. So, if you have any comments on our products or service, we want to hear them. You can call us on 01474 353333.



01 Sample service

Our helpful sales team can provide you with product literature and samples

02 Technical drawings

Everything from dimensions, colours and drawings can be sent for your approval prior to manufacture

03 Dedicated technical helpline

When you're ready to specify, our dedicated technical helpline offers you all the technical support you need

04 Design team



A specification manager will talk through your washroom requirements to help you choose the most suitable products for your project.



We know washrooms. Your partner, every step of the way.

Venesta people are passionate about ensuring you get the very best product and service, whatever the size of the project. That's why, from your first enquiry through to installation and beyond, you'll have a team of talented and committed experts working tirelessly to ensure you're happy and satisfied.

At Venesta, we believe it's our people that make the real difference to our business success. Everyone is an expert in their field, from our highly creative CAD team to our efficient and responsive project managers and our dedicated manufacturing team. Their experience and professionalism is what underpins the quality of our customer relationships.



How can we help you?

Our friendly and knowledgeable team is waiting to advise you on your project. Call us on **01474 353333**.

Alternatively, you can see all our products online at **www.venesta.co.uk**. We look forward to working with you.



www.venesta.co.uk

**For help and advice on choosing
your washroom, visit our website
for a comprehensive guide.**

Our address

Chartwell Court
West Mill
Imperial Business Park
Gravesend, Kent
DA11 0DL

Telephone
01474 353333

Facsimile
01474 533558

Email
marketing@venesta.co.uk

Republic of Ireland
Telephone
1 800 931 880

Facsimile
1 800 931 881

www.venesta.co.uk