



COPEking

Simply the safest and quickest coping to install





COPEking GRP coping

Solid and sturdy, lightweight and safe

What if you could maintain the appearance of traditional stone coping with all of the benefits of a modern lightweight material incorporating a dry fit fixing system.

Discover COPEking, the coping system preferred on-site that requires little or no maintenance for CDM regulations and requires not specialist skills to install.

If you could ensure a system manufactured to ISO standards too... You'd keep everyone happy.

Simply the safest & quickest coping to install

COPEking can be installed 75% faster than traditional coping and requires no specialist trades to fit. Our patented GRP technology looks and feels like stone - a solid component, the surface is so realistic, you'll have to touch it to check. **COPEking** is wind-speed tested and installation is so simple, there's little room for error.

- Double and Single Weathered
- 75% faster to install. No specialist trades or supervision required
- All preformed angles, intersections, stop-ends included
- Low to no maintenance for CDM regulations and long-term safety
- No wastage, unlike stone coping
- Lightweight for short and long-term safety
- Ideal for use on timber frames or panelled walling systems
- The safe alternative to crumbling stone coping
- To suit 250mm - 400mm walls



Simple clip system to fix copings in place easily.



Clip on pre-mitred sections and stop ends as necessary.



Solid RTM moulding for superior finish.

01827 311100 | **stormking.co.uk**



Why you'd never know our coping is GRP

Male and female moulds are gently separated to reveal the phenomenal GRP detail of stone and the Earth's full spectrum of natural materials. All of our products are manufactured within the scope of our ISO9001 Quality Management System Certification.

Inspired by the latest technology

Investment into development, technology and people enable us to create the dynamic detailing found on the surface of natural materials. This level of detail simply can't be achieved through the traditional methods used by our competitors.



COPEking delivers consistently perfect aesthetics.



Regional support and on-site training

Technical Advisors are on-hand for friendly support that doesn't end once you've signed the cheque. Our people can be on-site within 48hrs to help overcome challenges and to train your team in correct product installation (for speed, safety and waste reduction). From specification and ordering to installation and beyond, you're welcome to draw on our specialist support from **in-house** architects who can assist with planning applications and more.

Production capacity and tracked delivery

No matter how big or small your order, we have the capacity to produce the volume you need, to ISO standards. Ensuring that products are delivered to your building schedule is paramount, and our fleet of tracked-vehicles are primed to meet your exact delivery requirements.



STORM KING



Doing the right things and doing things right:

- Special colour options
- B.R.E. Wind Tested (Certificate No. 235-309)
- ISO 14001 Environmental Management Systems
- ISO 9001 Management Systems
- Patent GB2445357

Simply the safest and quickest coping to install

COPEking

Design options and Product Range

- Range of wall widths
- Double or single weathered
- Pre-made mitres and angles
- Choice of standard colours to match build
- Colour-matching for bespoke projects



We utilise the latest R.T.M. assisted GRP technology and closed mould techniques to provide superior quality.

Tell us about your specifications, contact our friendly team on: **+44 1827 311100**



Stormking Plastics Ltd.
Amington Point, Sandy Way, Amington Industrial Estate,
Tamworth, Staffordshire B77 4ED
Tel: **01827 311100** Fax: **01827 311200**
Email: sales@stormking.co.uk



Setting the Standards

stormking.co.uk