





FLOORING PROFILES

July 2021

THE SPECIALIST FLOORING ACCESSORY MANUFACTURER

www.thecatweb.com



Introduction

Dear Customer,

Contained in this 2021 edition of the Comprehensive C.A.T. Catalogue are hundreds of transition and edging profiles for numerous flooring situations. C.A.T trust you will find a suitable profile for your commercial or residential project and look forward to being of assistance in supplying you with "in flooring terms", the final detail.

We recognise the extensive choice available can be time-consuming to scan through, however our team are more than happy to suggest suitable profiles upon request of a customer enquiry.

Since 1986, we maintain our objective to produce the finest quality flooring profiles and accessories

2020 - 2021 has been a tough year for all businesses during this pandemic. This in conjunction with Brexit has caused global economic fluctuations in the cost of raw materials. Whilst we aim to provide stable prices this year, C.A.T may find it necessary to increase pricing due to continual rising material costs. We endeavour to advise our customers of any such increase however, it is the responsibility of the purchaser to check pricing at the time of order. If you have any concerns regarding pricing please contact our sales team for advice.

Drawings & Illustrations

The profiles depicted in this catalogue are shown approximately 75% scale with every effort having been made to ensure accuracy of illustration and dimensions given. However, we recommend that samples be requested where critical sizing is required.

Similarly, where infilling colours and metal finishes are shown, these are representative only. Please request a sample for true colour/metal finish referencing.

C.A.T. reserves the right to alter or change, within reasonable limits, the published dimensions of its profiles, having regard to the nature of the product and its intended use.

C.A.T. Logos, Brands and Products

All the products in this publication are protected by registered design or design right. Please contact our marketing department should you wish to include C.A.T. logos, brands or products in your own marketing material or on your website.

C.A.T. and BIM (Building Information Modelling)

To assist designers and architects, C.A.T. are currently working towards producing product data sheets compatible with BIM Level 2 requirements. Please contact our office if you require these data-sheets for any of our profiles you wish to incorporate into your specification. 3D images will also be provided upon request.

Important Information

Orders for brass profiles are always supplied as 'Polished Brass' unless a special finish is specified at the time of ordering.

When selecting brass profiles, please consider that all brass will tarnish in the atmosphere over a period of time dependent upon the environment in which it has been installed.

Contact with fluids, including water and cleaning chemicals, will accelerate the tarnishing process causing staining which will be difficult to remove.

C.A.T recommend that installers wear cotton gloves when handling our brass products, preventing any unnecessary tarnishing at the time of installation.

Antique Brass and Antique Bronze finishes are a chemically applied process and are hand finished with a variance from batch to batch. They are not foot-traffic resistant and are designed to create an aged, unpolished effect.

For maintenance instructions, please visit www.thecatweb.com or call our sales office for further assistance.



7SO This symbol appears throughout this catalogue to denote that certain products or supply variations are available 'TO SPECIAL ORDER'

Please check with the sales office for availability details prior to ordering.



Delivery Information

Domestic Shipping

C.A.T deliver to all areas of the England, Wales, Scotland, Northern Ireland, Isle of Man and the Channel Islands, either by C.A.T. company vehicles or by common carrier services (see detailed information below). Delivery cost are calculated and advised to the customer at the time of placing an order.

International Shipping



C.A.T offer a worldwide shipping service. The price for shipping can vary depending on the size, weight and destination for delivery. Please email us full details of your order and we will search the market for the best possible shipping rates.

SITE DELIVERIES

In certain circumstances, deliveries to site can be made upon the Customers written request. Said request **must include** a site contact name and a contact telephone number, the full site address including post code and any other instructions.

Third Party Deliveries, e.g. by Parcel Carrier, Courier, Road Haulier.

The Customer must ensure that there is someone available at the delivery site address who is aware that the delivery is due and is ready to receive the goods from the delivering vehicle. This includes for the availability of mechanical handling equipment should it be required.

Third party courier companies will not contact site contacts by mobile phone but will expect to deliver goods to the company who have placed the order or an individual acting on their behalf.

Dedicated Deliveries P.O.A.

Next Day Deliveries - Important Note

If an order for next day delivery is requested by the customer it is on the clear understanding and agreement that no definite guarantee whatsoever of delivery can be made by the company or its representative.

Whilst the Company will always endeavour to assist with urgent requirements, it is the responsibility of the Customer to allow adequate time for materials to be delivered given normal conditions. This statement is made in good faith with courier and other related third party involvement having been taken into consideration.

Courier companies that operate a next day service do not guarantee delivery and operate a 1-2 day service as standard. Should a Customer require a dedicated door-to-door urgent delivery for materials, the Company can obtain a quotation for this request and forward it to the Customer for their approval.

Deliveries by C.A.T. Company Vehicle

C.A.T. personnel will not go on to a site and leave the vehicle unattended but will call the site contact by mobile telephone to advise that the delivery is available. The driver will seek to leave the goods with a person on site who is responsible for the acceptance of goods if this is part of the Customers instruction.

IT IS ADVISABLE TO ALWAYS ALLOW SUFFICIENT TIME WHEN PLACING ORDERS, WHETHER FOR DELIVERY TO SITE OR TO THE CUSTOMER'S OWN PREMISES, TO ENSURE THAT GOODS ARE RECEIVED IN ADVANCE OF INSTALLATION DATES.


C.A.T. standard Terms & Conditions of business apply.



Denotes Aluminium Profiles
Denotes Brass Profiles
Denotes PVC Profiles
Denotes Stainless Steel Profiles

	Contents	ruç
	Introduction Delivery Information Recycling & Sustainability C.A.T. Brands Leadtimes Stick Fix Profiles	2 3 6 7 8 9
	Flooring Profiles	10
	Special Finishes Designer Home Collection & Aluminium Profiles Brass Flooring Profiles Stainless Steel Flooring Profiles Threshold Cover Plates Ramp Profiles	11 12 21 31 38 53
	Kliks™ & Kliks Slim™ Clip-In Flooring Profiles Bases Aluminium Brass Stainless Steel uPVC - Kliks Spectrum Zip™	69 71 75 79 83 85
	Perimeter Trims & Floor Edging Trims Metal Inlay Strips Timberline™ Profiles For Timber Floors Matwell Frames	91 104 108 112
"	Angles & Tag Trim™ Formable Angles Aluminium Brass Stainless Steel PVC	117 126 138 145
	Reflex™ Movement Joints	152
	Vertex™ Corner Protection	157
	Skirting Profiles, Capping Profiles	161
	Door Threshold Plates	164







Sustainability & Recycling Policy Statement

C.A.T. Ltd. manufacture high quality, competitively priced flooring finishing trims, stair nosings and wall corner protectors in Brass, Stainless Steel, Aluminium and PVC materials.

The metals C.A.T. produce all have a high content of recycled material, typically 90-100% of brass profiles, 30% of aluminium extrusions and 60% of stainless steel.

At the end of their working life, these products are 100% recyclable and the aluminium, brass and steel material can be re-used an infinite number of times. There is usually a monetary value for the scrap.

C.A.T. Spectrum KSP PVC profiles and stair nosing infill finished products contain 30% of recycled material by weight. KB bases are extruded using up to 80% recycled material.

Our commitment to quality ensures that, where C.A.T. trims are used as recommended, they will last longer than inferior products, meaning they require replacement less often. This can lead to reduced project lifetime costs and lessen the impact on the environment.

C.A.T. comply will all relevant environmental legislation and regulations.

Whilst BREEAM and LEED classification does not currently include floor finishing trims, we are determined to engage in the spirit of these schemes and work towards minimising our environmental footprint.

All metal off-cuts and waste are sent for recycling.

All paper and cardboard waste is collected for recycling by an approved and licenced operator.

Manufacturing waste from PVC products in our factory is processed and reused in the making of new products.

Wooden crates, in which our raw material is supplied, are broken down and re-used in our packing system wherever possible. Surplus material and pallets are given to local collectors for repurposing or recycling.

All the timber used is FSC certified.

Wherever possible we are reducing the use of plastic packaging materials, however, we will only do this where there is no detriment to ensuring our products are delivered to the quality standard we expect. Alternatives are actively being sought.

C.A.T. are committed to the reduction of waste and improving energy efficiency. Our transport operation is planned to be as efficient as possible and we are constantly monitoring performance.

We regularly review our working practices to ensure we are continuing to reduce our environmental impact.



"Did you know aluminium is one of the most sustainable building materials in the world and can be recycled indefinitely without loss of quality?

Aluminium recycling over a year saves enough electrical energy to power The Netherlands for a year.

It also saves more than 90 million tonnes of CO2 each year."



C.A.T. Brands

Designer Home Collection™

Stick Fix TM

Feline™

Fab TM

Timberline™

Tag Trim™

Mainline™

KliksTM

Kliks Slim™

Kliks Spectrum Zip™

Reflex[™]

Vertex™

Olympic

The Akeman Collection™



Lead Times Guide

750 To Special Order Profiles

Up to 14 working days from receipt of order - subject to availability

Fabrication - 1 to 3 curves

Flooring profiles - curves

Stair nosings - curves

Stair rods - curving (in addition to stair rod lead times)

Up to 14 working days
Up to 14 working days
7 working days

Notes:

Powder Coating

For special finishes, please add 14 working days to the quoted lead times. For large fabrication orders, please contact C.A.T. sales for lead times.

I	

Matwell Frames - 1 - 3 matwells	7 working days
---------------------------------	----------------

Stair Nosings & Edgings up to 100 metres:

Brass Stair Nosings With PVC & Brass Infills

Polished & Satin Finishes

Antique Brass & Antique Bronze Finishes

Aluminium Stair Nosings With PVC & Aluminium Infills

Mill Finish

Polished & Satin Finishes

Aluminium Stair Nosings With Olympic Grip Infill

Mill Finish

Aluminium Stair Nosings With Carborundum Infill

Mill Finish

Stainless Steel Stair Nosings With PVC Infills

Bright & Brushed Finishes

Contact C.A.T. sales

7 working days

3 working days

7 working days

14 working days

3 working days

14 working days

10 working days

Note: For larger orders, please contact C.A.T. sales for lead times.

Stringer Angles up to 100 Units:

Aluminium - stock subject to availability

Brass - Polished & Satin Finishes

Antique Brass & Antique Bronze Finishes

3 working days

14 working days

21 working days

Note: For larger orders, please contact C.A.T. sales for lead times.

Stair Rods & Eyes - up to 50 Rods and 100 Eyes

Polished Brass

Antique Brass & Antique Bronze Finishes

Chrome & Nickel Finishes

7 working days

14 working days

14 working days

Note: For larger orders, please contact C.A.T. sales for lead times.



Stick Fix Profiles

look for the Stick-Fix™ logo



Key Benefits





No drilling or mechanical fixing required



No risk to underfloor heating pipes



No risk to underfloor cables



Rapid install time

General

A solvent free, rubber resin bonding medium based on hot melt adhesive which is factory affixed to a selection of C.A.T. flooring and wall protection profiles to facilitate adhesive-only site fixing.

Key Properties

- Solvent free
- Very aggressive, pressure sensitive adhesion
- Non-hardening, permanently flexible bond
- Forms strong, waterproof bond
- Instant fix no curing time required
- Service temperature 0°C to 40°C

Technical Properties

Description	Units	Nominal Value
Specific Gravity	g/cm ²	0.98
180°Peel Adhesion (23°C)	N/cm	25
Softening Point (Ring and Ball)	°C	85
Cohesion	Kgs/cm ²	6
Initial Tack (Rolling Ball)	mm	30

Floor Preparation

The floor/step surface to receive the adhesive only fixing must be completely free of dust, grease, paint or other contaminates likely to prevent or compromise the effective bonding of the profile to the substrate material.

Additional Information

Stick-Fix should not be used where good chemical or UV resistance is required.

The specifier/installer should determine the suitability of adhesive-only fixing having taken into account the nature of the application and the type and condition of the substrate.

In determining that adhesive-only is appropriate, the specifier/installer shall assume all risk and liability connected therewith, including correct site preparation.



Flooring Profiles

Aluminium, Brass & Stainless Steel





Special Finishes

A selection of C.A.T. flooring profiles are available with special finishes.

For information on the availability of a finish on a particular product please refer to the relevant product page in this catalogue.

Should you require further assistance, please contact the C.A.T. sales office.

Finishes depicted in this catalogue are representative only and are subject to print interpretation. For accurate referencing, please request a sample from the C.A.T. sales office.

In 1999 we pioneered special finishes on brass thresholds in antique and chrome finishes and again in 2016 developed our Designer Home Collection range of special finishes on aluminium profiles for the residential and light commercial market. We are constantly developing our range and finishes to provide our customers with a byword at C.A.T; Choice.

Brass Finishes

Antique Brass and Antique Bronze finishes are a chemically applied process to Brass products and are hand finished with a variance from batch to batch. Antique finishes are not foot traffic resistant and are designed to create an aged, unpolished effect.



Aluminium Finishes



DESIGNER

available on Feline A/9/2, Feline A/10, Feline A12Z, AR3 SF, AR6 SF, ANF, AC38, Kliks Slim Twin Top & Ramp Top, Feline AT25, AN20/3 and AN21/3.



Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.

Chrome Plated Finishes On Brass

Plated finishes are not solid metals and consideration should be given when selection takes place as to the suitability of the product in the installation.



Stainless Steel Finishes









Aluminium Profiles




Feline A/10 Bright






Quick Reference Guide






FELINE A/9/2 DHC page 14




FELINE A/12Z DHC page 15



FELINE A/10 DHC


page 15




FELINE AT25 DHC page 17




Please refer to individual product page for finish availability.



ANF DHC page 18




CAP IT DHC page 18
















supplied centre drilled AC38 DHC for screw size 6 page 39




OSE




page 20





KLIK SLIM TWIN TOP page 76



KLIK SLIM RAMP TOP page 77







Profiles shown approximately 75% scale. Finishes shown for representation only.

Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.









Feline™ Twin Top - Twin Leg Flooring Profiles

Joining profiles for carpet to carpet installations. Feline trims are designed with a smooth, attractive, high quality surface finish.

FELINE A/9/2 DHC

Aluminium

Twin base profile for carpet to carpet installations

FELINE A/9/2 DHC **DESIGNER FINISHES FOR DESIGNER FLOORS**

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze

Pewter

Onyx

Piano Black

Designer Satin

Best Buy

Stock Length 0.900m

2.715m

1.800m

Length/Tube





DHC Designer Finishes:



















Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.









Feline™ Twin Top - Single Leg Flooring Profiles

Joining profiles for carpet to stone, timber and ceramic transitions where the flooring meets at the same level. Trim heights can be increased with suitable packers.

FELINE A/13 Aluminium 25 1.5

FELINE A/13

Finishes Available Polished Aluminium Satin Aluminium


 Ø
 Best Buy

 Stock Length
 Length/Tube

 0.900m
 6

 1.800m
 6

 2.715m
 6




FELINE A25/15

Finishes Available Polished Aluminium Satin Aluminium

	Best Buy
Stock Length	Length/Tube
0.900m	6
1.800m	6
2.715m	6




Feline™ Extra Wide Twin Top Profile For Timber Expansion



FELINE A/15


Finishes Available Polished Aluminium Satin Aluminium

Stock Length Length/Tube 2.715m 6





Finishes Polished Aluminium Satin Aluminium





Feline™ T Flooring Profiles

T profile to protect the edge of stone and ceramic floors.

DESIGNER HOME COLLECTION

FELINE AT25 DHC

Aluminium 25

FELINE AT25 DHC DESIGNER FINISHES FOR DESIGNER FLOORS

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze

Pewter

Onyx

Piano Black

Designer Satin

Best Buy


Stock Length

0.900m 1.800m 2.715m 6 6

Length/Tube

FELINE AT35

Aluminium



FELINE AT35

Finishes Available Brushed Stainless DHC Satin Aluminium

Stock Length 2.715m Length/Tube 6

Feline AT25 and AT35 flooring profiles can be used with uPVC base, if preferred:




Colour Black

Stock Length 2.715m Length/Tube

T BASE 15 uPVC - adhesive fixing

TBASE 12 uPVC - adhesive fixing



T BASE 15

Colour Black Stock Length 2.715m Length/Tube

Feline AT25 DHC Designer Finishes:



Bright














Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.

Standard Finish - Feline AT35:

Satin Aluminium









Single Nap Lock Flooring Profiles

For carpet to resilient floorings.

Single nap lock flooring profiles are designed to trap and protect the nap edge of the carpet when installed with resilient floorings.

ANF DHC

Aluminium *dimensions prior to dressing down

> Single nap lock for carpet to resilient flooring.

ANF DHC

DESIGNER FINISHES FOR DESIGNER FLOORS

Choose From:

Brushed Stainless Bright

Bronze

Light Bronze Pewter

Onyx

Piano Black Designer Satin

Stock Length 0.900m 1.800m

2.715m

Best Buy

Length/Tube


6 6

DESIGNER HOME COLLECTION



CAP IT DHC

Aluminium



Square edge profiles provide a neat trim edging where carpets and carpet tiles meet with stone and ceramic flooring.

CAP IT DHC

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze

Pewter

Onyx

Piano Black

Designer Satin

DESIGNER FINISHES FOR DESIGNER FLOORS

Best Buy

Stock Length 0.900m

1.800m 2.715m Length/Tube

DHC Designer Finishes:

Brushed Stainless Bright















Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.












Supplied undrilled with Stick Fix tape pre-applied

- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time





AC38 DHC SF DESIGNER FINISHES FOR DESIGNER FLOORS

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze

Pewter

Onyx


Piano Black

Designer Satin

Best Buy

Stock Length Length/Tube 0.900m 6

6 6 6



AC55 SF

Finishes Available


Polished Aluminium Satin Aluminium

Stock Length 2.715m

1.800m

2.715m

Length/Tube



A155 SF

Finishes Available Polished Aluminium Satin Aluminium

Stock Length 2.715m Length/Tube

AC38 DHC SF Designer Finishes:

















Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.


Standard Finishes - AC55 SF & A155 SF:

Polished Aluminium Satin Aluminium














Aluminium Ramp Flooring Profiles

Supplied with pre-applied Stick Fix tape.





AR3 SF DHC DESIGNER FINISHES FOR DESIGNER FLOORS

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze

Pewter


Onyx

Piano Black

Designer Satin

Stock Length Length/Tube 0.900m 6 2.715m 6

DESIGNER HOME COLLECTION



AR6 SF DHC **DESIGNER FINISHES FOR DESIGNER FLOORS**

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze

Pewter

Onyx

Piano Black

Designer Satin

Stock Length Length/Tube 0.900m 2.715m 6

DHC Designer Finishes:


















Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.






T: +44 (0) 1582 561500

e:sales@cat-accs.com



Brass Flooring Profiles



Best Buy

Best Buy





Feline[™] Solid Brass Twin Top Flooring Profiles

Designed for the highest quality installations.


FELINE 2

Brass	25
	8.5
	1.5


Twin base profile for carpet to carpet installations

FELINE 2		Ø В	est Buy
Finishes Available	Stock Length	Length/Tube	
Polished Brass	0.900m	6	
	1.800m	6	
	2.715m	6	
Satin Brass	0.900m	6	
	1.800m	6	
	2.715m	6	
Antique Brass	0.900m	6	
	1.800m	6	
	2.715m	6	
Antique Bronze	0.900m	6	
	1.800m	6	
	2.715m	6	
Chrome	0.900m	6	
	1.800m	6	
	2.715m	6	
Satin Chrome	0.900m	6	
	1.800m	6 🕜	

2.715m



FELINE 1



Single base profile for carpet to stone • timber • ceramic transitions where floorings meet at the same level

FELINE 1

Finishes Available Length/Tube Stock Length 0.900m Polished Brass 6 1.800m 6 2.715m 6 Satin Brass 0.900m 6 1.800m 6 2.715m 6 Antique Brass 6 0.900m 6 1.800m 6 2.715m Antique Bronze 0.900m 6 1.800m 6 2.715m Chrome 0.900m 6 1.800m 6 2.715m 6 Satin Chrome 0.900m 6 1.800m 6

2.715m

Finishes: Polished Brass























Feline[™] Solid Brass Twin Top Flooring Profiles

Designed for the highest quality installations


FELINE 4

Brass	25	
N R	10	3.5


Raised twin base profile for carpet to carpet installations

FELINE 4

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6



FELINE 3



Raised single base profile for carpet to stone • timber • ceramic transitions where floorings meet at the same level

FELINE 3

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6











S Antiq














Fab[™] Twin Top Flooring Profiles

Aluminium profiles with brass tops.

FAB TWIN TOP/SINGLE LEG

Aluminium profile with brass top




Twin base profile for carpet to carpet installations

Best Buy


Product Code/Finish:	Stock Length	Length/Tube
FAB2 - Polished Brass	0.900m	6
T	so 1.000m	6
	1.800m	6
	2.715m	6
FAB24 - Satin Brass	0.900m	6
T.	so 1.000m	6
	1.800m	6
	2.715m	6
FAB220 - Antique Brass	0.900m	6
T	so 1.000m	6
	1.800m	6 🕜
	2.715m	6
FAB221 - Antique Bronze	0.900m	6
T.	so 1.000m	6
	1.800m	6
	2.715m	6
FAB222 - Chrome	0.900m	6
T .	30 1.000m	6
	1.800m	6
	2.715m	6
FAB232 - Satin Chrome	0.900m	6
	so 1.000m	6
	1.800m	6
	2.715m	6

Best Buy



FAB TWIN TOP/SINGLE LEG

Aluminium profile with brass top



Single base profile for carpet to stone • timber • ceramic transitions where floorings meet at the same level

Product Code/Finish:	Stock Length	Length/Tube
FAB1 - Polished Brass	0.900m	6
TS	0 1.000m	6
	1.800m	6 🗸
	2.715m	6
FAB14 - Satin Brass	0.900m	6
TS	0 1.000m	6
	1.800m	6 🗸
	2.715m	6
FAB120 - Antique Brass	0.900m	6
TS	i 1.000m	6
	1.800m	6 🗸
	2.715m	6
FAB121 - Antique Bronze	0.900m	6
TS	0 1.000m	6
	1.800m	6 🗸

FAB122 - Chrome

6 2.715m 0.900m 6 1.000m 6 1.800m 6 2.715m 6 0.900m 6 1.000m 6

1.800m

2.715m

FAB132 - Satin Chrome

Finishes:




















6







Fab ™ Twin Top Flooring Profiles

Aluminium profiles with brass tops.


FAB A/12Z Aluminium profile with brass top

28	
*10.5	
+ N N 1.5	
*dimensions prior to dressing down	

Collapsible centre leg to accommodate minor differences in floor levels.


Best Buy **FAB A/12Z**

Product Code/Finish:	Stock Length	Length/Tube
FABA/12Z1 Polished Brass	0.900m	6
	1.800m	6
	2.715m	6
FABA/12Z14 Satin Brass	0.900m	6
	1.800m	6
	2.715m	6
FABA/12Z120 Antique Brass	0.900m	6
	1.800m	6
	2.715m	6
FABA/12Z121 Antique Bronze	e 0.900m	6
	1.800m	6
	2.715m	6
FABA/12Z122 Chrome	0.900m	6
	1.800m	6 🕜
	2.715m	6
FABA/12Z132 Satin Chrome	0.900m	6
	1.800m	6 🕖
	2.715m	6



FAB WIDE TWIN TOP/SINGLE LEG

Aluminium profile with brass top



Extra wide top profile for carpet to stone • timber • ceramic floors.

FAB WIDE TWIN TOP

Product Code/Finish:	Stock Length	Length/Tube
FAB3 - Polished Brass	2.000m	6
FAB34 - Satin Brass	2.000m	6
FAB320 - Antique Brass	2.000m	6
FAB321 - Antique Bronze	2.000m	6

Finishes:

Polished Brass




Satin Brass


















Feline™ Solid Brass T Flooring Profiles


T profile to protect the edge of stone and ceramic floors.

FELINE T14 Brass 14 7.4

FELINE T14		
Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

Feline T14 is adhesive (or silicone) fix only. Not compatible with T Bases.


C.A.T. recommend Stycco Flex adhesive. Available to order on page 379.





FELINE T25		
Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6
Chrome	2.715m	6
Satin Chrome	2.715m	6

C.A.T. recommend Stycco Flex adhesive. Available to order on page 379.

Feline T25 flooring profile can be used with uPVC base, if preferred:















Stock Length 2.715m

Length/Tube
























Solid Brass Single Nap Lock Flooring Profiles

BNF
Brass
*15
*8.5
1.5
*dimensions prior to dressing down

Flat base	
for carpet to resilient floor	rings


BNF		Best Buy
Finishes Available:	Stock Length	Length/Tube
Polished Brass	0.900m	6
	1.800m	6 🕢
	2.715m	6
Satin Brass	0.900m	6
	1.800m	6 🕢
	2.715m	6
Antique Brass	0.900m	6
	1.800m	6 🕢
	2.715m	6
Antique Bronze	0.900m	6
	1.800m	6 🕢
	2.715m	6
Chrome	0.900m	6
	1.800m	6 🕢
	2.715m	6
Satin Chrome	0.900m	6
	1.800m	6 🕢
	2.715m	6



Raised base for carpet to resilient floorings

BNR

Finishes Available:	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6



FELINE EDGE

*13
*dimensions prior to dressing down

For carpet to stone and ceramic floorings

Solid Brass Single Square Edge Flooring Profiles

	Best Buy
Stock Length	Length/Tube
0.900m	6
1.800m	6
2.715m	6
0.900m	6
1.800m	6
2.715m	6
0.900m	6
1.800m	6
2.715m	6
0.900m	6
1.800m	6
2.715m	6
0.900m	6
1.800m	6
2.715m	6
0.900m	6
1.800m	6
2.715m	6
	0.900m 1.800m 2.715m 0.900m 1.800m















Fixings not supplied










Solid Brass Cover Plates


Supplied undrilled with Stick Fix tape pre-applied

- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time






BC38 SF - 2.5mm gauge	е		Best Buy
Finishes Available	Stock Length	Length/Tube	
Polished Brass	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Satin Brass	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Antique Brass	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Antique Bronze	0.900m	6	
	1.800m	6	
	2.715m	6	
Chrome	0.900m	6	
	1.800m	6	
Satin Chrome	0.900m	6	
	1.800m	6	




BC55 SF - 2.5mm gauge

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6



B155 SF - 2.5mm gauge

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6



BC28 SF - 1.0mm gauge

Fir	nishes Available	Stock Length	Length/Tube
Po	olished Brass	0.900m	6
		2.715m	6
Sc	atin Brass	0.900m	6
		2.715m	6
ıA (ntique Brass	0.900m	6
		2.715m	6
ıA (ntique Bronze	0.900m	6
		2.715m	6
C	hrome	0.900m	6
Sc	atin Chrome	0.900m	6

Finishes:





T: +44 (0) 1582 561500






















Solid Brass Cover Plates


Brass cover plates are supplied centre drilled for mechanical fixings. Available undrilled and off-centre drilled to special order $\overline{\mbox{(180)}}$.



BC38			Best Buy
Finishes Available	Stock Length	Length/Tube	
Polished Brass	0.900m	6	
	1.800m	6 🕢	
	2.715m	6	
Satin Brass	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Antique Brass	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Antique Bronze	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Chrome	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Satin Chrome	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	



Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6



B155		
Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

B155 is a variation of BC55 cover plate produced with a 3.5mm underside fold. It can accommodate minor height differences when installed on hard floorings. It is particularly useful when joining hard floorings such as stone or timber to carpet where the carpet has some compression allowance to be made.

Finishes:








BC55











RAMP PROFILES

look for the Stick-Fix™logo



Solid Brass Ramp Flooring Profiles


Supplied with Stick-Fix tape pre-applied.

Brass finishing trims where floors adjoin at different levels. Typical examples: stone and timber floors.
Polished and Satin brass standard supply.

Antique finishes to special order 500.

Antique Bronze







BLE/2 SFFinishes AvailableStock LengthLength/TubePolished Brass2.000m6Satin Brass2.000m6Antique Brass2.000m6

2.000m


6



	BR8 SF		
	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
	Satin Brass	2.715m	6
9	Antique Brass	2.715m	6
6	Antique Bronze	2.715m	6



	BKIZ 3F		
	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
	Satin Brass	2.715m	6
0	Antique Brass	2.715m	6
0	Antique Bronze	2.715m	6



	BR15 SF		
	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
	Satin Brass	2.715m	6
TSO	Antique Brass	2.715m	6
TSO	Antique Bronze	2.715m	6

Finishes:

Polished Brass







For drilled ramps, please see page 64.








Stainless Steel Flooring Profiles





FABULOUS FABS




Fab ™ Twin Top Flooring Profiles

Aluminium profiles with Stainless Steel tops

FAB TWIN TOP/TWIN LEG

Aluminium profile with stainless steel top



Twin base profile for carpet to carpet installations

FAB TWIN TOP/TWIN LEG

Product Code/Finish:


FABS22 - Bright Stainless Steel FABS23 - Brushed Stainless Steel

Sto	ock Length	Length/Tube
	1.000m	6
/	2.000m	6
TSO	2.500m	6
TSO		,



Fab™ T Flooring Profile

FAB T28
Aluminium profile with stainless steel top



To protect the edge of stone and ceramic floorings

FAB T28 - joining profile for stone, timber and ceramic floors

Product Code/Finish:


FABT28S2 Bright Stainless Steel FABT28S3 Brushed Stainless Steel

Stock Length Length/Tube 2.000m 6




FAB T28 flooring profile can be used with uPVC base, if preferred:

T BASE 12 uPVC - adhesive fixing



TBASE 15 uPVC - adhesive fixing



T BASE 12

Colour Stock Length Black 2.715m

T BASE 15


Colour Stock Length Black 2.715m



Bright Stainless Steel Brushed Stainless Steel









T: +44 (0) 1582 561500





FABULOUS FABS


Fab [™] Twin Top - Single Leg Flooring Profiles

Aluminium profiles with Stainless Steel tops.

Joining profiles for carpet to stone, timber and ceramic floors.

FAB TWIN TOP/SINGLE LEG

Aluminium profile with stainless steel top



FAB TWIN TOP/SINGLE LEG

Product Code/Finish:


FABS12 - Bright Stainless Steel FABS13 - Brushed Stainless Steel

Stock Length	Length/Tube
1.000m	6
2.000m	6
750 2.500m	6



FAB A/12ZS

Aluminium profile with stainless steel top




collapsible centre leg to accommodate minor differences in floor levels.

FAB A/12ZS

Product Code/Finish:

FABA/12ZS12 Bright Stainless Steel FABA/12ZS13 Brushed Stainless Steel

Stock Length	Length/Tube
1.000m	6
2.000m	6
<i>rso</i> 2.500m	6






Fab™ Extra Wide Top For Timber Expansion

FAB WIDE TWIN TOP/SINGLE LEG

Aluminium profile with stainless steel top



FAB WIDE TWIN TOP/SINGLE LEG

Product Code/Finish:

FABS32 - Bright Stainless Steel FABS33 - Brushed Stainless Steel

Stock Length Length/Tube 2.000m 6

Finishes:

Bright Stainless Steel Brushed Stainless Steel








Fixings not supplied TO SPECIAL ORDER







Single Nap Lock And Square Edge Flooring Profiles

For carpet to resilient floorings.

Single nap lock flooring profiles are designed to trap and protect the nap edge of the carpet when installed with resilient floorings.

SSNF

Formed stainless steel



SSNF

Finishes Available:


Bright Stainless Steel Brushed Stainless Steel

> Stock Length 2.000m

Length/Tube

SSE

Formed stainless steel



SSE

Finishes Available:

Bright Stainless Steel Brushed Stainless Steel

Stock Length 2.000m

Length/Tube 6

SS10

Formed stainless steel



SS10

Finishes Available:

Bright Stainless Steel Brushed Stainless Steel

Stock Length 2.000m

Length/Tube 6

Finishes:

Bright Stainless Steel Brushed Stainless Steel















Stainless Steel Cover Plates






- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time


Grade: 304L Stainless Steel





SC28 SF - 0.9mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6




SC30 SF - 2.0mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

SC30 SF - 1.2mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6




SC38 SF - 2.0mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

SC38 SF - 1.2mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6




SC50 SF - 2.0mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

SC50 SF - 1.2mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



SC60 SF - 2.0mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Finishes:


Bright Stainless Steel Brushed Stainless Steel








Profiles also available drilled. Please see page 36 of this catalogue.







Stainless Steel Cover Plates

Range of stainless steel cover plate profiles in 1.2mm and 2.0mm gauge for residential and commercial installations. Grade: 304L Stainless Steel.



SC38
38
supplied centre drilled





SC55	
55	_
supplied centre drilled	

SC30 - 2.0mm gauge	Screw size 6	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC30 - 1.2mm gauge	Screw size 6	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC38 - 2.0mm gauge	Screw size 8	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC38 - 1.2mm gauge	Screw size 6	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC50 - 2.0mm gauge	Screw size 8	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC50 - 1.2mm gauge	Screw size 6	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC60 - 2.0mm gauge	Screw size 8	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

SC55 - 2.0mm gauge	Screw size 8	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Finishes:


Bright Stainless Steel Brushed Stainless Steel




















Stainless Steel Ramp Flooring Profiles



Supplied undrilled with Stick Fix tape pre-applied.

- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time

Grade: 304L Stainless Steel



SLE SF		Stick Fix
	30	OSE
		*
		→


SLE SF - 1.5mm gauge Finishes Available Bright Stainless Steel

Brushed Stainless Steel

Length/Tube Stock Length 2.000m 2.000m


6

6



SR8 SF - 1.5mm gauge Finishes Available Bright Stainless Steel Brushed Stainless Steel


Stock Length Length/Tube 2.000m 6 2.000m 6



SR12 SF - 2.0mm gauge Finishes Available

Bright Stainless Steel Brushed Stainless Steel

Length/Tube Stock Length 2.000m 6 2.000m



SR20 SF - 2.0mm gauge Finishes Available

Bright Stainless Steel Brushed Stainless Steel Stock Length Length/Tube 2.000m 6 2.000m 6

Finishes:

Bright Stainless Steel Brushed Stainless Steel







750 Profiles shown are also available drilled for mechanical fixing:



screw size 6 for 1.5mm gauge screw size 8 for 2.0mm gauge









Threshold Cover Plates

Aluminium, Brass & Stainless Steel



look for the Stick-Fix™logo














- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time





AC38 DHC SF **DESIGNER FINISHES FOR DESIGNER FLOORS**

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze

Pewter


Onyx

Piano Black

Designer Satin

Best Buy

tock Length	Length/Tube
0.900m	6
1.800m	6 🗸
2.715m	6




AC55 SF

Finishes Available

Polished Aluminium Satin Aluminium

Stock Length Length/Tube 2.715m



A155 SF

Finishes Available Polished Aluminium Satin Aluminium

> Stock Length 2.715m

Length/Tube

6

AC38 DHC SF Designer Finishes:

















Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.

Standard Finishes - AC55 SF & A155 SF:

Polished Aluminium Satin Aluminium







Best Buy






Aluminium Cover Plates

General purpose aluminium cover plates for various applications. Supplied drilled for mechanical fixings.

Where not shown as standard supply, off-centre drilled, undrilled and centre drilled available to special order 750.



AC38 DHC DESIGNER FINISHES FOR DESIGNER FLOORS

Choose From:

Brushed Stainless

Bright Bronze

Light Bronze

Pewter Onvx Piano Black


Designer Satin

Length/Tube Stock Length 0.900m

6 6


1.800m 2.715m

6






Finishes Available Stock Length Length/Tube Polished Aluminium 2.715m 6 Satin Aluminium 2.715m 6



A155

Finishes Available Stock Length Length/Tube Polished Aluminium 2.715m 6 2.715m Satin Aluminium 6



AEP1 - 2mm gauge

Finishes Available Stock Length Mill Aluminium 2.000m

Length/Tube 6

supplied off-centre drilled

AEP2 - 2mm gauge

Length/Tube Screw size 8 Finishes Available Stock Length Mill Aluminium 2.000m 6



supplied off-centre drilled

AC38 DHC Designer Finishes:

AEP2

















Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.

Standard Finishes:

Mill Aluminium



















SE Aluminium Wide Cover Plates





- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time



AC80 SF




AC80 SF

Finishes Available Matt Silver

Stock Length 2.715m

Length/Tube 6



AC82 SF



AC82 SF

Finishes Available Mill Aluminium

Stock Length 2.715m


Stock Length

2.715m

Length/Tube 6

Length/Tube

6

















Aluminium Wide Cover Plates

For commercial and public areas.


Available in different styles and widths.


Supplied centre drilled for mechanical fixings.

Available off-centre drilled and undrilled to special order co.











supplied centre drilled

Finishes:

Mill Aluminium




















Aluminium Transition Plates

T80i and T78i plates are supplied pre-taped for retro fit PVC infills or ATI 49.5 Aluminium Tread Inserts to conceal screw fixings and compliment floor coverings in commercial environments.

T80i Screw size 8

Surface fix wide transition plate for various floorings



T80i PVC Castellated

Supplied with a castellated pvc infill. Colours as shown below.


Finishes Available Stock Length Length/Tube Matt Silver 2.715m

T80i / ATI 49.5

Supplied with aluminium insert plate.

Finishes Available	Stock Length	Length/Tube
Matt Silver	2.715m	6
Black Anodised*	2.715m	6
*ATI49.5 only		

T78i Screw size 8 Wide transition plate for installation with vinyl floorings



T78i PVC Castellated

Supplied with a castellated pvc infill. Colours as shown below.

Finishes Available Stock Length Length/Tube Mill Aluminium 2.715m

T78i / ATI 49.5

Supplied with aluminium insert plate.

Finishes Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6
Black Anodised*	2.715m	6
*ATI49.5 only		

PVC Castellated infill colours available:



Other colours available to special order.

Colours shown for guidance only. Please request sample for accurate referencing.

Castellated PVC - SRV:

Dry *PTV = 85

Wet *PTV = 76 *Pendulum Test Value

Finishes:

Mill Aluminium

Matt Silver

Off-Centre Drilled














Aluminium Chequer Plate Wide Cover Plates


Heavy duty cover plates produced from aluminium chequer plate. Standard widths 80mm and 100mm.

Other sizes available to special order 50.


The use of a packer (P) is advised.








supplied off-centre drilled




Finish:
















Solid Brass Cover Plates


Supplied undrilled with Stick Fix tape pre-applied


- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time






BC38 SF - 2.5mm gauge			Best Buy
Finishes Available	Stock Length	Length/Tube	
Polished Brass	0.900m	6	
	1.800m	6 🕢	
	2.715m	6	
Satin Brass	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Antique Brass	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Antique Bronze	0.900m	6	
	1.800m	6 🕜	
	2.715m	6	
Chrome	0.900m	6	
	1.800m	6 🕜	
Satin Chrome	0.900m	6	
	1.800m	6 🕜	








Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

B155 SF - 2.5mm gauge

RC28 SE - 1 0mm aquae



BC26 3F - 1.0mm gauge		
Finishes Available	Stock Length	Length/Tube
Polished Brass	0.900m	6
	2.715m	6
Satin Brass	0.900m	6
	2.715m	6
Antique Brass	0.900m	6
	2.715m	6
Antique Bronze	0.900m	6
	2.715m	6
Chrome	0.900m	6
Satin Chrome	0.900m	6























Solid Brass Cover Plates

Brass cover plates are supplied centre drilled for mechanical fixings. Available undrilled and off-centre drilled to special order \infty .



BC38		Best Buy
Finishes Available	Stock Length	Length/Tube
Polished Brass	0.900m	6
	1.800m	6
	2.715m	6
Satin Brass	0.900m	6
	1.800m	6 🕜
	2.715m	6
Antique Brass	0.900m	6
	1.800m	6 🕜
	2.715m	6
Antique Bronze	0.900m	6
	1.800m	6
	2.715m	6
Chrome	0.900m	6
	1.800m	6 🕜
	2.715m	6
Satin Chrome	0.900m	6
	1.800m	6 🕜
	2.715m	6



.5	

BC55 Finishes Available Polished Brass

Stock Length	Length/Tube
2.715m	6

B155		
	Scre	ew size 8
	55	
4.5	3.5	2.5

B155

Satin Brass Antique Brass Antique Bronze

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

supplied centre drilled

B155 is a variation of BC55 cover plate produced with a 3.5mm underside fold. It can accommodate minor height differences when installed on hard floorings. It is particularly useful when joining hard floorings such as stone or timber to carpet where the carpet has some compression allowance to be made.

Finishes: Polished Brass





















Solid Brass Wide Cover Plates - Made To Order 🚳



Large sections for universal applications in commercial and public areas. The use of a packer (P) is advised where moderate to heavy footfall is anticipated for profile support.

Other sizes available.
























Solid Brass Flat Plates

Flat plates can be used to identify the transition between two floorings and as an expansion plate offset fixed to one side of the flooring to allow movement. Other sizes available 750.

BEP1


Screw size 8

BEP1 - 2mm gauge

Antique Bronze

Finishes Available Length/Tube Stock Length Polished Brass 2.000m 6 Satin Brass 2.000m 6 750 Antique Brass 2.000m 6

2.000m



supplied off-centre drilled Available undrilled for adhesive fixing

BEP2

BEP2 - 2mm gauge

Screw size 8

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze	2.000m	6



supplied off-centre drilled

Available undrilled for adhesive fixing



BEP2, Antique brass finish

Finishes:

Polished Brass




Satin Brass























Stainless Steel Cover Plates



Supplied undrilled with Stick Fix tape pre-applied


- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time

Grade: 304L Stainless Steel



SC28 SF		Stick Fix
	28	
		3.0

3C28 3F - 0.9mm gauge		
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6




SC30 SF - 2.0mm gauge		
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC30 SF - 1.2mm gauge		




Finishes Available

Stock Length	Length/Tube
2.000m	6
2.000m	6




Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

SC38 SF - 1.2mm gauge		
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



2.011111 gaoge		
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

		•
SC50 SF - 1.2mm gauge		
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



SC60 SF - 2.0mm gauge

SC50 SE - 2 0mm aguas

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Finishes:

Bright Stainless Steel Brushed Stainless Steel














Stainless Steel Cover Plates

Range of stainless steel cover plate profiles in 1.2mm and 2.0mm gauge for residential and commercial installations. Grade: 304L Stainless Steel.



SC38		
	38	
supplied ce	entre drilled	





SC55
55
supplied centre drilled

SC30 - 2.0mm gauge	Screw size 6	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC30 - 1.2mm gauge	Screw size 6	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC38 - 2.0mm gauge	Screw size 8	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC38 - 1.2mm gauge	Screw size 6	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC50 - 2.0mm gauge	Screw size 8	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC50 - 1.2mm gauge	Screw size 6	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6
SC60 - 2.0mm gauge	Screw size 8	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

\$C55 - 2.0mm gauge	Screw size 8	
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Finishes:


Bright Stainless Steel Brushed Stainless Steel















Stainless Steel Wide Cover Plates - Made To Order 💿

For Commercial and Public Areas.

Other sizes available.

The use of packer (P) is advised where moderate to heavy footfall is anticipated for profile support.

Grade: 304L Stainless Steel.


supplied off-centre dril		SC80 - 2.0mm gauge Finishes Available Bright Stainless Steel Brushed Stainless Steel	Stock Length 2.000m 2.000m	Length/Tube 6 6
scapplied off-centre dril		SC80P - 2.0mm gauge Finishes Available Bright Stainless Steel Brushed Stainless Steel	Stock Length 2.000m 2.000m	Length/Tube 6 6
supplied off-centre dril	Screw size 8	SC100 - 2.0mm gauge Finishes Available Bright Stainless Steel Brushed Stainless Steel	Stock Length 2.000m 2.000m	Length/Tube 6 6
sc100P with packer	Screw size 8	SC100P - 2.0mm gauge Finishes Available Bright Stainless Steel Brushed Stainless Steel	Stock Length 2.000m 2.000m	Length/Tube 6 6

Finishes:

Bright Stainless Steel Brushed Stainless Steel







Centre Drilled

Undrilled



T: +44 (0) 1582 561500 e:sales@cat-accs.com






Stainless Steel Cover Plates And Flat Plates

Stainless Steel Cover Plates

\$155 cover plate is produced with a 3.5mm underside fold. It can accommodate minor height differences when installed on hard floorings. It is particularly useful when joining hard floorings such as stone or timber to carpet where the carpet has some compression allowance to be made.

Grade: 304L stainless steel.




\$155 - 2.0mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Stainless Steel Flat Plates

Flat plates can be used to identify the transition between two floorings and as an expansion plate offset fixed to one side of the flooring to allow movement. Other sizes available (50).

Grade: 304L stainless steel.



Finishes:


Bright Stainless Steel Brushed Stainless Steel














Ramp Profiles

Aluminium, Brass & Stainless Steel









RAMP PROFILES look for the Stick-Fix™logo






Aluminium Ramp Flooring Profiles

Supplied with pre-applied Stick Fix tape.

DESIGNER HOME COLLECTION



AR3 SF DHC DESIGNER FINISHES FOR DESIGNER FLOORS

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze

Pewter

Onyx

Piano Black

Designer Satin

Stock Length	Length/Tube
0.900m	6
2.715m	6

DESIGNER HOME COLLECTION



AR6 SF DHC DESIGNER FINISHES FOR DESIGNER FLOORS

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze

Pewter

Onyx

Piano Black

Designer Satin

Stock Length Length/Tube 0.900m 6 2.715m 6

DHC Designer Finishes:

















Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.





RAMP PROFILES look for the Stick-Fix™logo






Aluminium Ramp Flooring Profiles


Supplied with pre-applied Stick Fix tape.






AR8/2 SF

Finishes Available	Stock Length	Length/Tube
Designer Satin DHC	2.715m	6
Polished Aluminium	2.715m	6




AR10 SF

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.715m	6
Polished Aluminium	2.715m	6



AR12/2 SF

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.715m	6
Polished Aluminium	2.715m	6



AR15 SF

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.715m	6
Polished Aluminium	2.715m	6

DHC Designer Finish:

Designer Satin



Standard Finishes:


Satin Aluminium Polished Aluminium





Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.









Aluminium Ramp Flooring Profiles

Finishing ramp trims where floors adjoin at different levels. Supplied drilled for mechanical fixings.




AR3

Stock Length	Length/Tube
2.715m	6
2.715m	6
	2.715m




AR6

Finishes Available	Stock Length	Length/Tube
Designer Satin DHC	2.715m	6
Bright DHC	2.715m	6




AR8/2

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.715m	6
Polished Aluminium	2.715m	6




AR10

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.715m	6
Polished Aluminium	2.715m	6



AR12/2

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.715m	6
Polished Aluminium	2.715m	6



AR15

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.715m	6
Polished Aluminium	2.715m	6

DHC Designer Finishes: Bright Designer Satin

















e:sales@cat-accs.com








Aluminium Ramp Flooring Profiles

For installation where one type of flooring is higher than the adjoining floor.


Typically, barrier matting entrance areas.















Specialist Ramp Flooring Profiles

Aluminium ramp profiles with bonded covers. Heavy duty ramp profiles for heavily trafficked commercial environments.

Finish: Mill Aluminium Chequer Plate.



Aluminium with bonded chequer plate cover - drilled




Aluminium with bonded chequer plate cover - drilled

Finish: Mill Aluminium











RAMP PROFILES look for the Stick-Fix™logo

Kliks™ Aluminium Ramp Flooring Profiles


Supplied undrilled with Stick Fix tape pre-applied.

- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time



DESIGNER HOME COLLECTION

KLIKS SLIM RAMP DHC



KLIKS SLIM RAMP DHC **DESIGNER FINISHES FOR DESIGNER FLOORS**

Choose From:

Brushed Stainless

Bright

Bronze

Light Bronze


Pewter

Onyx

Designer Satin

Stock Length Length/Tube 2.715m

KLIKS RAMP SF



KK123 SF

Finish: Polished Aluminium

KK133 SF

Finish: Satin Aluminium

Stock Length Length/Tube 2.715m 6

Length/Tube Stock Length

2.715m

Kliks™ aluminium ramp profiles are also available with a range of uPVC clip in bases. Please refer to the Kliks™ section of this catalogue for details.

DHC Designer Finishes:















Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.

Standard Finishes:

Polished Aluminium Satin Aluminium















Aluminium Wide Ramp Flooring Profiles With PVC Infill

T80i ramps are supplied pre-taped for retro fit pvc infills to conceal screw fixings where floors adjoin at different levels. Available undrilled for adhesive fixing.

T80i R6Screw size 8T80i R6Stock LengthLength/TubeFinish: Matt Silver2.500m6



T80i R8Screw size 8T80i R8Stock LengthLength/TubeFinish: Matt Silver2.500m6



PVC Castellated infill colours available:



Other colours available to special order.

Colours shown for guidance only. Please request sample for accurate referencing.

Castellated PVC - SRV:

Dry *PTV = 85

Wet *PTV = 76

*Pendulum Test Value


Finish: Matt Silver






Fixings not supplied







Aluminium Wide Ramp Flooring Profiles



Stock Length Length/Tube 2.715m 6

- AR110 is also available undrilled.
- Other ramp height variations available.

 For further information, please contact the C.A.T. sales office.




- 750 ARCP is produced from aluminium chequer plate and is available undrilled.
- Other ramp height variations available to accommodate flooring to 20mm and above.

Please note that a suitable packer may be required for ramp profiles for support in commercial traffic environments. For further information, please contact the C.A.T. sales office.

Finish:

Mill Aluminium










Aluminium Feather Edge Flooring Profiles 🚳

Feather edge profiles provide a protective diminishing edge where there is a minor height difference between adjoining resilient floorings.

Suitable for commercial and residential installations.





Mill Aluminium






Fixings not supplied TO SPECIAL ORDER

Profiles can be supplied drilled on request. When ordering, please advise if centre drilled or off-centre drilled:













Solid Brass Ramp Flooring Profiles


Supplied with Stick-Fix tape pre-applied.

Brass finishing trims where floors adjoin at different levels. Typical examples: stone and timber floors. Polished and Satin brass standard supply.











BLE/2 SF

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze	2.000m	6






Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6





	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
	Satin Brass	2.715m	6
)	Antique Brass	2.715m	6
)	Antique Bronze	2.715m	6



BR15 SF

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6
	Polished Brass Satin Brass Antique Brass	Polished Brass 2.715m Satin Brass 2.715m Antique Brass 2.715m

Finishes:





T: +44 (0) 1582 561500













Solid Brass Ramp Flooring Profiles (50)


Brass finishing trims where floors adjoin at different levels.

Typical examples: stone and timber floors.

Polished and Satin brass standard supply.

Antique finishes to special order 750.



















SE Kliks Solid Brass Ramp Flooring Profiles




Supplied undrilled with Stick Fix tape pre-applied.

- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time




Available in 38mm and 55mm widths, Kliks ramp profiles provide a neat transition between floorings at different 9-10mm levels - ceramic floors.

KLIKS SLIM RAMP SF



KKSLR3 SF Finish: Polished Brass	Stock Length 0.900m 2.715m	Length/Tube 6 6
KKSLR301 SF		
Finish: Satin Brass	0.900m 2.715m	6 6
KKSLR203 SF		
Finish: Antique Brass	0.900m 2.715m	6 6
KKSLR213 SF		
Finish: Antique Bronze	0.900m 2.715m	6 6
KKSLR223 SF		
Finish: Chrome	0.900m 2.715m	6 6
KKSLR243 SF		
Finish: Satin Chrome	0.900m 2.715m	6 6

KLIKS RAMP SF



	21, 10	O
KK3 SF Finish: Polished Brass	Stock Length 2.715m	Length/Tube
KK301 SF Finish: Satin Brass	2.715m	6
KK203 SF Finish: Antique Brass	2.715m	6
KK213 SF Finish: Antique Bronze	2.715m	6
KK223 SF Finish: Chrome	2.715m	6























Specialist Ramp Flooring Profiles - Made To Order 🚳

Aluminium ramp profiles with brass and stainless steel bonded covers. High quality finish ramp profiles for prestigious installations.

Hidden screw fixing through base.

Various heights available to suit matting, stone and ceramic floors. Stainless steel covers - Grade: 304L.




BR9/50

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze	2.000m	6




BR17/70

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze	2.000m	6
•		



SR9/50

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2 500m	6



Aluminium with bonded stainless steel cover - drilled

SR17/70

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2.500m	6


























Stainless Steel Ramp Flooring Profiles

Supplied undrilled with Stick Fix tape pre-applied.

- Mechanical fixing free no screws installation
- No risk to underfloor cables and pipes
- Rapid install time


Grade: 304L Stainless Steel






SLE SF - 1.5mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



SR8 SF - 1.5mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



SR12 SF - 2.0mm gauge

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



SR20 SF - 2.0mm gauge


Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Finishes:

Bright Stainless Steel Brushed Stainless Steel










screw size 6 for 1.5mm gauge screw size 8 for 2.0mm gauge










Stainless Steel Ramp Flooring Profiles


Suitable for 10mm, 12mm and 14mm matting and ceramic tiles.

Other sizes available to special order 750.






SR10 - 1.2mm gauge		
Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2 000m	6



SR14 - 1.2mm gauge Length/Tube Finishes Available Stock Length Bright Stainless Steel 2.000m 6 2.000m Brushed Stainless Steel 6



FTRS 12 - 1.2mm gauge Length/Tube Finishes Available Stock Length Bright Stainless Steel 2.000m 6 Brushed Stainless Steel 2.000m 6

Finishes:


Bright Stainless Steel Brushed Stainless Steel

T: +44 (0) 1582 561500











Clip In Flooring Profiles System Aluminium, Brass, Stainless Steel & uPVC









Clip In Systems

In this section you will find information on flooring profiles with a system where the base is fixed to the subfloor prior to the flooring being laid and finally the top profile being fitted into the base finishing the installation.

Kliks[™] Primary Application: Commercial Environments



Comprising twin, ramp and end-stop profiles in a variety of metals and finishes

including: • Brass

- Aluminium
- Aluminum
- Chrome
- Antique

Suitable with: • Timber

- Stone
- Ceramics
- Carpet

Height adjustable uPVC bases.

Kliks Slim [™]Primary Application: High-End Residential and Light Commercial Environments



Comprising slim style twin, ramp and stop-end profiles in a variety of metals and finishes

including: • Brass

- Aluminium
- Chrome
- Antique

Suitable with: • Laminates

- Stone
- Ceramics
- Carpet

Aluminium and uPVC bases.

Kliks Spectrum Zip™ Primary Application: Commercial and Retail Environments



Formable into curves on site with uPVC bases.

Comprising twin, ramp and end-stop profiles in a wide selection of colours.

Suitable with: • Timber

- Stone
- Ceramics
- Carpet


Height adjustable uPVC bases.

Aluminium bases for carpet installations.



85% Recycled factory waste streams









Kliks[™]Clip In Flooring Profiles System


Examples Of Tops & Bases Combinations



Twin top joining profiles









End stop for wall perimeter finishing profiles











For junctions where floors are at different levels


















KB1

KB2





Kliks™Clip In Flooring Profiles System - Bases

uPVC bases for Kliks tops, supplied pre-drilled. Select base dependent upon height of floor covering. Bases have interlocking barb design for height adjustment when tops are secured.

KB1, KB2, & KB3 profiles contain up to




Screw size 6


Screw size 6

85% Recycled factory waste streams


Best Buy



KB1 Stock Length Length/Tube Colour: Black 2.715m 2.715m 50




KB2 Stock Length Length/Tube Colour: Black 2.715m 2.715m 50



KB3 Colour: Black


Stock Length 2.715m 2.715m

Length/Tube 50



Method of Installation:

A: Subfloor





adhesive and screws

C: Flooring fitted to base



D: Top fitted into base



Base shown installed with Kliks Twin Top



Fixings not supplied







Kliks Slim[™]Clip In Flooring Profiles System

Neat ● Slim ● High End Finishes

For residential and commercial applications.

Tops can be fitted into a wide range of bases to suit a wide variety of floorings.

Examples Of Tops & Bases Combinations

Twin top joining profiles




Kliks Slim Twin Top with KKSBA1 Aluminium Base



Kliks Slim Twin Top with KKSBP12 uPVC Base



Kliks Slim Twin Top with KKSBA2 Aluminium Base



Kliks Slim Twin Top with KKSBP15 uPVC Base



Kliks Slim Twin Top with KKSBP9.5 uPVC Base




Kliks Slim Twin Top with KKSBP20 uPVC Base

End stop & wall perimeter finishing profiles



Kliks Slim End Stop with KKSBP12 uPVC Base Compatible with other bases



Kliks Slim End Stop with Expansion/Compression Feature with

KKSBP12 uPVC Base

Compatible with other bases

For junctions where floors are at different levels



Kliks Slim Ramp Top with KKSBA1 Aluminium Base




Kliks Slim Ramp Top with KKSBP9.5 uPVC Base



Kliks Slim Ramp Top with KKSBP12 uPVC Base



Kliks Slim Ramp Top with KKSBP15 uPVC Base




Kliks Slim Ramp Top with KKSBP20 uPVC Base













Kliks Slim[™]Clip In Flooring Profiles System - Bases

For use with Kliks Slim Tops.


KKSBP9.5, 12, 15, & 20 profiles contain up to



85% Recycled factory waste streams

Best Buy

uPVC bases with punched slots for adhesive fixing. Suitable for stone, ceramic and laminate/timber floors.



Aluminium Bases - standard supply punched with spikes. Available unpunched to order.

VVCD A 1

KKSBA1 for Twin & Ramp Tops carpet to ceramic / laminate floors

8 7	9.5
32	

VV2D4	N I	
Finish:	Mill	Aluminium


Length/Tube £ p/Length £ p/Tube 6 6

3.82 11.47

22.92 68.82

Method of Installation:

A: Subfloor




B: Base fitted



C: Flooring fitted to base



D: Top fitted into base






Fixings not supplied





Kliks[™] Clip In Flooring Profiles System

Aluminium




Product shown: KKSLR133





Kliks[™]Clip In Flooring Profiles System Twin Tops





KK132	Stock Length	Length/Tube
Finish: Satin Aluminium	2.715m	6
KK122 Finish: Polished Aluminium	2.715m	6

Install with uPVC Bases: KB1, KB2, KB3. See page 72.

Kliks Slim™Clip In Flooring Profiles System Twin Tops



DESIGNER HOME COLLECTION

KLIKS SLIM TWIN TOP Aluminium 30

KKSLTTDHC DESIGNER FINISHES FOR DESIGNER FLOORS

Choose From:

Brushed Stainless Bright Bronze

Light Bronze Pewter

Onyx

Designer Satin

Stock Length Length/Tube 2.715m 6

Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. Aluminium - KKSBA1. See page 74.

DHC Designer Finishes:













Designer Satin

Standard Finishes:
Polished Aluminium Satin Aluminium





Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.








Kliks[™]Clip In Flooring Profiles System Ramp Tops

KLIKS RAMP TOP Aluminium

KK133	Stock Length	Length/Tube
Finish: Satin Aluminium	2.715m	6
KK123 Finish: Polished Aluminium	2.715m	6

Install with uPVC Bases: KB1, KB2, KB3. See page 72.

KLIKS LARGE RAMP TOP



KK134 Stock Length Length/Tube Finish: Satin Aluminium 2.715m

Install with uPVC Base: KB2. See page 72.

Kliks Slim[™]Clip In Flooring Profiles System Ramp Top



DESIGNER HOME COLLECTION

KLIKS SLIM RAMP TOP

Aluminium

KKSLRDHC

DESIGNER FINISHES FOR DESIGNER FLOORS


Choose From: **Brushed Stainless** Bright Bronze Light Bronze Pewter Onyx Designer Satin

Length/Tube Stock Length 2.715m 6

Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. Aluminium - KKSBA1. See page 74.

DHC Designer Finishes:















Standard Finishes:










Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.







Kliks™Clip In Flooring Profiles System End Stops, & Wall Perimeter Finishing Profiles


KLIKS END S	STOP		
Aluminium		44	
I			
	m	W.	

KK131	Stock Length	Length/Tube
Finish: Satin Aluminium	2.715m	6
KK121 Finish: Polished Aluminium	2.715m	6
Install with uPVC Bases: KB1 See page 72.	, KB2, KB3.	

Kliks Slim[™]Clip In Flooring Profiles System End Stops

KLIKS SLIM END STOP Aluminium

KKSL121		
Finish: Polished Aluminium	2.715m	6
KKSL131		
Finish: Satin Aluminium	2.715m	6



KKSL2712 Finish: Polished Aluminium 2.715m KKSL2713 Finish: Satin Aluminium 2.715m

Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. Aluminium - KKSBA1. See page 74.



[™] End Stop With Expansion/Compression Feature

KLIKS SLIM END STOP with expansion/compression feature

Aluminium/TPE

Expansion medium colours available:

TSO KKSL24ES12 Finish: Polished Aluminium 2.715m 6

TSO KKSL24ES13 Finish: Satin Aluminium 2.715m

Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. See page 74.



Kliks Slim[™] End Stop Without Expansion/Compression Feature

KLIKS SLIM END STOP without expansion/compression feature

750 KKSL2412

Finish: Polished Aluminium 2.715m 6

Aluminium

750 KKSL2413 2.715m Finish: Satin Aluminium

Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. See page 74.

Finishes:

Polished Aluminium Satin Aluminium
















$Kliks^{TM}$

Clip In Flooring Profiles System Brass










Kliks[™]Clip In Solid Brass High Quality **Flooring Profiles System Twin Tops**


KLIKS TWIN TOP

Brass



Install with uPVC Bases: KB1, KB2, KB3. See page 72.

	KK2 Finish: Polished Brass	Stock Length 2.715m	Length/Tube
TSO	KK201 Finish: Satin Brass	2.715m	6
TSO	KK202 Finish: Antique Brass	2.715m	6
TSO	KK212 Finish: Antique Bronze	2.715m	6
	KK222 Finish: Chrome	2.715m	6



Kliks Slim[™]Clip In Solid Brass High Quality **Flooring Profiles System Twin Tops**

KLIKS SLIM TWIN TOP

Brass



Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. Aluminium - KKSBA1. See page 74.

	KKSL2	Stock Length	Length/Tube
	Finish: Polished Brass	0.900m	6
		2.715m	6
	KKSL201		
TSO	Finish: Satin Brass	0.900m	6
		2.715m	6
	KKSL20		
TSO	Finish: Antique Brass	0.900m	6
		2.715m	6
	KKSL21		
TSO	Finish: Antique Bronze	0.900m	6
		2.715m	6
	KKSL22		
	Finish: Chrome	0.900m	6
		2.715m	6
	KKSL42		
	Finish: Satin Chrome	0.900m	6
		2.715m	6

Finishes:

Polished Brass























Kliks[™]Clip In Solid Brass High Quality Flooring Profiles System Ramp Tops

KLIKS RAMP TOP

Brass

	KK3 Finish: Polished Brass	Stock Length 2.715m	Length/Tube 6
TSO	KK301 Finish: Satin Brass	2.715m	6
TSO	KK203 Finish: Antique Brass	2.715m	6
TSO	KK213 Finish: Antique Bronze	2.715m	6
	KK223 Finish: Chrome	2.715m	6

Install with uPVC Bases: KB1, KB2, KB3. See page 72.



Kliks Slim[™]Clip In Solid Brass High Quality Flooring Profiles System Ramp Tops

KLIKS SLIM RAMP TOP Brass

	KKSLR3	Stock Length	Length/Tube
	Finish: Polished Brass	0.900m	6
		2.715m	6
	KKSLR301		
TSO	Finish: Satin Brass	0.900m	6
		2.715m	6
	KKSLR203		
TSO	Finish: Antique Brass	0.900m	6
	•	2.715m	6
	KKSLR213		
TSO	Finish: Antique Bronze	0.900m	6
		2.715m	6
	KKSLR223		
	Finish: Chrome	0.900m	6
		2.715m	6
	KKSLR243		
	Finish: Satin Chrome	0.900m	6
		2.715m	6

Install with Kliks Slim Bases: UPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. Aluminium - KKSBA1. See page 74.

Finishes:





T: +44 (0) 1582 561500























Kliks[™]Clip In Flooring Profiles System End Stops, & Wall Perimeter Finishing Profiles


KLIKS END STOP

Aluminium with brass top



TSO	KK1 Finish: Polished Brass	Stock Length 2.000m	Length/Tube 6
TSO	KK101 Finish: Satin Brass	2.000m	6
TSO	KK210 Finish: Antique Brass	2.000m	6
TSO	KK211 Finish: Antique Bronze	2.000m	6

Install with Kliks Bases: uPVC - KB1, KB2, KB3. See page 72.



KLIKS SLIM END STOP

Solid Brass



Kliks[™] Solid Brass High Quality Clip In **Flooring Profiles System End Stop Profiles**

KKSL1 Finish: Polished Brass	Stock Length 2.715m	Length/Tube 6
KKSL101 rso Finish: Satin Brass	2.715m	6
KKSL210 TSO Finish: Antique Brass	2.715m	6
KK\$L211 rso Finish: Antique Bronze	2.715m	6

Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. Aluminium - KKSBA1. See page 74.

Finishes:

Polished Brass

















Clip In Flooring Profiles System Stainless Steel







Aluminium with stainless steel top





Kliks[™]Clip In Flooring Profiles System Twin Tops

KK225 Finish: Bright Stainless Steel	Stock Length 2.500m	Length/Tube 6
KK235 Finish: Brushed Stainless Steel	2.500m	6

Install with uPVC Bases: KB1, KB2, KB3. See page 72.

See page 74.



KLIKS SLIM TWIN TOP

Aluminium with stainless steel top



Kliks Slim[™]Clip In Flooring Profiles System Twin Tops

KKSL225 Finish: Bright Stainless Steel	Stock Length 1.000m 2.000m	Length/Tube 6 6
KK\$L235 Finish: Brushed Stainless Steel	1.000m 2.000m	6
Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSB Aluminium - KKSBA1,	BP15, KKSBP20.	





Bright Stainless Steel Brushed Stainless Steel













Kliks Spectrum Zip™ uPVC Clip In System



Kliks Spectrum Zip KSP5 installation









Kliks Spectrum Zip™


uPVC Colour Option Clip In System Formable Profiles



85% Recycled factory waste streams

Installation

Kliks profiles have been designed for simple installation. With versatile height adjustment and pre-drilled bases, the Spectrum Zip range is quick and easy to install.



Stage 1:

Bases are secured to the sub-floor with *adhesive and No.6 countersunk screws



Stage 2:

Once the base is firmly secured to the sub-floor, the flooring can be laid up to the base section.



Stage 3:

Radius

The top section may then be fitted by hand or using a soft mallet if necessary.



Formable On Site

The following table shows the minimum radii of Kliks Spectrum Zip curves when tops are fitted in a KB1 base at normal room temperature.

Profile	Radius (m)	Tail Position
KSP5 Zip	1.5m	
KSP7 Zip	1.5m	
KSP6 Zip KSP73 Zip	1.5m	tail of ramp on the outer edge of circle
KSP6 Zip KSP73 Zip	1.7m	tail of ramp on the inside of circle
KSP2 Zip	1.5m	tail of ramp on the
KSP3 Zip	1.7m	outer edge of circle

Maintenance

PVC flooring profiles should be cleaned with a mild detergent with water on a damp - not wet - cloth, ensuring that the profile is wiped dry before allowing traffic to return to the area.

Polishes and industrial cleaning agents should not be used on PVC flooring profiles.

*C.A.T. recommend the use of STYCCO FLEX by F. Ball and Co Ltd, subject to following their product technical data sheet, safety data sheet and installation guidelines, available in full from: www.f-ball.com

Installation Environment

Care should be taken that the profiles are not fitted or stored, prior to fitting, in extreme conditions of cold or warmth.

The ideal conditions for fitting are with temperatures in the range of 15°C to 25°C. Allowing a period of acclimatisation will assist in achieving a satisfactory result.

Ensure when fitting the tops into the bases, the profile section is not heated with hot air guns/hot water which can lead to material being inadvertently stretched whilst being fitted into position.

If the profiles are stretched during installation they will, over time, revert to their original size, leaving gaps at the joints and ends.

Joints

The base profiles joints should be staggered with a minimum overlap of 150mm.

Wherever possible, position the joints away from the main traffic areas.

When using the profiles in curved situations, it is recommended that an adhesive fix be also applied into the base (50mm along) at the joints.







Kliks Spectrum Zip™ 85% Recycled factory waste streams

uPVC Colour Option Clip In Flooring Profiles System

Typical Applications


Carpet to ceramic and timber. timber to timber. Spectrum Zip is curvable on site when installed with uPVC bases.




Twin top joining profiles









Kliks KSP5 Twin Top with KB1 Base



Kliks KSP5 Twin Top with KB2 Base









Kliks KSP5 Twin Top with KAB38 Base


End stop profiles



Kliks KSP7 End Stop with KB2 Base



Kliks KSP7 End Stop with KB3 Base



Kliks KSP7 End Stop with KAB38 Base




Kliks KSP7 End Stop with KB1 Base


Ramp profiles




Kliks KSP3 Ramp Top with KB4 Base




Kliks KSP6 Ramp Top with KB1 Base



Kliks KSP6 Ramp Top with KB2 Base



Kliks KSP6 Ramp Top with KB3 Base



Kliks KSP6 Ramp Top with KAB38 Base




Kliks KSP73 Ramp Top with KB2 Base



Kliks KSP73 Ramp Top with KB3 Base









Kliks Spectrum Zip™ Bases

uPVC Clip In Flooring Profiles System


For use with Spectrum Zip tops.



85% Recycled factory waste streams

Aluminium Bases - please specify punched with spikes or unpunched. Standard supply bases punched with spikes.


KAB38



KAB38

Finish: MIII Aluminium

Stock Length 2.715m Length/Tube





KB1, KB2, KB3 & KB4 profiles contain up to

85% Recycled factory waste streams

uPVC Bases - supplied pre-drilled.

for use with KSP2 and KSP3 tops

KB4Colour: Black

Stock Length 2.715m Length/Tube

6.5

KB1 • KB2 • KB3 bases for use with KSP5 • KSP6 • KSP7 tops. Use KB2 and KB3 bases with KSP73 top.

KB1



KB1

Colour: Black

Stock Length 2.715m Length/Tube 6

KB2



KB2

Colour: Black

Stock Length 2.715m Length/Tube

KB3




KB3

Colour: Black

Stock Length 2.715m Length/Tube









Kliks Spectrum Zip™- Twin Tops & End Stop

uPVC Clip In Flooring Profiles System

For use with uPVC and aluminium bases. When installing runs over 2.715m, always overlap top joints by a minimum of 150mm over base joints.

KSP2, KSP5, & KSP7 profiles contain up to




33% Recycled factory waste streams




KSP2 Stock Length Length/Tube Colours Available: 2.715m 6 See Below

Install with uPVC Base, KB4. Page 90. Aluminium base, unpunched, KAB38, See page 88.



KSP5 Stock Length Length/Tube Colours Available: 2.715m 6 See Below

Install with uPVC Base, KB1, KB2, KB3. Aluminium base, unpunched, KAB38. See page 88.



KSP7 Stock Length Length/Tube 2.715m Colours Available: 6 See Below

Install with uPVC Base, KB1, KB2, KB3. Aluminium base, unpunched, KAB38. See page 88.

Colours:

Black

KSP2 KSP7 KSP5



KSP2 KSP7 KSP5



KSP2 KSP7 KSP5




KSP2 KSP7 KSP5



KSP5



KSP5



KSP2 KSP7 KSP5



KSP2 KSP7 KSP5









UPVC CLIP IN SYSTEMS



Kliks Spectrum Zip™

uPVC Clip In Flooring Profiles System Ramp Tops

For use with uPVC and aluminium bases. When installing runs over 2.715m, always overlap top joints by a minimum of 150mm over base joints.

KSP6 profile contain up to




33% Recycled factory waste streams

RAMP TO	OP			
KSP3				
		40		_
				7
		3	1	9.0

KSP3 Stock Length Length/Tube Colours Available: 2.715m See Below

Install with uPVC Base, KB4. See page 88.



Stock Length Length/Tube Colours Available: 2.715m 6 See Below

Install with uPVC Base, KB1, KB2, KB3. Aluminium base, unpunched, KAB38. See page 88.

RAMP TOP KSP73 73

KSP73 Stock Length Length/Tube Colours Available: 2.715m See Below Install with uPVC Base, KB2,

Colours:

Black

KSP3 KSP6 KSP73



KSP3 KSP6 KSP73



KSP3 KSP6 KSP73



See page 88.

KSP3 KSP6 KSP73




KSP6



KSP6



KSP3 KSP6



KSP3 KSP6







Perimeter Trims & Floor Edging Trims

Aluminium, Brass, Stainless Steel & uPVC





Perimeter Trims

Powder Coat Finishes


Increasing our range of special finishes, we can now provide aluminium perimeter trims in a powder coat finish.

The facility is subject to minimum order quantities dependent upon colour specification.

When considering powder coat finishes, please consider the project and where the products are to be installed. We would not advise powder coating on floor profiles where high footfall is anticipated and consider low footfall environments are most suitable for this finish.

Powder coat is a type of coating that is applied as a free-flowing, dry powder. The coating is typically applied electrostatically and is cured under heat to allow it to flow and form a 'skin' which is a hard finish that is tougher than conventional paint.





versatila






Kliks™ Perimeter Floor Trims

Designed to enhance the appearance of the floor and to allow for expansion with timber floor installations. Suitable for timber and ceramic floors.

KLIKS SLIM END STOP with expansion/compression feature



Black

Finish: Polished Aluminium TSO KKSL24ES13

TSO KKSL24ES12


Stock Length Length/Tube 2.715m 6

Finish: Satin Aluminium 2.715m

Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. See page 74.

KLIKS SLIM END STOP without expansion/compression feature

Light Grey




750 KKSL2412 Stock Length Length/Tube Finish: Polished Aluminium 2.715m 6

750 KKSL2413 Finish: Satin Aluminium 2.715m


Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. See page 74.

KLIKS SLIM END STOP



KKSL121 Finish: Polished Aluminium	Stock Length 2.715m	Length/Tube 6
KKSL131		
Finish: Satin Aluminium	2.715m	

KLIKS SLIM LONG END STOP



KKSL2712	Stock Length	Length/Tub
Finish: Polished Aluminium	2.715m	6
KKSL2713		
Finish: Satin Aluminium	2.715m	6


Install with Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP12, KKSBP15, KKSBP20. Aluminium - KKSBA1. See page 74.

Stock Length


2.715m

2.715m

KLIKS END STOP



Example application:



Install with uPVC Bases: KB1, KB2, KB3. See page 72.

Finish: Satin Aluminium

Finish: Polished Aluminium

Finishes:









Length/Tube


6



KK131

KK121

look for the Stick-Fix™logo










Supplied undrilled with Stick Fix tape pre-applied. Designed to enhance the appearance of the floor and to allow for expansion with timber floor installations.

Suitable for timber and stone floors.




PERIMETER TRIMS PTA 25/15 OSF



PTA 25/15 OSF - 2mm gauge


Finishes Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6
Polished Aluminium	2.715m	6
Satin Aluminium	2.715m	6

PTA 15/15 OSF



PTA 15/15 OSF - 2mm gauge


Finishes Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6
Polished Aluminium	2.715m	6
Satin Aluminium	2.715m	6



Floor Edging Trims

Aluminium Perimeter Floor Trims can also be used as Floor Edging Trims. For this purpose, the Stick Fix tape is pre-affixed to the internal face of the vertical, as shown below.


PTA 25/15 ISF



PTA 25/15 ISF - 2mm gauge

Finishes Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6
Polished Aluminium	2.715m	6
Satin Aluminium	2.715m	6

PTA 15/15 ISF




PTA 15/15 ISF - 2mm gauge

Finishes Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6
Polished Aluminium	2.715m	6
Satin Aluminium	2.715m	6

Finishes:



Satin Aluminium



Please note that the finishes are to the top, visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.

















Timberline™ Aluminium Perimeter Floor Trims

Designed to enhance the appearance of the floor and to allow for expansion with timber floor installations. Suitable for timber and ceramic floors.

Other sizes available to special order (50).





TIMBERLINE 1/12A SF

Finishes Available Stock Length Length/Tube Satin Aluminium 2.500m 6

TIMBERLINE 1/15A SF

15


18

18

32


TIMBERLINE 1/15A SF

Finishes Available Stock Length Length/Tube
Satin Aluminium 2.715m 6




TIMBERLINE 1/22A SF

Finishes Available Stock Length Length/Tube Satin Aluminium 2.500m 6




TIMBERLINE 2/12A

Finishes Available Stock Length Length/Tube Satin Aluminium 2.500m 6



TIMBERLINE 2/15A

Finishes Available Stock Length Length/Tube Satin Aluminium 2.715m 6



TIMBERLINE 2/22A

Finishes Available Stock Length Length/Tube Satin Aluminium 2.500m 6

Finish:

Safin Aluminium

Visible Top edge finish


Please note that the finishes are to the top visible edge only. Where the finish is also required on another facet of the profile, please consult with the sales office.

SAMPLESO PLAILABLE

Fixings not supplied

e:sales@cat-accs.com

versatile





Kliks[™] Perimeter Floor Trims

Designed to enhance the appearance of the floor and to allow for expansion with timber floor installations. Suitable for timber and ceramic floors.

KLIKS SLIM END STOP Solid Brass		KKSL1 Finish: Polished Brass	Stock Length 2.715m	Length/Tube 6
	TSO	KKSL101 Finish: Satin Brass	2.715m	6
Example application:	TSO	KKSL210 Finish: Antique Brass	2.715m	6
	TSO	KKSL211 Finish: Antique Bronze	2.715m	
9		Firish. Armque bronze	2.7 13111	6

Kliks Slim End Stop with KKSBP12 uPVC Base

Also compatible with other Kliks Slim Bases: uPVC - KKSBP9.5, KKSBP15, KKSBP20. See page 74

KLIKS END STOP Aluminium With Brass Cover		K1 nish: Polished Brass	Stock Length 2.000m	Length/Tube
47		K101	0.000	
WWW.		nish: Satin Brass	2.000m	6
Example application:	_	K210 nish: Antique Brass	2.000m	6
9-12	_	K211 nish: Antique Bronze	2.000m	6

Kliks End Stop with KB1 uPVC Base

Also compatible with other Kliks Bases: uPVC - KB2, KB3. See page 72.

Finishes:


















1.5mm gauge



Se Solid Brass Floor Edging Trims



Supplied undrilled with Stick Fix tape pre-applied. Brass Perimeter Floor Trims can also be used as Floor Edging Trims.

For this purpose, the Stick Fix tape is pre-affixed to the internal face of the vertical, as shown below.



ANGLE FLOOR EDGING TRIMS

BME ISF	
	37.5
12.5	


BME ISF

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
TSO	Satin Brass	2.715m	6
TSO	Antique Brass	2.715m	6
TSO	Antique Bronze	2.715m	6

BA30/15 ISF


BA30/15 ISF

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
TSO	Satin Brass	2.715m	6
TSO	Antique Brass	2.715m	6
TSO	Antique Bronze	2.715m	6




BA20/10 ISF

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
so	Satin Brass	2.715m	6
so	Antique Brass	2.715m	6
so	Antique Bronze	2.715m	6



BA ISF

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6
	Satin Brass Antique Brass	Polished Brass 2.715m Satin Brass 2.715m Antique Brass 2.715m



BA12/12 ISF

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
so	Satin Brass	2.715m	6
so	Antique Brass	2.715m	6
so	Antique Bronze	2.715m	6



























Supplied undrilled with Stick Fix tape pre-applied. Designed to enhance the appearance of the floor and to allow for expansion with timber floor installations. Suitable for timber and stone floors.




ANGLE PERIMETER TRIMS




BME OSF

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6




BA30/15 OSF

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6




BA20/10 OSF

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
30	Satin Brass	2.715m	6
80	Antique Brass	2.715m	6
30	Antique Bronze	2.715m	6



BA OSF

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
so	Satin Brass	2.715m	6
so	Antique Brass	2.715m	6
so	Antique Bronze	2.715m	6



BA12/12 OSF

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
750 Satin Brass	2.715m	6
750 Antique Brass	2.715m	6
750 Antique Bronze	2.715m	6

Finishes: Polished Brass




Satin Brass
















Timberline™ Solid Brass Perimeter Floor Trims

Designed to enhance the appearance of the floor and to allow for expansion with timber floor installations.

Suitable for timber and ceramic floors.

Other sizes available to special order 750.




Finishes:

Polished Brass Satin Brass











Please note that the finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.












Stainless Steel Perimeter Floor Trims

Supplied undrilled with Stick Fix tape pre-applied. Designed to enhance the appearance of the floor and to allow for expansion with timber floor installations. Suitable for timber and stone floors.




PERIMETER TRIMS



SA OSF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6


SA 20/12 OSF



SA 20/12 OSF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

PTS 15/15 OSF



PTS 15/15 OSF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

SME OSF




SME OSF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Finishes:







1.5mm gauge



Stainless Steel Floor Edging Trims

Supplied undrilled with Stick Fix tape pre-applied. Stainless Steel Perimeter Floor Trims can also be used as Floor Edging Trims.


For this purpose, the Stick Fix tape is pre-affixed to the internal face of the vertical, as shown below. Suitable for timber and stone floors.



SA ISF 25


SA ISF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6




SA 20/12 ISF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



PTS 15/15 ISF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



SME ISF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Finishes:

Bright Stainless Steel










Timberline™ Stainless Steel Perimeter Floor Trims

Designed to enhance the appearance of the floor and to allow for expansion with timber floor installations.


Suitable for timber and ceramic floors.

Other sizes available to special order 750.




TIMBERLINE 1/12S SF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6




TIMBERLINE 1/15S SF

Stock Length	Length/Tube
2.000m	6
2.000m	6
	2.000m




TIMBERLINE 1/22S SF

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6




TIMBERLINE 2/12S

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



TIMBERLINE 2/15S

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6



TIMBERLINE 2/22S


Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Finishes:

Bright Stainless Steel Brushed Stainless Steel







Please note that the finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile,

please consult with the sales office.














Supplied undrilled with Stick Fix tape pre-applied. Designed to enhance the appearance of the floor and to allow for expansion with timber floor installations.



Suitable for timber and stone floors.

PERIMETER TRIMS


PTP 25/15 OSF



PTP 25/15 OSF - 2mm gauge


Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Light Grey	2.715m	6
White	2.715m	6

PTP 15/15 OSF



PTP 15/15 OSF - 2mm gauge


Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Light Grey	2.715m	6
White	2.715m	6



Floor Edging Trims

uPVC Perimeter Floor Trims can also be used as Floor Edging Trims. For this purpose, the Stick Fix tape is pre-affixed to the internal face of the vertical, as shown below.


PTP 25/15 ISF



PTP 25/15 ISF - 2mm gauge

Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Light Grey	2.715m	6
White	2.715m	6

PTP 15/15 ISF



PTP 15/15 ISF - 2mm gauge

gth/Tube
6
6
6


Colours:



















Metal Inlay Strips

Aluminium, Brass & Stainless Steel






Inlay Strips











floor inlay feature

Floor & Wall Metal Inlay Strips **Aluminium & Stainless Steel**

Typical Installation: To create designs and patterns on floors and walls. Tolerance allowance should always be made when rebating to allow for any variation in size.

Please note that the finishes are to the top edge and Visible finish approximately 3mm down the vertical edges only. Where the finish is also required on another aspect of the profile, please consult with the sales office.



Aluminium (imperial sizes)

	,	
Profile FPA 10x3	3	1/8
	3/8"	




Profile FPA 10x6

		٦
3/8''		

Profile FPA 12x3



Stainless Steel (metric sizes)





Finish Available Stock Length Lengths/Tube

	Mill Aluminium	2.500m	6
TSO	*Polished Aluminium	2.500m	6
TSO	Satin Aluminium	2.500m	6
	*minimum quantity 50	lenaths	

FPA 10x6

FPA 10x3

	Finish Available	Stock Length	Lengths/Tub
	Mill Aluminium	2.500m	6
TSO	*Polished Aluminiun	n 2.500m	6
TSO	Satin Aluminium	2.500m	6
	*minimum quantity	50 lengths.	

FPA 12x3

	Finish Available	Stock Length	Lengths/Tube
	Mill Aluminium	2.500m	6
TSO	*Polished Aluminium	n 2.500m	6
TSO	Satin Aluminium	2.500m	6
	*minimum quantity	50 lengths.	

FPSS 10x3

Finish Available	Stock Length	Lengths/Tube
Mill Stainless Steel	2.000m	6

FPSS 12x5

Finish Available Stock Length Lengths/Tube Mill Stainless Steel 2.000m

Aluminium Finishes:

Mill Aluminium

Polished Aluminium Satin Aluminium







Stainless Steel Finish: Mill Stainless Steel








Samples available prior to rebating.

107



floor inlay feature



Floor & Wall Metal Inlay Strips **Brass**

Typical Installation: To create designs and patterns on floors and walls. Tolerance allowance should always be made when rebating to allow for any variation in size.

Please note that the finishes are to the top edge and $\;\;$ $_{\mbox{\scriptsize Visible finish}}$ approximately 3mm down the vertical edges only. Where the finish is also required on another aspect of the profile, please consult with the sales office.



Profile FPB 6x3



Profile FPB 10x3



FPB 6x3

II D OXO		
Finish Available	Stock Length	Lengths/Tube
Mill Brass only	2.000m	6

FPB 10x3

	Finish Available	Stock Length	Lengths/Tube
	Mill Brass	2.000m	6
	*Polished Brass	2.000m	6
	Satin Brass	2.000m	6
TSO	Antique Brass	2.000m	6
TSO	Antique Bronze	2.000m	6
	*minimum auantity	v 50 lenaths.	

Profile FPB 10x6



FPB 10x6

	Finish Available	Stock Length	Lengths/Tube
	Mill Brass	2.000m	6
	*Polished Brass	2.000m	6
	Satin Brass	2.000m	6
so	Antique Brass	2.000m	6
so	Antique Bronze	2.000m	6
	*minimum quantity	50 lengths.	

Profile FPB 12x3



FPB 12x3

	Finish Available	Stock Length	Lengths/Tube
	Mill Brass	2.000m	6
	*Polished Brass	2.000m	6
	Satin Brass	2.000m	6
so	Antique Brass	2.000m	6
so	Antique Bronze	2.000m	6
	*minimum quantity	50 lengths.	

Profile FPB 16x3



FPB 16x3

	Finish Available	Stock Length	Lengths/Tube
	Mill Brass	2.000m	6
	*Polished Brass	2.000m	6
	Satin Brass	2.000m	6
)	Antique Brass	2.000m	6
)	Antique Bronze	2.000m	6
	*minimum quantity	50 lengths.	

Profile FPB 19x3



FPB 19x3

	Finish Available	Stock Length	Lengths/Tube
	Mill Brass	2.000m	6
	*Polished Brass	2.000m	6
	Satin Brass	2.000m	6
)	Antique Brass	2.000m	6
)	Antique Bronze	2.000m	6
	*minimum quantity	50 lengths.	

Finishes:





Polished Brass



Satin Brass

Antique Brass



Antique Bronze



150 TO SPECIAL ORDER



Samples available prior to rebating.



Timberline™ Profiles For Timber Floors

Aluminium, Brass & Stainless Steel





1.5mm gauge


Timberline™ Aluminium Profiles For Timber Floors

Designed to allow for expansion with timber floor installations.


Suitable for timber and ceramic floors. Other sizes available to special order 50.

TIMBERLINE 1/12A	Screw size 6
15	
15	35

Screw size 6 **TIMBERLINE 1/15A**



TIMBERLINE 1/22A Screw size 6




TIMBERLINE 2/12A Screw size 6




15

Screw size 6

TIMBERLINE 2/15A



TIMBERLINE 2/22A Screw size 6



TIMBERLINE 1/12A

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2 500m	6

TIMBERLINE 1/15A

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.715m	6

TIMBERLINE 1/22A

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.500m	6

TIMBERLINE 2/12A

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.500m	6


TIMBERLINE 2/15A

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2.715m	6

TIMBERLINE 2/22A

Finishes Available	Stock Length	Length/Tube
Satin Aluminium	2 500m	6

Finish:



Please note that the finish is to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.

Fixings not supplied







Timberline™ Solid Brass Profiles For Timber Floors 1.5mm gauge

Designed to allow for expansion with timber floor installations.

Stock Length

2.000m

2.000m

2.000m

2.000m

Stock Length

2.715m

2.715m

2.715m

2.715m

Suitable for timber and ceramic floors.

ailable to special order 🕫.



Length/Tube

6

6

6

6

Length/Tube

6

6


6

6

	Other sizes available t
TIMBERLINE 1/12B Screw size 6	Finishes Available Polished Brass Satin Brass Antique Brass Antique Bronze
TIMBERLINE 1/15B Screw size 6	TIMBERLINE 1/15B
18 15	Finishes Available Polished Brass Satin Brass Antique Brass Antique Bronze
TIMBERLINE 1/22B Screw size 6	TIMBERLINE 1/22B
25	Finishes Available Polished Brass Satin Brass Antique Brass Antique Bronze

Finishes Available	Stock Length	Length/lub
Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze	2.000m	6

TIMBERLINE 2/12B Screw size 6



TIMBERLINE 2/12B


	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.000m	6
	Satin Brass	2.000m	6
so	Antique Brass	2.000m	6
so	Antique Bronze	2.000m	6

TIMBERLINE 2/15B Screw size 6 15

TIMBERLINE 2/15B

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
	Satin Brass	2.715m	6
so	Antique Brass	2.715m	6
so	Antique Bronze	2.715m	6

TIMBERLINE 2/22B Screw size 6



TIMBERLINE 2/22B

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze	2.000m	6


Finishes: Polished Brass

Satin Brass









Please note that the finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.



Fixings not supplied 750 TO SPECIAL ORDER



Timberline 1/15S curved

TIMBERLINE 1/12S

15

TIMBERLINE 1/15S

18

TIMBERLINE 1/22S

TIMBERLINE 2/12S

TIMBERLINE 2/15S

TIMBERLINE 2/22S

12

15

12

Screw size 6

12

Timberline™ Stainless Steel Profiles For Timber Floors 1.5mm gauge

Designed to allow for expansion with timber floor installations.

Suitable for timber and ceramic floors. Other sizes available to special order 50.

TIMBERLINE 1/12S

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

TIMBERLINE 1/15S

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

TIMBERLINE 1/22S

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Tillishes Available	STOCK LETIGITI	religili/ lobe
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

TIMBERLINE 2/12S

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

TIMBERLINE 2/15S


Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

TIMBERLINE 2/22S

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.000m	6
Brushed Stainless Steel	2.000m	6

Finishes:

















Matwell Frames

Aluminium, Brass & Stainless Steel








Matwell Frames


Produced to customer sizes.

All matwell frames have safety edge machine finished corners.

Examples of pre-fabricated matwell frames





cross section view




MATWELL EDGE FRAME









RAMP EDGE FRAME





Fixings not supplied.






Matwell Frame Base Fix Profiles

Standard popular sections listed.

Frames are available in other profiles in the C.A.T. range, subject to availability.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use size 6 screws.

ALUMINIUM ANGLES



A19

	Finishes Available:	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
so	Polished Aluminium	2.715m	6
so	Satin Aluminium	2.715m	6

A25

Finishes Available:	Stock Length	Length/Tube
Mill Aluminium	2.715m	6
Polished Aluminium	2.715m	6
Satin Aluminium	2.715m	6

SOLID BRASS ANGLES


	3
5-51 (50) et 10 2 20 20 1	
19	17.8
	<u></u>
†	30

B19

Finishes Available:	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

B22.5

.ength Length/Tube	Э
5m 6	
	5m 6 5m 6 5m 6





Finishes Available:	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

23.8

Finishes:



Polished Brass

Satin Brass



Polished Aluminium Satin Aluminium





Visible Top edge finish



Antique Bronze




Please note that the fnishes are to the top visible edge only. Where the finish is also required on another facet

of the profile, please consult with the sales office.










Matwell Frame Top Fix Profiles & Small Angles 1.5mm gauge

In addition to profiles shown, there are a number of C.A.T. brass and aluminium stair nosings that can be supplied in matwell frames. Typical suggestions, BN9 and BN1SLR brass and AN1 aluminium.

SOLID BRASS ANGLES

Standard supplied undrilled. Drilling available on request when supplied in lengths. Supplied drilled in matwell frame format, ordered frame sizes.



Finishes:


















Matwell Frame Top Fix Profiles 1.5mm gauge

In addition to profiles shown, there are a number of C.A.T. brass and aluminium stair nosings that can be supplied in matwell frames. Typical suggestions, BN9 and BN1SLR brass and AN1 aluminium.

STAINLESS STEEL - Grade 304L

Standard supplied undrilled. Drilling available on request when supplied in lengths. Supplied drilled in matwell frame format, ordered frame sizes.



Finishes:

Bright Stainless Steel










Aluminium Angles & Tag Trim™ Formable Angles







Angles and Tag Trim™ Formable Angles



A fine line between a straight floor and a great floor. For over 25 years.

General

The Angles section of this guide has angles in Aluminium, Brass, Stainless Steel and PVC.


Angles create a defining line between floor coverings from 4.5mm to 25mm in height.

For Straight Runs



Standard angles are supplied with pre-punched bases for adhesive fixing.

For Curved Runs



Tag Trim angles have pre-drilled fixing tags at 80mm centres for forming curves on site.

The minimum radius to which Tag Trim angles can be formed is depicted with this symbol above which is shown against each angle:






Budget Aluminium Angles For Straights

To create a neat, straight edge between floor coverings. Supplied with unpunched bases.

Available in full tubes only.





Fixings not supplied





Aluminium Angles For Straights


To create a neat, straight edge between floor coverings. Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.

A4.5



A4.5


	Finishes Available	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
9	Satin Aluminium	2.715m	6
9	Polished Aluminium	2.715m	6
	Black Anodised	2.715m	6





A6.5 Finishes Available


_	Finishes Available Mill Aluminium Satin Aluminium Polished Aluminium	Stock Length 2.715m 2.715m 2.715m	Length/Tube 6 6 6
	Black Anodised	2.715m	6





Finishes Availabl
Mill Aluminium

Finishes Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6
Satin Aluminium	2.715m	6
Polished Aluminium	2.715m	6
Black Anodised	2.715m	6





Α9


	Finishes Available	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
TSO	Satin Aluminium	2.715m	6
TSO	Polished Aluminium	2.715m	6
	Black Anodised	2.715m	6

Finishes: Mill Aluminium










Please note that the above finishes are to the top visible edge only. Where the finish is also required on another facet of the profile, please consult with the sales office.





Length/Tube

6

6

6






Aluminium Angles For Straights


To create a neat, straight edge between floor coverings. Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.

A16 14.5


A16 Finishes Available Stock Length Mill Aluminium 2.715m Satin Aluminium 2.715m Polished Aluminium 2.715m **Black Anodised** 2.715m



A19 Finishes Available Stock Length Length/Tube Mill Aluminium 2.715m 6 Satin Aluminium 2.715m 6 Polished Aluminium 2.715m 6



A22.5		
Finishes Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6
750 Satin Aluminium	2.715m	6
750 Polished Aluminium	2.715m	6




	A25		
	Finishes Available	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
so	Satin Aluminium	2.715m	6
so	Polished Aluminium	2.715m	6























Tag Trim™ Formable Aluminium Angles For Curves


3mm wide feature for transition and definition between floorings



This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site. Bases with tags at 80mm centres for ease of curving.

For mechanical fixing, use screw size 6.


TTA4.5



TTA4.5

	Finishes Available	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
so	Satin Aluminium	2.715m	6
so	Polished Aluminium	2.715m	6
	Black Anodised	2.715m	6


TTA6.5



TTA6.5

	Finishes Available	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
so	Satin Aluminium	2.715m	6
so	Polished Aluminium	2.715m	6
	Black Anodised	2.715m	6


TTA9



TTA9

	Finishes Available	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
TSO	Satin Aluminium	2.715m	6
TSO	Polished Aluminium	2.715m	6
	Black Anodised	2.715m	6

TTA13



TTA13

	Finishes Available	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
so	Satin Aluminium	2.715m	6
so	Polished Aluminium	2.715m	6
	Black Anodised	2.715m	6

Finishes:





















Tag Trim™ Formable Aluminium Angles For Curves


3mm wide feature for transition and definition between floorings



This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site. Bases with tags at 80mm centres for ease of curving.

For mechanical fixing, use screw size 6.


TTA16



TTA16

	Black Anodised	2.715m	6
so	Polished Aluminium	2.715m	6
so	Satin Aluminium	2.715m	6
	Mill Aluminium	2.715m	6
	Finishes Available	Stock Length	Length/Tube


TTA19



TTA19

	Finishes Available	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
0	Satin Aluminium	2.715m	6
0	Polished Aluminium	2.715m	6


TTA22.5



TTA22.5

	Finishes Available	Stock Length	Length/Tube
	Mill Aluminium	2.715m	6
9	Satin Aluminium	2.715m	6
0	Polished Aluminium	2.715m	6

TTA25



TTA25

Finishes Available	e Stock Length	Length/Tube
Mill Aluminium	2.715m	6
satin Aluminium	2.715m	6
Polished Alumini	um 2.715m	6

Finishes:










NEW Black Anodised



Visible Top edge finish










Mainline™A Feature Angles For Straights


7.5mm wide top to create a bold transition definition between floorings

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.







MAINLINE A11.5




MAINLINE A15.5




750 MAINLINE A18.5




MAINLINE A21.5



MAINLINE A25



MAINLINE A27.5



MAINLINE A9

Finishes Available	Stock Length	Length/Tube
Matt Aluminium	2.715m	6

MAINLINE A11.5

Finishes Available	Stock Length	Length/Tube
Matt Aluminium	2.715m	6

MAINLINE A15.5

Finishes Available	Stock Length	Length/Tube
Matt Aluminium	2.715m	6

MAINLINE A18.5

Finishes Available	Stock Length	Length/Tube
Matt Aluminium	2.715m	6

MAINLINE A21.5

Finishes Available	Stock Length	Length/Tube
Matt Aluminium	2.715m	6

MAINLINE A25

Finishes Available	Stock Length	Length/Tube
Matt Aluminium	2.715m	6

MAINLINE A27.5


Finishes Available	Stock Length	Length/Tube
Matt Aluminium	2.715m	6

Finish: Matt Aluminium









MAINLINE TTA9



Tag Trim[™] Formable Mainline[™] A Feature Angles For Curves

7.5mm wide feature cap for transition definition between floorings



This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site.

Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.

MAINLINE TTA9


MAINLINE TTA15.5

Finishes Available	Stock Length	Length/Tube
Matt Aluminium	2.715m	6


7.5 1-1.5 10

MAINLINE TTA11.5
Finishes Available Stock Length Length/Tube

Matt Aluminium 2.715m 6




Finishes Available Stock Length Length/Tube
Matt Aluminium 2.715m 6




MAINLINE TTA18.5

Finishes Available Stock Length Length/Tube
Matt Aluminium 2.715m 6




MAINLINE TTA21.5


Finishes Available Stock Length Length/Tube Matt Aluminium 2.715m 6



MAINLINE TTA25

Finishes Available Stock Length Length/Tube
Matt Aluminium 2.715m 6











Brass Angles & Tag Trim™ Formable Angles






Brass Angles & Tag Trim Angles



Products installed: B16 and TTB16






Budget Solid Brass Angles For Straights


To create a neat, straight edge between floor coverings. Supplied with unpunched bases.

Available in full tubes only.






Fixings not supplied






Solid Brass Angles For Straights

To create a high quality neat, straight edge between floor coverings. Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.







54.5		
Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6





Stock Length	Length/Tube
2.715m	6





В9

Length/Tub
6
6
6
6

B13	
_	3
13	11.8
+	30



B13

Stock Length	Length/Tube
2.715m	6


Finishes:

Polished Brass










Please note that the finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.












Solid Brass Angles For Straights


To create a high quality neat, straight edge between floor coverings. Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.








Finishes Available Stock Length Length/Tube Polished Brass 2.715m 6 Satin Brass 2.715m 6 Antique Brass 2.715m 6 Antique Bronze 2.715m 6








Finishes:






















Tag Trim[™] Formable Solid Brass Angles For Curves




This symbol denotes minimum radius to which the profile can be formed.

Tag Trim profiles can be formed on site to allow freedom of design where curved details are required in flooring.

Bases with tags at 80mm centres for ease of curving.

For mechanical fixing, use screw size 6.


TTB4.5



TTB4.5

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6


TTB6.5



TTB6.5

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
750 Satin Brass	2.715m	6
750 Antique Brass	2.715m	6
750 Antique Bronze	2.715m	6


TTB9



TTB9

	Finishes Available	Stock Length	Length/Tub
_	Polished Brass	2.715m	6
TSO	Satin Brass	2.715m	6
TSO	Antique Brass	2.715m	6
TSO	Antique Bronze	2.715m	6

TTB13



TTB13

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
so	Satin Brass	2.715m	6
so	Antique Brass	2.715m	6
so	Antique Bronze	2.715m	6


Finishes:













Please note that the above finishes are to the top, visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.











BRASS ANGLES


Tag Trim[™] Formable Solid Brass Angles For Curves



This symbol denotes minimum radius to which the profile can be formed.

Tag Trim profiles can be formed on site to allow freedom of design where curved details are required in flooring. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.


TTB16



TTB16

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6
	Polished Brass Satin Brass Antique Brass	Polished Brass 2.715m Satin Brass 2.715m Antique Brass 2.715m


TTB19



TTB19

	Finishes Available	Stock Length	Length/Tub
_	Polished Brass	2.715m	6
so	Satin Brass	2.715m	6
so	Antique Brass	2.715m	6
so	Antique Bronze	2.715m	6


TTB22.5



TTB22.5

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
so	Satin Brass	2.715m	6
so	Antique Brass	2.715m	6
so	Antique Bronze	2.715m	6

TTB25



TTB25


	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
TSO	Satin Brass	2.715m	6
TSO	Antique Brass	2.715m	6
TSO	Antique Bronze	2.715m	6

Finishes: Polished Brass











Please note that the finishes are to the

top, visible edge only.
Where the finish is also required on another facet of the profile, please consult with the sales office.








B6 Brass Cap High Quality Feature Angles For Straights 🚳

Aluminium angles with 6mm brass feature cap to define edge between floorings.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.






B67.5

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6


750 B610



B610

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6


750 B614



B614

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

150 B617



B617

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6


Finishes:



Satin Brass








Please note that the above finishes are to the top visible edge only. Where the finish is also required on another facet of the profile,

please consult with the sales office.










B6 Brass Cap High Quality Feature Angles For Straights 🚳

Aluminium angles with 6mm brass feature cap to define edge between floorings.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.






B620

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6






B623.5

Stock Length	Length/Tube
2.715m	6
	2.715m 2.715m 2.715m

TSO B626



B626

Tube


Finishes:











Please note that the finishes are to the

top, visible edge only. Where the finish is also required on another facet of the profile, please consult with the sales office.









Tag Trim™ Formable B6 Brass Cap Feature Angles For Curves




This symbol denotes minimum radius to which the profile can be formed.

Aluminium angles with 6mm brass feature cap to create gradual concave and convex curves in flooring.

Bases with tags at 80mm centres for ease of curving.

For mechanical fixing, use screw size 6.


750 TTB67.5



TTB67.5

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6


TSO TTB610



TTB610

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6


750 TTB614



TTB614

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

750 TTB617



TTB617

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6


Finishes:












Please note that the above finishes are to the top, visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.













BRASS ANGLES



Tag Trim™ Formable B6 Brass Cap Feature Angles For Curves




Aluminium angles with 6mm brass feature cap to create gradual

concave and convex curves in flooring.

Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.






TTB620

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6






TTB623.5

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

TSO TTB626



TTB626


Finishes Available	Stock Length	Length/Tube
Polished Brass	2.715m	6
Satin Brass	2.715m	6
Antique Brass	2.715m	6
Antique Bronze	2.715m	6

Finishes: Polished Brass









Please note that the finishes are to the

top, visible edge only.
Where the finish is also required on another facet of the profile, please consult with the sales office.







Solid Brass Feature Angles For Stone & Ceramic Floors


High finish defining profiles where stone/ceramic floors of the same height adjoin.

Punched base available on request.

For mechanical fixing, use screw size 6.




BFA 12/8



BFA 12/8

	Finishes Available	Stock Length	Length/Tube
	Polished Brass	2.715m	6
TSO	Satin Brass	2.715m	6
TSO	Antique Brass	2.715m	6
TSO	Antique Bronze	2.715m	6


BFA 9/7



BFA 9/7

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze	2.000m	6


BFA 12/15



BFA 12/15

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze	2.000m	6

BFA 15/15



BFA 15/15

Finishes Available	Stock Length	Length/Tube
Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze	2.000m	6


Finishes:











Please note that the above finishes are to the top visible edge only.


Where the finish is also required on another facet of the profile, please consult with the sales office.








Stainless Steel Angles & Tag Trim™ Formable Angles









Budget Stainless Steel Angles For Straights

To create a neat, straight edge between floor coverings. Supplied with unpunched bases.

Available in full tubes only.










Stainless Steel Angles For Straights

High quality stainless steel angles to define edge between floorings. Supplied with pre-punched bases for adhesive fixing.

For mechanical fixing, use screw size 6.

Grade: 304L Stainless Steel.



Finishes:









Please note that the finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.










Stainless Steel Angles For Straights

High quality stainless steel angles to define edge between floorings. Supplied with pre-punched bases for adhesive fixing.

For mechanical fixing, use screw size 6.


Grade: 304L Stainless Steel.






S19

Stock Length	Length/Tube
2.000m	6
2.000m	6





Stock Length	Length/Tube
2.000m	6
2.000m	6





Stock Length	Length/Tube
2.000m	6
2.000m	6

Finishes:

Polished Stainless Steel


















Tag Trim™ Formable Stainless Steel Angles For Curves

This symbol denotes minimum radius to which the profile can be formed.


Tag Trim profiles can be formed on site to allow freedom of design where curved details are required in flooring.

Bases with tags at 80mm centres for ease of curving.

For mechanical fixing, use screw size 6.

Grade: 304L Stainless Steel.


TTS6.5



TTS6.5

Finishes Available	Stock Length	Length/Tube
Polished Stainless Steel	2.000m	6
Satin Stainless Steel	2.000m	6
	Polished Stainless Steel	Polished Stainless Steel 2.000m


TTS9



TTS9

Finishes Available	Stock Length	Length/Tube
Polished Stainless Steel	2.000m	6
Satin Stainless Steel	2.000m	6
	Finishes Available Polished Stainless Steel Satin Stainless Steel	Polished Stainless Steel 2.000m


TTS12



TTS12

Finishes Available	Stock Length	Length/Tube
Polished Stainless Steel	2.000m	6
Satin Stainless Steel	2.000m	6

TTS16



TTS16

	Finishes Available	Stock Length	Length/Tube
	Polished Stainless Steel	2.000m	6
TSO	Satin Stainless Steel	2.000m	6

Finishes:

Polished Stainless Steel



Satin Stainless Steel



Visible Top edge finish











R This symbol denotes minimum radius to which the profile can be formed.

Tag Trim profiles can be formed on site to allow freedom of design where curved details are required in flooring.


Tag Trim™ Formable Stainless Steel Angles For Curves

Bases with tags at 80mm centres for ease of curving.

For mechanical fixing, use screw size 6.

Grade: 304L Stainless Steel.


TTS19



TTS19

Finishes Available	Stock Length	Length/Tube
Polished Stainless Steel	2.000m	6
Satin Stainless Steel	2.000m	6


TTS22



TTS22

	Finishes Available	Stock Length	Length/Tube
	Polished Stainless Steel	2.000m	6
9	Satin Stainless Steel	2.000m	6

TTS25



TTS25

	Finishes Available	Stock Length	Length/Tube
	Polished Stainless Steel	2.000m	6
9	Satin Stainless Steel	2.000m	6

Finishes:







Please note that the finishes are to the top visible edge only.

Where the finish is also required on another facet of the profit

Where the finish is also required on another facet of the profile, please consult with the sales office.










Stainless Steel Feature Angles For Stone & Ceramic Floors

High finish defining profiles where stone/ceramic floors of the same height adjoin.
Punched base available on request.
For mechanical fixing, use screw size 6.


SFA 9/7



SFA 9/7

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2.500m	6


SFA 12/15



SFA 12/15

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2.500m	6


SFA 15/15



SFA 15/15

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2.500m	6

SFA 22/18




SFA 22/18

Finishes Available	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2.500m	6

Finishes:

Polished Stainless Steel Satin Stainless Steel



Please note that the finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.







PVC Angles & Tag Trim™ Formable Angles








Mainline™ P Feature Angles For Straights

Aluminium angle with 6.5mm coloured pvc feature cap to define edges between floorings.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.


MAINLINE P8.8



MAINLINE P8.8

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6


MAINLINE P11.3



MAINLINE P11.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6


MAINLINE P15.3



MAINLINE P15.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6

MAINLINE P18.3



MAINLINE P18.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6


















Mainline™ P Feature Angles For Straights

Aluminium angle with 6.5mm coloured pvc feature cap to define edges between floorings.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.


MAINLINE P21.3



MAINLINE P21.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6


MAINLINE P24.8



MAINLINE P24.8

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6

MAINLINE P27.3



MAINLINE P27.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6


























Tag Trim[™] Formable Mainline[™] P Feature Angles For Curves

6.5mm wide top for colour transition and definition between floorings



Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.


MAINLINE TTP8.8



MAINLINE TTP8.8

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6


TSO MAINLINE TTP11.3



MAINLINE TTP11.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6


MAINLINE TTP15.3



MAINLINE TTP15.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6

TSO MAINLINE TTP18.3



MAINLINE TTP18.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6























Tag Trim[™] Formable Mainline[™]P Feature Angles For Curves


6.5mm wide top for colour transition and definition between floorings



This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site. Bases with tags at 80mm centres for ease of curving.

For mechanical fixing, use screw size 6.


MAINLINE TTP21.3



MAINLINE TTP21.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6


MAINLINE TTP24.8



MAINLINE TTP24.8

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Gey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6

MAINLINE TTP27.3



MAINLINE TTP27.3

Finishes Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6



















Co-Extruded PVC Angles For Straights

Rigid PVC angle with 4.5mm wide co-extruded coloured top for transition and definition between floorings. Supplied with pre-punched bases for adhesive fixing.




PCE4.5

Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6




PCE6.5

Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6



PCE9

Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6



PCE13

Stock Length	Length/Tube
2.715m	6
	2.715m 2.715m 2.715m



















Tag Trim™Formable Co-Extruded PVC Angles For Curves

Rigid PVC angle with 4.5mm wide co-extruded coloured top for transition and definition between floorings.




This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site.

Bases with tags at 80mm centres for ease of curving.




TTPCE4.5

Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6




TTPCE6.5

Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6



TTPCE9

Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6



TTPCE13

Colours Available	Stock Length	Length/Tube
Black	2.715m	6
Polar Grey	2.715m	6
Metallic Bronze	2.715m	6
Gun Metal	2.715m	6















Reflex™ Movement Joints

Aluminium, Brass & Stainless Steel





Reflex™ Movement Joints



General

Reflex profiles are a range of expansion and movement joints which are designed for use with all hard flooring, eliminating cracking and protecting edges against erosion. Reflex has good acid and alkali resistance and has good stain resistance properties. The joints will readily compress by 20% helping to eliminate cracking and de-lamination of the floor finish caused by building movement or thermal expansion and contraction.

Installation Guide

Movement joints should be provided in accordance with B\$5385-3:1989, clauses 19 and 23.6 for floors. Movement joints should be fitted around the perimeter of the floor and where floor tiles abut fixed machinery and structural fixtures such as columns, bases, etc.

Immediate movement joints should be incorporated in large floor areas as described in BS5385-3:1989, clauses 19 and 23.6.

Stock Lengths

Brass and Aluminium 2.715m x 6 = 16.29m packed Stainless Steel 2.000m x 6 = 12.00m packed

Stock Expansion Media Colours

Black








Other colours available, subject to minimum requirements. Please contact the sales office for details.





Wide range of profile heights available. All profiles supplied with pre-punched bases for adhesive fixing.








DOUBLE LEG



Reflex™ Aluminium Movement Joints


Reflex profiles are a range of expansion and movement joints which are designed for use with all hard flooring, eliminating cracking and protecting edges against erosion.



RAD9


Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

RAD13




Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

RAD16




Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

RAD19



Finish Available Stock Length Length/Tube Mill Aluminium 2.715m


SINGLE LEG



RAS9

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6


RAS13



RAS13

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6


RAS16



RAS16

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

RAS19



RAS19

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

Expansion Media Colours:








Finish: Mill Aluminium








Reflex™ Solid Brass Movement Joints

Reflex profiles are a range of expansion and movement joints which are designed for use with all hard flooring, eliminating cracking and protecting edges against erosion.

DOUBLE LEG




RBD9

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6

RBD13 70 11.5


RBD13

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6



RBD16


Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6



RBD19


Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6

SINGLE LEG




RBS9

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6




RBS13

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6



RBS16

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6



RBS19

Finish:

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6
















Reflex™ Stainless Steel Movement Joints

Reflex profiles are a range of expansion and movement joints which are designed for use with all hard flooring, eliminating cracking and protecting edges against erosion.

DOUBLE LEG




RSD9

Finish Available	Stock Length	Length/Tube
Matt Stainless Steel	2.000m	6

RSD13 66 11.8 11.8 13


RSD13

Finish Available	Stock Length	Length/Tube
Matt Stainless Steel	2.000m	6



RSD16


Finish Available	Stock Length	Length/Tube
Matt Stainless Steel	2.000m	6



RSD19


Finish Available	Stock Length	Length/Tube
Matt Stainless Steel	2.000m	6

SINGLE LEG




RSS9

Finish Available	Stock Length	Length/Tube
Matt Stainless Steel	2.000m	6




RSS13

Finish Available	Stock Length	Length/Tube
Matt Stainless Steel	2.000m	6



RSS16

Finish Available	Stock Length	Length/Tube
Matt Stainless Steel	2.000m	6



RSS19

Finish Available	Stock Length	Length/Tube
Matt Stainless Steel	2.000m	6



Expansion Media Colours:







Vertex[™] Corner Protection

Aluminium, Brass & Stainless Steel









Supplied undrilled with Stick Fix tape pre-applied.


Typical applications include airports, train stations, shopping malls and all commercial areas where columns and corners require protection from knocks and bumps.

Other sizes available subject to minimum of 50 lengths.




1.5mm gauge

ALUMINIUM EXTERNAL CORNERS



VERTEX 3A SF

Finishes Available: Stock Length Length/Tube Mill Aluminium 2.500m



VERTEX 2A SF

Finishes Available: Stock Length Length/Tube Mill Aluminium 2.500m 6



VERTEX 1A SF

Finishes Available: Stock Length Length/Tube Mill Aluminium 2.500m 6

ALUMINIUM INTERNAL CORNERS





VERTEX 41A SF

Finishes Available: Stock Length Length/Tube Mill Aluminium 2.500m



VERTEX 3A CP SF

Finishes Available: Stock Length Length/Tube Mill Aluminium 2.500m

Finish: Mill Aluminium Vertex aluminium corners are available in powder coat finish to special order.

Please enquire for minimum order quantities dependent upon colour reference required.







Vertex[™] Solid Brass **Corner Protection**






Supplied undrilled with Stick Fix tape pre-applied.

Typical applications include airports, train stations, shopping malls and all commercial areas where columns and corners require protection from knocks and bumps.

Other sizes available subject to minimum of 50 lengths.



EXTERNAL CORNERS for Prestige environments, Hotels and Restaurants



VERTEX 2B SF

	Finishes Available:	Stock Length	Length/Tube
	Polished Brass	2.000m	6
so	Satin Brass	2.000m	6
so	Antique Brass	2.000m	6
so	Antique Bronze	2.000m	6

INTERNAL CORNERS





VERTEX 41B SF

	Finishes Available:	Stock Length	Length/Tube
	Polished Brass	2.000m	6
0	Satin Brass	2.000m	6
0	Antique Brass	2.000m	6
0	Antique Bronze	2.000m	6



Polished Brass



















Vertex[™] Stainless Steel Corner Protection

on

Supplied undrilled with Stick Fix tape pre-applied.


Typical applications include airports, train stations, shopping malls and all commercial areas where columns and corners require protection from knocks and bumps.

Other sizes available subject to minimum of 50 lengths.

Grade: 304L Stainless Steel


1.5mm gauge

EXTERNAL CORNERS



VERTEX 3S SF

Finishes Available:	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2.500m	6



VERTEX 2S SF

Finishes Available:	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2.500m	6




VERTEX 1S SF

Finishes Available:	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2.500m	6

INTERNAL CORNERS







VERTEX 41S SF

Finishes Available:	Stock Length	Length/Tube
Bright Stainless Steel	2.500m	6
Brushed Stainless Steel	2.500m	6

Finishes:

Bright Stainless Steel



Brushed Stainless Steel










Skirting Profiles Capping Profiles Door Threshold Plates







Stainless Steel Skirtings 🗐

Designed for installations requiring perimeter expansion of wooden floors, typically sports halls and large open areas. Supplied drilled. Contact CAT sales for Stick Fix undrilled options.



Finishes Available: Stock Length Length/Tube
Bright Stainless Steel 2.500m 6
Brushed Stainless Steel 2.500m 6







750 SS SCOTIA 20SF

Finishes Available: Stock Length Length/Tube
Bright Stainless Steel 2.500m 6
Brushed Stainless Steel 2.500m 6

SS PERIMETER WALL DETAIL 20/12

other sizes available



750 SS PWD 20/12


Finishes Available: Stock Length Length/Tube
Bright Stainless Steel 2.500m 6
Brushed Stainless Steel 2.500m 6

Finishes:

Bright Stainless Steel Brushed Stainless Steel










For advice on cutting aluminium and stainless steel skirtings, please contact C.A.T. sales.





Capping Profiles


For installation on walls with floorings affixed where traditional skirtings are not preferred.

ALUMINIUM



CAP IT

For carpet and carpet tiles. Screw size 6



CAP IT DHC

DESIGNER FINISHES FOR DESIGNER FLOORS

Choose From:

Brushed Stainless Bright Bronze Light Bronze Pewter Onyx Designer Satin


Stock Length 2.715m

Length/Tube 6

SOLID BRASS

BCAP IT

For carpet and carpet tiles. Screw size 6




BCAP IT

	Finishes Available:	Stock Length	Length/Tube
	Polished Brass	2.715m	6
TSO	Satin Brass	2.715m	6
TSO	Antique Brass	2.715m	6
TSO	Antique Bronze	2.715m	6

BCAP

For carpet and carpet tiles. Screw size 6



BCAP

	Finishes Available:	Stock Length	Length/Tub
	Polished Brass	2.000m	6
so	Satin Brass	2.000m	6
so	Antique Brass	2.000m	6
so	Antique Bronze	2.000m	6

STAINLESS STEEL

SCAP

For vinyl and linoleum flooring. Screw size 6




SCAP

	Finishes Available:	Stock Length	Length/Tube
	Bright Stainless Steel	2.000m	6
)	Brushed Stainless Steel	2.000m	6

SSE

For carpet and carpet tiles. Screw size 6



SSE

Finishes Available: Bright Stainless Steel Brushed Stainless Steel


Stock Length 2.000m 2.000m

Length/Tube

6 6

SSNF

For carpet and carpet tiles. Screw size 6



SSNF

Finishes Available: Bright Stainless Steel Brushed Stainless Steel Stock Length 2.000m 2.000m

Length/Tube

6 6

DHC Designer Finishes: Brushed Stainless Bright












Designer Satin





Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.

Standard Finishes: Polished Brass











T: +44 (0) 1582 561500

e:sales@cat-accs.com






Solid Brass & Stainless Steel Door Threshold Plates

All profiles to special order 500. For protecting timber and uPVC thresholds. Solid Brass - 2mm gauge: Grade H/H CZ108. Stainless Steel - 2mm gauge: Grade 304L. Supplied drilled.






DTB 100/50 • •

Finishes Available Polished Brass Antique Brass Antique Bronze

Stock Lengths

1.000m 1.000m 1.000m

750 Profile **DTS 100/50** supplied off centre drilled




DTS 100/50 • •

Finishes Available Bright Stainless **Brushed Stainless**

Stock Lengths

1.000m 1.000m

rso Profile DTBR 100/50 supplied off centre drilled




DTBR 100/50 •

Finishes Available Polished Brass Antique Brass Antique Bronze

Stock Lengths

1.000m 1.000m 1.000m

Profile DTSR 100/50 supplied off centre drilled



DTSR 100/50 •

Finishes Available **Bright Stainless Brushed Stainless**

Stock Lengths

1.000m 1.000m

Finishes: Polished Brass

Antique Brass







Drilling Availability:

Drilled for countersunk screws

Undrilled

Screw size 8







Carpet Accessory Trims Ltd

Park Avenue Estate, Units 24 A,B,C, Sundon Park Rd,
Luton LU3 3BP, United Kingdom

+44 (0) 1582 561500 sales@cat-accs.com

www.thecatweb.com



