

Stannah Goodsmaster CD

Goods lifts with
attendant option



The Goodsmaster CD range of goods only and goods attendant lifts offer low pit and headroom with flexible dimensions – perfect where space is at a premium

www.stannahlifts.co.uk

Stannah

Stannah Goodsmaster CD

Goods lifts with attendant option



The Goodsmaster CD range is a structure supported goods lift, with an option to carry up to two attendants with the goods.

The Goodsmaster CD range offers a load capacity of up to 2000kg, with low pit and headroom requirements, together with flexible car and shaft dimensions. The perfect lift for situations where clearance is limited.

Our Goodsmaster CD Plus goods attendant lifts are ideal for use in premises where the stairway is not close to the lift shaft, or in cases where goods are being frequently moved.

Built within a rapidly-erected, self-contained steel structure, the modular design offers a wide range of car sizes. These lifts are ideal for a wide range of building types and are particularly valuable for retail units, factories, warehouses and distribution centres where space is at a premium.



Key benefits

- Capable of transporting palletised loads, refuse and euro bins and cages, sack trollies, and roll cages.
- Capacity range of 500kg to 2,000kg
- The lift structure is easy to install and requires minimal builder's work.
- Optional ramp where it is not possible to provide a pit.
- The lift only requires a 100mm pit and support at each floor, making it ideal for serving mezzanines.
- Lift car widths and depths can be tailored to suit your exact requirements, from 1000mm to 2000mm in 100mm increments.
- No separate motor room or load bearing shaft is needed, we simply mount the control cabinet to suit site requirements.
- Quiet and efficient chain drive with VVVF operation for greater levelling accuracy.

Stannah Goodsmaster CD

Goods lifts with attendant option


Standard features

- **Rated load:** 500kg, 1000kg, 1500kg and 2000kg.
- **Floors & Travel:** Maximum 4 floors and 9 metres travel.
- **Speed:** 0.15 metres/second.
- **Electrical requirements:** 415v, three phase supply, up to 20 amp is required and an isolator adjacent to the lift motor*.
- **Lift Structure:** Non-fire rated steel with black finish (RAL9005).
- **Headroom:** Internal car height +700mm (+750mm on 1500kg & 2000kg models).
- **Pit:** 100mm required or optional ramp.
- **Entry Choice:** Up to two entrances can be fitted on each floor – front and rear.
- **Car:** Constructed from a mild steel sheeting with a tough pebble grey epoxy finish (RAL 7032), wooden bump rails and aluminium chequer plate floor.
- **Car Entrance:** A robust collapsible gate is fitted to the lift car entrance(s) as standard.
- **Internal Car Height:** 2000mm as standard. 1800mm, 1900mm, 2100mm and 2200mm available as options.
- **Landing Controls:** Fully automatic push button control with call and send facilities and a stop switch at each landing entrance.
- **Landing Entrances:** Galvanised concertina gates for minimal encroachment in front of the lift with vision panel.
- **Control Cabinet:** Can be placed on any landing within 2000mm of the landing entrance.
- **Safety:** Complies fully with the Supply of Machinery (Safety) Regulations 2008 (2008 No. 1597).
- **Warranty:** All our lifts are supplied with a 12-month warranty as standard and we offer a range of service options tailored to suit your specific requirements.

* Electrical requirements are dependent on load and product options – please refer to datasheet for further information.

Optional extras

- Attendant control.
- Single or double hinged doors in black sheet steel (RAL 9005) or galvanised steel.
- Intercom system positioned at each landing entrance.
- Chequer plate ramp available for where it is not possible to provide a pit.



Stannah Goodsmaster CD

Goods lifts with attendant option

Since the change in the Machinery Directive in 2010 it is possible for goods lifts to carry up to a maximum of two trained operatives at any one time with the goods.

The Stannah Goodsmaster CD Plus is supplied with all the additional safety features required for this purpose, including:

- Car operating panel – key switch operation with constant pressure control, emergency stop switch and light.
- Car entrance protection full height light ray and collapsible gate.
- Alarm device with battery back-up.
- Energy-efficient LED lighting.
- Safety gear with overspeed governor.
- Load weighing device with audible signal.
- Audible and visual notification of the direction of lift travel with voice announcement and floor display on car operating panel (option).
- Auto dialler with induction loop (option).
- Notified body approval.



↑ Landing controls

Full height light array →


← Constant pressure car controls



Stannah Goodsmaster CD

Goods lifts with attendant option

Combine shaft/car width and depth to suit your application:




LIFT CAR AND SHAFT WIDTH DIMENSIONS:

Internal car width	Clear entrance width	Shaft width
1000	805	1470
1100	890	1570
1200	970	1670
1300	1070	1770
1400	1155	1870
1500	1235	1970
1600	1335	2070
1700	1420	2170
1800	1500	2270
1900	1600	2370
2000	1685	2470

LIFT CAR AND SHAFT DEPTH DIMENSIONS:

Internal car depth with car gate(s)		Shaft depth
Single entry	Through car	
850	800	1180
950	900	1280
1050	1000	1380
1150	1100	1480
1250	1200	1580
1350	1300	1680
1450	1400	1780
1550	1500	1880
1650	1600	1980
1750	1700	2080
1850	1800	2180

Note: All sizes are nominal and in mm.



NBS Specifications, CAD blocks and data sheets giving further technical information are all available from our website: www.stannahlifts.co.uk/downloads

Stannah knows how to help people get on with their lives. Whether it is a passenger lift at the station, a dumbwaiter at the coffee shop, an escalator in the shopping centre, or a stairlift at home – we are there quietly helping life happen.

With over 150 years of experience and expertise in the lift industry, we offer customers right across the UK a complete range of lifting solutions to move people and goods efficiently, reliably and safely. We are proud of our reputation for outstanding customer service, delivered from our network of branches.

Whatever your lifting requirements, Stannah can provide a solution.



Stannah Microlifts

Caxton Close, East Portway, Andover, Hampshire SP10 3QN

Telephone: 01264 351922

27011-GMCD 02/21

Meet the family



Stairlifts



Passenger Lifts



Escalators and Moving Walkways



Platform Lifts



Service and Goods Lifts



Lift Refurbishment



Bespoke Lifts



Lift Service and Repair