

A modern interior space featuring a prominent teal-colored lift shaft on the left. The shaft has glass panels and is illuminated by circular pendant lights. To the right, a lounge area with dark wood paneling, a large abstract painting, and contemporary furniture is visible. The overall atmosphere is sophisticated and contemporary.

LIFTS IN PUBLIC

CIBES LIFT PRODUCT GUIDE
FOR PUBLIC OR COMMERCIAL BUILDINGS

Cibes



Cibes Lift has been in business since 1947 and is a market-leading manufacturer of screw-driven platform and cabin lifts. We provide tailor-made lift solutions for public and commercial use, based on our proven modular concept that has minimal structural impact on your building. Thanks to their timeless look and user-friendly design, our lifts are perfect for public environments.



PUBLIC ACCESSIBILITY

Cibes lift solutions comply with European Safety & Accessibility Standards and are offered with a wide range of user-friendly options such as voice announcement, level indicators and remote call button stations.





LIFTS MADE IN SWEDEN

- Timeless Scandinavian design
- Short manufacturing time
- Minimal refurbishment
- Fast and easy installation
- High-quality lift solutions



SMART LIFT CONCEPT

Cibes lift solutions will integrate seamlessly with any project, without the extensive preparations and building work associated with conventional lifts. Our lifts are delivered in ready-made modules and require a much lower pit and headroom than conventional lifts.





Cibes platform lifts offer you the possibility to glaze all four sides of the lift shaft, which both looks spectacular and is quite unique. In addition, travelling inside a fully glazed shaft on an open platform provides a unique sense of freedom.



ETHEREAL LIFT DESIGN

Cibes platform lifts offer you the perfect lift design for light and airy spaces. The open platform and fully glazed lift shaft make the most of the natural light and your panoramic views.







SAFE & USER-FRIENDLY

Our lifts are safe and easy to use, even for small children. To make sure that our lifts are always installed and maintained correctly, we only allow our own subsidiaries and certified dealers to sell and market our lifts.





Cibes cabin lifts combine the advantages of platform lift technology with the comfort of a fully enclosed cabin. The automatic sliding doors and one-touch operation provide a comparable level of comfort to conventional lifts and the cabin design exudes a timeless elegance.



COST-EFFICIENT CABIN LIFTS

When you buy a cabin lift from Cibes, you get a high-quality product with the same sense of luxury and comfort as a conventional lift, but at a fraction of the cost. Cibes Lift provides smart, modular cabin lifts, which are fast and easy to install without major construction work – the perfect choice for any building.





Cibes platform lift solutions can be installed in places where conventional lifts cannot. Our platform lifts are very space-efficient and have minimal impact on the surrounding building, thanks to the low pit and headroom and the integrated machine room. You do not even have to construct a lift shaft, we deliver it for you!



FOR LARGE & HEAVY LOADS

Cibes large 1000 kg platform lifts are certified to transport both passengers and goods. The large platform and extra-wide doors make the 1000 kg platform lift an ideal lift solution for warehouses, office buildings, care homes and clinics.





SILENCE MADE IN SWEDEN

We care about your need for serenity and we care about the planet. This inspired us to develop the EcoSilent drive system and the result is a quiet revolution for screw-driven lifts and for contemporary architecture. The EcoSilent system not only makes our 300-500 kg platform lifts virtually soundless, it also reduces their energy consumption by nearly 50 %.

Silent operation

Inside the lift, the sound level is 55 dB equivalent to the sound of a moderate rainfall. Outside the lift, the sound level is 40 dB, which can be compared to the sound of a modern fridge.

Decibels measured 2 m from the lift, at constant speed and with a 150 kg load. All tests conducted by Springwell Audio AB, member of the Swedish Acoustical Society, www.springwellaudio.se.



Energy-efficient drive

Cibes EcoSilent drive system carries Energy Label A and only uses an estimated 215 kWh per year, which is less than a modern washing machine. A lift equipped with EcoSilent will consume about 45% less than a lift without. A great investment.



Energy-efficient lift

A lift equipped with our innovative drive system carries Energy Label A and uses 45 % less energy than a lift without.

Yearly energy consumption based on a 2 stop lift with 3.6 m travel, equipped with EcoSilent and a frequency of use of 20 travels/day. Energy classification according to VDI 4707 Part 1: 2009. Tests conducted by Liftinstituut B.V. www.liftinstituut.com.



STEP BY STEP ALL THE WAY THROUGH YOUR PROJECT

THE 1-2-3 SYSTEM:

Step 1: Your certified Cibes dealer provides personal advice for your specific situation.

Step 2: Fast delivery and installation by your Cibes dealer.

Step 3: Service provided by your Cibes dealer.

QUALITY INSTALLATION

Your Cibes dealer can visit the installation site in order to find the best lift solution for you. The lift is custom-made, so you can rest assured that it will fit.

In most cases, the lift installation requires no major structural alterations to the building and takes just a few days to complete.

SERVICE

Our screw-driven technology is simple and robust to reduce the need for maintenance. Nevertheless, it is important to keep your lift in good order. Therefore, we always recommend that you sign a service contract with your Cibes dealer.



Get in touch with us!
sales@cibesliftgroup.com



DAY 1 – INSTALLATION

First day – The bottom frame, guides and platform are installed. Your platform lift can be installed with or without a lift pit.



DAY 2 – INSTALLATION

Second day – The doors, shaft and platform cladding are installed, all electrics are plug & play and easy to connect.



DAY 3 – INSTALLATION

Third day – The finishing touches are applied and all functions of the lift are tested. Your lift is now ready to use.

ADAPTABLE & SMART LIFT CONCEPT

Cibes platform lifts are delivered in ready-made modules with everything you need for installation, including the lift shaft. To personalise your lift, Cibes provides you with a great choice of different door models, colours and accessories.



Smart & space-saving accessibility

No machinery on top, low headroom.
Energy-saving LED lit ceiling.

Shaft panels in steel or in safety glass.
All four sides can be glazed.

Wide choice of door models; steel doors, aluminium doors, gates, EI60 fire rated doors.

Concealed or externally fitted power door openers as an option.

The Cibes A5000 is designed to have a small footprint and a maximum of space inside.





OPTIONS FOR YOUR COMFORT

Platform lift Cibes A5000 is available with a full-height control panel. The elegant over-head LED lights and mirror make your lift even more comfortable and easy to use.

SHAFT

Lift shaft in steel or glass



LED LIT CEILING

Energy-saving and durable lighting



LOCKING SYSTEMS

Control the access to your lift



DOOR MODELS

Steel, aluminium or fire rated



CALL BUTTONS



Call button
White, grey or black
face plate



Call button
RFID tag reader
for auto lock



Call button
Key lock for
auto lock/
central lock



Touchscreen
call button.
Integrated level
indicator



Remote
call button

LEVEL INDICATOR



Level indicator for the doors
and/or platform

MIX AND MATCH COLOURS AND MATERIALS

Let the lift become a beautiful architectural feature to enhance your interior design. Get inspiration from our design examples, or create your own bespoke lift design by mixing different colours and materials.



Shaft: RAL 9016 Platform: RAL 9016
Floor: Standard black



Shaft: RAL 9016 Platform: RAL 9006
Floor: Standard black



Shaft: RAL 9006 Platform: RAL 9016
Floor: Standard black



Shaft: Anodic Gold Platform: Anodic Gold
Floor: Red Pepper



Shaft: Anodic Gold Platform: Anodic Gold
Floor: Rustic Oak



Shaft: RAL 7021 Platform: Anodic Gold
Floor: Rustic Oak



Shaft: Tinted glass/RAL 9006 Platform:
RAL 9006 Floor: Standard black



Shaft: Clear glass/RAL 7021 Platform:
RAL 7021 Floor: Quartz stone



Shaft: Clear glass/RAL 7021 Platform:
RAL 7021 Floor: Rustic Oak

CUSTOMISE YOUR PLATFORM LIFT

Cibes offers you the freedom to combine different colours and materials to create a unique platform lift design.

COLOURS



FLOOR OPTIONS




GLASS FOR SHAFT AND DOORS



ADAPTABLE & SMART LIFT CONCEPT

Cibes cabin lifts are delivered in ready-made modules with everything you need for installation. To customise your lift, Cibes offers you a wide range of cabin designs, door models, colours and accessories.



ELEGANT & COMFORTABLE ACCESSIBILITY

Reduced top height

The 2500 mm top height fits easily under most ceilings.

Machine room less

The machinery fits inside the shaft, no need for a separate machine room.

Screw-driven system

Reliable 100% electric screw-driven system, no hydraulics.

Energy-saving LED technology

The ceiling is illuminated by durable and energy-saving LED lights.

Automatic telescopic doors

Automatic telescopic doors for landings and cabin.

Space-saving doors

The doors slide open without obstructing the space on the landings.

One touch operation

One touch operation at landings and inside the cabin.

Reduced lift pit

At the bottom floor, a shallow pit of 100 mm is enough.



OPTIONS FOR YOUR COMFORT

A full-height mirror is available for the cabin wall facing the door. The mirror is an elegant feature but also a great visual aid for wheelchair users when they need to turn or exit the lift.

SHAFT OR NO SHAFT

Lift shaft in steel or glass or without shaft



LED LIT CEILING

Ceiling with LED diodes or LED light panel



CALL BUTTONS



Call button
White, grey
or black
face plate

Call button
RFID tag
reader
for auto lock

Call button
Key lock for
auto lock/
central lock

Touchscreen
call button.

External
Call button

DOOR ALTERNATIVES

Steel, glass or EI60 fire rated



CS0 (CSEI60 no button)

CS1

CONTROL PANEL OPTIONS

With touchscreen or in steel with
push buttons



Touchscreen controls are not
suitable for projects required
to meet European Accessibility
Standard EN 81-70.



Walls: White standard laminate. Black profiles. Control panel: Black. Ceiling with LED light RAL 9016.



Walls: Brushed Argent laminate, mirror. Coated control in RAL9006. Coated ceiling in RAL 9006 with LED-light.



Walls: Folkstone laminate, matching profiles RAL830. Open through with white door. Control panel stainless steel. Ceiling: RAL830 with LED-light.



Walls: Folkstone laminate, black coated profiles. Black coated control. White coated ceiling with LED-light.



Walls: Laminate: Oyster grey, mirror and laminate with matching coated profiles: RAL1015. Black touch control. Light screen ceiling.



Walls: Glass, mirror and laminate: Otter. Black profiles. Black touch control. Light screen ceiling.



Walls: Glass, glass and laminate: Terril. Black profiles. Black touch control. Light screen ceiling.



Walls: Glass, mirror and laminate: Just Rose. Matching coated profiles and control panel RAL 490. Light screen ceiling.



Walls: Glass and laminate: Magnolia. Black profiles. Touch control. Light screen ceiling.



Walls: Glass, mirror and laminate: Polar Aland Pine. Black profiles. Touch control. Light screen ceiling.



Walls: Glass, mirror and laminate: Nevada Oak. Black profiles. Touch control. Light screen ceiling. Floor: Rustic Oak.



Walls: Glass, mirror and laminate: Black Wood. Black profiles. Touch control. Light screen ceiling.



Walls: White laminate, open through with white door with matching profiles. Black touch control. Light screen ceiling.



Walls: Glass, open through with glass door. Fontana laminate, black profiles. Black touch control. Light screen ceiling.



Walls: Glass, open through with glass door. Brushed Argent laminate, Black profiles. Control panel: Stainless steel. Light screen ceiling.



Walls: Brushed Argent laminate, Black profiles. Black touch control. Light screen ceiling.

CUSTOMISE YOUR CABIN LIFT

Cibes offers you the freedom to combine different colours and materials to create a unique cabin lift design.

LAMINATE FOR CABIN WALLS

				
Pure White Standard	Brushed Argent M5311	Folkstone F7927	Magnolia F1534	Oyster Grey F7929
				
Otter F3202	Terril F2297	Just rose F8858	Arctic Blue F5493	Fontana F1850
				
Polar Aland Pine H3433 ST22	Nevada Oak F8588	Black Wood U999 ST12		

FLOOR OPTIONS

				
Altro Contrax Nearly Black	Surestep - Wood Natural Oak 18942	Surestep - Wood Rustic Oak 18972	Surestep Star Snow 178082	Surestep Black Seagrass 18572
				
Surestep Grey Seagrass 18562	Safestep Aqua Taupe 180232	Surestep Original Umber 171262	Surestep Pepper 171562	Surestep Quartz Stone 17512

GLAZING OPTIONS

					
Clear glass	Arctic Snow	Polar White	Light Fume Brown	Light Fume Grey	Dark Fume Brown

TECHNICAL INFORMATION – PLATFORM LIFTS

TECHNICAL INFORMATION	Cibes A8000, A5000, A5000H
Lift location	Indoors / Outdoors*
Rated load kg	400-500 kg or 1000 kg**
Rated speed (m/sec)	Max 0.15
Travel height	Up to 13 m
Min.headroom at top landing	2250/1100 mm (A5000H: 2350 mm)
Pit depth without ramp	50 mm or 130** mm
Maximum number of stops	6 stops
Doors and gates	Single hinged
Door clear opening (wxd)	800-1300×1800-2300 mm
Gate clear opening (wxd)	800-900×1100 mm
Drive system	Screw and nut, with safety nut
Control system	Micro computer based system
Standard power supply	400 VAC 3-phase 50/60 Hz 16 A***
Motor power	2.2 kW/4.0 kW**
Manufactured in	Sweden

* Outdoor available for Cibes A5000, platform sizes 1000×1467 and 1100×1467 mm.

** For Cibes A8000.

*** Optional: 1×230 VAC and 3×230 VAC for the A5000 and A5000H, 3×230 for the A8000.



DRAWINGS
FOR DOWNLOAD



STANDARDS AND CERTIFICATES
Type Certificate
Energy Label A with EcoSilent

ACCESS CONFIGURATIONS



1. Single entry (2 stops)



2. Adjacent (2 stops)



3. Open-through (3 stops)

Cibes A8000

PLATFORM LIFT WITH LOW BACK

Platform sizes (wxd) mm	Rated load
1105 × 2180	1000 kg
1405 × 1980	1000 kg
1405 × 2480	1000 kg

Cibes A5000

PLATFORM LIFT WITH LOW BACK

Platform sizes (wxd) mm	Rated load
900 × 1467	400-500 kg
1000 × 1467	400-500 kg
1100 × 1467	400-500 kg
1100 × 1597	500 kg
1000 × 1967	500 kg

*Other platform sizes available:
800×1217, 1000×1267, 1100×1367.

Cibes A5000H

PLATFORM LIFT WITH HIGH CONTROL PANEL

Platform sizes (wxd) mm	Rated load
900 × 1467	400-500 kg
1000 × 1467	400-500 kg
1100 × 1467	400-500 kg



TECHNICAL INFORMATION – CABIN LIFTS

TECHNICAL INFORMATION	Cibes C1 Pure
Lift location	Indoors
Rated load kg	525 or 630 kg
Rated speed (m/sec)	Max 0.15
Travel height	Up to 15 m
Min.headroom at top landing	2500 mm
Pit depth without ramp	100 mm recess
Maximum number of stops	6 stops
Landing doors	Telescopic sliding doors
Landing door clear opening (wxd)	900×2100 mm
Cabin door	Telescopic sliding door
Drive system	Screw and nut, with safety nut
Control system	Micro computer based system
Standard power supply	400 VAC 3-phase 50/60 Hz 16 A*
Motor power	4.0 kW**
Manufactured in	Sweden

*Optional: 3×230 VAC

**3.7 kW motor for 3×230 VAC



DRAWINGS
FOR DOWNLOAD



STANDARDS AND CERTIFICATES
Energy Label B

ACCESS CONFIGURATION



1. Single entry (2 stops)



2. Open-through (3 stops)

Cibes C1 Pure

CABIN LIFT WITHOUT SHAFT

Cabin size (wxdxh) mm	Rated load
1100×1200×2130	525 kg
1100×1400×2130	630 kg
1100×1700×2130	630 kg

Cibes C1 Pure

CABIN LIFT WITH MODULAR SHAFT

Cabin size (wxdxh) mm	Rated load
1100×1200×2130	525 kg
1100×1400×2130	630 kg



MADE IN SWEDEN

Founded in 1947, Cibes Lift Group is a world-leading manufacturer of space-saving, modular lifts. High-quality Swedish engineering and great Scandinavian design are the secrets behind our success. All lifts are manufactured in our factory in Sweden and distributed to more than 50 countries via a network of 200 certified dealers.

All Cibes lift models carry the CE mark and go through extensive testing and quality checks before leaving our factory. Our lifts are Certified products that comply with European quality standards, Machinery Directive 2006/42/EC and EN 81-41. This product information is general and we reserve the right to modify product design and specifications. Minor deviations in color reproduction can occur.

The brand Cibes Lift is owned by Cibes Lift Group AB. © CIBES LIFT GROUP AB

