



GUARDIAN LST - PRICE LIST - UK 2021/22

DIMENSIONS (in mm)


Guardian wall model (WT)




Guardian floor model (FT)




Example with Jaga valve: to the wall.



Example with Jaga valve: to the floor.



Example with Jaga Pro valve: to the floor - WT only.




Depth mm	Connection to floor d (mm)	Connection to wall A (mm)	Clearance h (mm)
119	52	29	100
169	77	53	120
219	103	79	150

CONNECTION

Standard connection:

Casing features multiple knockouts to suit high and low level valves, on either left or right. On FT models there are additional knockouts to allow for pipework or skirting at a low level.

High level valve details: see "Valves and TRVs".



Please note when using the low level valve configuration in conjunction with FT casing model, clearance will be required between the casing side panel and the skirting (assuming skirting is to be fitted tight to casing) to allow for casing removal.

ORDERING CODE

code	height	length	depth	colour	model
GUAR .	040	064	119 .	233	/WT

For example using ordering code GUAR 040 064 119 233 / WT will result in a Guardian wall model with white casing, 400mm high, 640mm long and 119 deep.

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colour:

- White RAL 9016 (233), satin gloss finish.

DELIVERY

All items are stocked except casing heights 700 and lengths 1640 and 2040 which are made to order.

All elements and brackets are in stock.

Contact the office for availability on larger quantities.



HEIGHT 400 WT WALL MODEL - OUTPUTS & PRICES

GUAR.040 LLL Dep.233/WT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
440	119	234	109	275.20
	169	351	164	326.00
	219	446	206	386.10
640	119	467	218	321.80
	169	703	329	386.90
	219	893	412	465.50
840	119	701	327	396.40
	169	1054	493	484.40
	219	1339	613	592.10
1040	119	934	436	459.10
	169	1406	657	568.20
	219	1786	818	703.20
1240	119	1168	545	512.40
	169	1757	822	639.60
	219	2232	1030	798.30
1440	119	1402	654	573.60
	169	2108	986	719.70
	219	2678	1236	902.90
1640	119	1635	763	649.50
	169	2460	1150	824.50
	219	3125	1443	999.30
1840	119	1869	872	723.80
	169	2811	1314	919.50
	219	3571	1648	1168.10
2040	119	2102	981	813.90
	169	3163	1479	1027.40
	219	N/A	N/A	N/A

EN442 output at 20°C room temperature

HEIGHT 500 WT WALL MODEL - OUTPUTS & PRICES

GUAR.050 LLL Dep.233/WT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
440	119	259	123	293.30
	169	394	187	349.20
	219	522	241	415.60
640	119	519	246	343.70
	169	788	374	413.50
	219	1044	482	497.30
840	119	778	368	422.90
	169	1181	560	515.10
	219	1566	723	627.40
1040	119	1090	491	489.30
	169	1311	747	602.80
	219	2088	963	742.80
1240	119	1297	614	547.40
	169	1969	934	678.00
	219	2610	1204	839.60
1440	119	1556	736	614.00
	169	2363	1121	764.60
	219	3132	1445	951.90
1640	119	1816	859	687.10
	169	2757	1308	868.10
	219	3654	1686	1049.30
1840	119	2075	982	771.80
	169	3150	1494	972.30
	219	4176	1927	1225.70
2040	119	2335	1105	863.90
	169	3544	1681	1082.60
	219	N/A	N/A	N/A

EN442 output at 20°C room temperature

HEIGHT 600 WT WALL MODEL - OUTPUTS & PRICES

GUAR.060 LLL Dep.233/WT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
440	119	277	133	313.20
	169	425	204	367.50
	219	593	273	431.30
640	119	554	266	366.90
	169	850	409	436.30
	219	1187	547	519.20
840	119	831	399	449.90
	169	1275	613	542.00
	219	1780	821	653.00
1040	119	1108	532	520.70
	169	1700	818	633.50
	219	2374	1095	770.50
1240	119	1385	665	581.70
	169	2125	1022	712.70
	219	2967	1368	873.00
1440	119	1662	798	654.90
	169	2550	1227	805.40
	219	3560	1642	990.40
1640	119	1939	931	737.00
	169	2975	1431	911.90
	219	4154	1916	1086.80
1840	119	2216	1064	820.10
	169	3400	1635	1021.70
	219	4747	2189	1272.80
2040	119	3693	1197	918.40
	169	3825	1840	1135.60
	219	N/A	N/A	N/A

EN442 output at 20°C room temperature

HEIGHT 400 FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.040 LLL Dep.233/FT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
440	119	193	90	399.60
	169	277	128	431.80
	219	339	160	465.40
640	119	385	179	430.90
	169	553	256	472.90
	219	677	320	519.20
840	119	578	269	483.30
	169	830	384	539.30
	219	1016	481	601.80
1040	119	770	358	526.90
	169	1106	512	596.50
	219	1354	641	675.30
1240	119	963	448	563.50
	169	1383	640	645.00
	219	1693	801	738.30
1440	119	1156	537	629.60
	169	1660	769	723.50
	219	2032	961	831.20
1640	119	1348	626	699.50
	169	1936	896	799.50
	219	2370	1121	899.30
1840	119	1541	716	744.30
	169	2213	1025	871.60
	219	2709	1282	1020.40
2040	119	1733	805	849.00
	169	2489	1152	982.00
	219	N/A	N/A	N/A

EN442 output at 20°C room temperature

HEIGHT 500 FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.050 LLL Dep.233/FT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
440	119	221	103	411.90
	169	320	149	446.10
	219	377	176	480.50
640	119	442	206	445.80
	169	639	297	489.20
	219	754	352	532.50
840	119	663	309	500.30
	169	959	445	558.50
	219	1132	529	616.80
1040	119	884	412	545.80
	169	1278	593	618.10
	219	1509	705	690.60
1240	119	1105	515	585.40
	169	1598	742	669.60
	219	1886	881	753.70
1440	119	1326	618	656.30
	169	1918	891	752.00
	219	2263	1057	847.70
1640	119	1547	721	724.50
	169	2237	1039	824.50
	219	2640	1233	924.30
1840	119	1768	823	776.00
	169	2557	1187	904.50
	219	3018	1410	1033.10
2040	119	1989	926	881.60
	169	2876	1335	1015.80
	219	N/A	N/A	N/A

EN442 output at 20°C room temperature

HEIGHT 600 FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.060 LLL Dep.233/FT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
440	119	247	115	423.90
	169	358	167	458.50
	219	419	193	496.10
640	119	493	230	459.40
	169	716	333	504.20
	219	839	387	553.20
840	119	740	345	517.00
	169	1075	501	576.00
	219	1258	580	641.80
1040	119	986	460	565.30
	169	1433	667	638.10
	219	1678	774	720.30
1240	119	1233	576	607.80
	169	1791	834	692.30
	219	2097	967	788.60
1440	119	1480	691	681.00
	169	2149	1001	778.20
	219	2516	1160	889.00
1640	119	1726	806	749.50
	169	2507	1168	861.90
	219	2936	1354	974.30
1840	119	1973	921	806.40
	169	2866	1335	936.70
	219	3355	1547	1088.20
2040	119	2219	1036	913.40
	169	3224	1502	1053.70
	219	N/A	N/A	N/A

EN442 output at 20°C room temperature

HEIGHT 700 FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.070 LLL Dep.233/FT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
440	119	270	126	435.80
	169	393	184	470.90
	219	N/A	N/A	N/A
640	119	540	253	473.00
	169	786	367	519.20
	219	N/A	N/A	N/A
840	119	810	379	533.70
	169	1179	551	593.50
	219	N/A	N/A	N/A
1040	119	1080	505	584.50
	169	1572	734	658.00
	219	N/A	N/A	N/A
1240	119	1350	632	630.00
	169	1965	918	714.90
	219	N/A	N/A	N/A
1440	119	1620	758	705.80
	169	2358	1101	804.20
	219	N/A	N/A	N/A
1640	119	1890	884	774.50
	169	2751	1285	899.30
	219	N/A	N/A	N/A
1840	119	2160	1010	836.60
	169	3144	1469	969.00
	219	N/A	N/A	N/A
2040	119	2430	1137	945.40
	169	3537	1652	1091.60
	219	N/A	N/A	N/A

EN442 output at 20°C room temperature

HEIGHT 800 FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.080 LLL Dep.233/FT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
440	119	291	136	446.90
	169	425	199	484.60
	219	517	232	525.80
640	119	582	273	487.40
	169	849	398	535.70
	219	1035	465	588.50
840	119	874	410	550.80
	169	1274	597	612.20
	219	1552	697	680.40
1040	119	1165	546	601.90
	169	1698	796	679.50
	219	2070	930	767.20
1240	119	1456	683	651.30
	169	2123	995	738.60
	219	2587	1162	837.70
1440	119	1747	819	732.90
	169	2548	1194	832.90
	219	3104	1395	946.50
1640	119	2038	955	787.00
	169	2972	1392	924.30
	219	3622	1627	1061.90
1840	119	2330	1092	868.10
	169	3397	1592	1001.60
	219	4139	1859	1155.50
2040	119	2621	1229	973.40
	169	3821	1790	1125.20
	219	N/A	N/A	N/A

EN442 output at 20°C room temperature

VALVES, TRV HEADS AND ACCESSORIES

OUR SPECIALLY SHORTENED VALVES CAN BE CONCEALED WITHIN THE STANDARD CASING. OTHER VALVES MAY BE PARTIALLY VISIBLE.

SLEEVE COUPLING M24

Copper Tube

CODE	Tube Ø
5094.110	10/1
5094.115	15/1

Steel Tube for C.H

CODE	Tube Ø
5094.501	1/2"

Please note other couplings are available on request.

SLEEVE COUPLING 1/2"

Copper Tube

CODE	Tube Ø
5098.110	10/1
5098.115	15/1


Steel Tube for C.H

CODE	Tube Ø
5094.502	1/2"

Please note other couplings are available on request.

PENCIL PROOF GRILLE

Same colour as casing.



CODE	H	L	D	Colour
5606	000	064*	119	

*to suit casing length

ARTHRITIC AID



CODE
5090.ARTH


JAGA PRO THERMOSTATIC VALVE (for Guardian LST – WT only)



- with pre-setting
- for connection to the floor
- for two pipe
- complies to European standard EN 215.1

CODE	Description	Price £
5094.4414	Jaga Pro Thermostatic -Valve (M24)	56.30
5090.1125	Thermostatic Head (white)	35.00

JAGA THERMOSTATIC VALVE – WALL (suitable for all LST Radiators)



Consists of the following :


- 5090.407 type 06 angled TRV
- 5090.111 type 06 angled lockshield valve
- 5090.1125 white TRV head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework to wall (Same end 20/70 connections).



CODE	Description	Price £
5090.407	Jaga type 06 TRV (M24)	24.30
5090.111	Angled T06 Lockshield (M24)	13.80
5090.1125	TRV Head (white)	35.00

JAGA THERMOSTATIC VALVE – FLOOR (suitable for all LST Radiators)



Consists of the following :

- 5090.405 angled TRV
- 5090.109 straight lockshield valve
- 5090.1125 white TRV head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework from the floor (Same end 20/70 connections).



CODE	Description	Price £
5090.405	Jaga angled TRV (1/2")	24.30
5090.109	Straight Lockshield (1/2")	14.20
5090.1125	TRV Head (white)	35.00


HIGH LEVEL JAGA TOP VALVE



Consists of the following :

- 5090.13001 High Level TRV set (including valve, capillary & head)
- 5090.1125 white TRV head
- Adaptors to suit 15mm copper pipe as standard
- 5090.109 straight lockshield valve (to floor)
- OR
- 5090.110 angled lockshield valve (to wall)

To suit pipework from the floor or wall (Same end 30/60 connections).



CODE	Description	Price £
5090.13001	Jaga High Level TRV set (1/2")	124.80
5090.110	Angled Lockshield (1/2") (Wall)	13.80
5090.109	Straight Lockshield (1/2") (Floor)	14.20

TRV HEADS



CODE
5090.1125

CODE
5090.1151

CODE
5090.1150

CODE
5090.1152

CODE	Description	Price £
5090.1150	White	44.90
5090.1151	Chrome	70.40
5090.1152	Silver	50.00
5090.1125	White	35.00

EN442 output at 20°C room temperature


GUARDIAN LST - PARTS

CASINGS WALL MODEL (.../WT)					
Height		400	500	600	
L	Depth	£	£	£	
440	119	114.50	130.20	145.70	
	169	125.60	143.80	159.40	
	219	146.10	168.10	182.40	
640	119	133.10	152.70	172.00	
	169	146.20	168.10	187.20	
	219	172.20	197.30	216.00	
840	119	159.40	183.60	206.90	
	169	175.20	201.30	224.90	
	219	210.70	239.20	262.00	
1040	119	181.30	209.50	236.80	
	169	199.80	229.70	257.30	
	219	243.90	276.60	302.30	
1240	119	204.30	236.80	267.20	
	169	224.90	258.60	290.00	
	219	277.10	311.60	342.20	
1440	119	228.70	265.00	300.50	
	169	251.10	289.60	325.00	
	219	310.80	337.60	383.80	
1640	119	259.80	295.50	331.70	
	169	280.20	321.10	355.70	
	219	339.80	367.30	423.90	
1840	119	280.70	324.40	367.30	
	169	308.30	354.40	398.70	
	219	389.10	437.00	479.50	

Casings Ordering Code

Product Height Length Depth Colour Model
CGUA 040 044 119 233 /WT

Standard delivery is: colour 233, grille, single piece casing



HEAT EXCHANGER WALL MODEL (.../WT)					
Height		400	500	600	
L	Depth	£	£	£	
440	119	161.00	163.20	167.30	
	169	200.60	205.30	208.20	
	219	240.10	247.60	249.00	
640	119	188.60	190.90	194.80	
	169	241.00	245.50	249.00	
	219	293.30	300.00	303.20	
840	119	237.00	239.30	243.10	
	169	309.20	313.70	317.10	
	219	381.40	388.30	390.90	
1040	119	277.50	279.80	284.00	
	169	368.30	373.00	376.10	
	219	459.20	466.10	468.20	
1240	119	308.30	310.60	314.60	
	169	414.80	419.30	422.60	
	219	521.30	527.80	530.90	
1440	119	345.00	349.20	354.40	
	169	468.50	475.00	480.50	
	219	592.10	614.50	606.50	
1640	119	389.80	391.70	405.40	
	169	544.20	547.10	556.20	
	219	659.50	682.00	663.00	
1840	119	443.30	447.30	452.90	
	169	611.20	617.90	623.10	
	219	779.10	788.60	793.30	

Heat Exchanger Ordering Code

Product Height Length Depth Model
HGUA 040 044 119 /WT

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

EN442 output at 20°C room temperature


GUARDIAN LST - PARTS

		CASINGS FLOOR MODEL (.../FT)				
Height		400	500	600	700	800
L	Depth	£	£	£	£	£
440	119	244.80	255.70	265.70	275.40	284.40
	169	252.20	264.30	274.60	284.20	295.20
	219	261.00	277.70	286.00	N/A	309.40
640	119	258.20	271.20	283.40	294.90	307.20
	169	266.90	281.00	293.40	305.90	319.70
	219	279.60	294.90	308.00	N/A	336.70
840	119	278.80	294.30	309.30	323.80	338.50
	169	288.50	306.00	320.80	335.80	352.20
	219	304.80	321.40	338.70	N/A	372.50
1040	119	295.80	313.30	331.00	349.20	365.40
	169	307.20	327.00	344.50	361.60	380.70
	219	327.70	344.60	367.30	N/A	405.90
1240	119	312.20	332.70	353.00	373.50	392.70
	169	325.40	347.60	368.10	388.30	409.30
	219	350.00	366.90	395.10	N/A	437.30
1440	119	329.90	353.90	376.30	397.60	421.80
	169	344.50	369.70	392.70	415.00	439.50
	219	372.60	392.20	423.20	N/A	471.10
1640	119	377.70	391.20	404.70	421.10	424.90
	169	383.70	395.70	413.70	446.50	466.90
	219	395.70	407.20	447.10	N/A	525.30
1840	119	380.70	409.60	437.30	464.50	492.70
	169	398.90	429.30	457.90	486.00	515.10
	219	N/A	N/A	N/A	N/A	N/A

Casings Ordering Code

Product Height Length Depth Colour Model
CGUA 040 044 169 233 /FT

Standard delivery is: colour 233, grille, single piece casing



		HEAT EXCHANGER FLOOR MODEL (.../FT)				
Height		400	500	600	700	800
L	Depth	£	£	£	£	£
440	119	154.80	156.30	158.20	160.20	162.40
	169	179.60	182.00	184.10	186.80	189.40
	219	204.30	202.50	210.10	N/A	216.30
640	119	172.60	174.60	175.90	178.10	180.30
	169	206.10	208.30	210.60	213.40	216.10
	219	239.60	237.60	245.30	N/A	251.90
840	119	204.50	206.10	207.70	209.90	212.20
	169	250.70	252.50	255.30	257.60	259.90
	219	296.90	295.30	302.90	N/A	307.50
1040	119	231.10	232.60	234.40	235.50	236.50
	169	289.30	291.40	293.60	296.20	298.90
	219	347.40	346.00	353.00	N/A	361.30
1240	119	251.40	252.50	254.60	256.50	258.50
	169	319.80	321.90	324.00	326.90	329.40
	219	388.30	386.90	393.40	N/A	400.40
1440	119	299.60	302.40	304.70	308.10	311.20
	169	378.90	382.30	385.20	389.20	393.20
	219	458.40	455.60	465.80	N/A	475.10
1640	119	321.80	333.30	344.80	353.40	361.90
	169	415.70	428.70	448.10	453.00	457.50
	219	503.70	517.10	527.20	N/A	536.60
1840	119	363.70	366.40	368.90	372.20	375.50
	169	472.60	475.10	479.10	483.00	486.70
	219	581.60	578.90	589.10	N/A	597.90

Heat Exchanger Ordering Code

Product Height Length Depth Model
HGUA 040 044 169 /FT

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

PENCIL-PROOF GRILLE			
L	Depth	Code	Price £
640	119	5606.00006010	41.00
	169	5606.00006015	46.00
840	119	5606.00008010	48.10
	169	5606.00008015	55.10
1040	119	5606.00010010	56.30
	169	5606.00010015	64.20
1240	119	5606.00012010	63.80
	169	5606.00012015	73.50

L	Depth	Code	Price £
1440	119	5606.00014010	70.40
	169	5606.00014015	81.70
1640	119	5606.00016010	78.10
	169	5606.00016015	90.90
1840	119	5606.00018010	85.50
	169	5606.00018015	99.80
2040	119	5606.00020010	93.20
	169	5606.00020015	109.40

EN442 output at 20°C room temperature



☎ +44 1531 631 533
✉ jaga@jaga.co.uk
🔗 www.jaga.co.uk

📍 **JAGA UK**
Jaga House, Orchard Business Park,
Bromyard Road, Ledbury,
Herefordshire HR8 1LG

Notes relative to price list

1. May be subject to alteration without prior notification
2. List prices subject to trading terms
3. Does not include delivery
4. Subject to VAT at the prevailing rate