



TEMPO LST - PRICE LIST - UK 2021/22

DIMENSIONS (in mm)

Tempo LST wall-mounted




Tempo LST freestanding




‡ Max. when using Jaga TRV and head
* Surcharge applies


Example with Jaga valve:
to the wall




Example with Jaga valve:
to the floor



Example with Jaga Pro valve:
to the wall or to the floor



Example with
Jaga top valve:




Type	Connection to floor d (mm)	Connection to wall A (mm)	Clearance h (mm)
10/11	53	29	100
15/16	78	53	120
20/21	103	79	150
	B	BS	
10/11	119	130	
15/16	169	180	
20/21	219	230	

CONNECTION

Jaga valves can be concealed within the standard casing. Other valves may be partially visible.

High level valve details:
see "Valves and TRVs".



COLOURS

Environmentally friendly, scratch-resistant, high UV resistant coating.

Colour:

- White RAL 9010 (101), soft touch satin finish

ORDERING CODE

code	height	length	type	colour
TEMW .	040	060	10 .	101

For example using ordering code TEMW 040 060 10 101 will result in a Tempo wall model with white casing, 400mm high, 600mm long and type 10.

STOCK ITEMS

All wall mounted models up to 2000 long in all heights are held in stock, all other sizes are made to order.

All freestanding models are made to order.

Split delivery options available.

Please contact our customer service team to discuss your requirements and availability on large quantity orders.



HEIGHT 200 - OUTPUTS & PRICES - WALL-MOUNTED

TEMW.020 LLL TT.XXX

SINGLE

Length mm	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	262	127	219.80
	15	436	212	262.10
	20	613	299	305.60
500	10	328	159	240.70
	15	545	265	289.00
	20	766	373	340.00
600	10	393	191	256.00
	15	654	319	311.40
	20	919	448	369.20
700	10	459	223	295.10
	15	763	372	363.90
	20	1072	522	434.80
800	10	524	255	315.50
	15	872	425	392.00
	20	1226	597	470.50
900	10	590	287	334.80
	15	981	478	418.40
	20	1379	672	503.80
1000	10	655	318	365.80
	15	1090	531	461.70
	20	1532	746	560.00
1100	10	721	350	388.10
	15	1199	584	492.30
	20	1685	821	597.80
1200	10	786	382	407.70
	15	1308	637	518.60
	20	1838	895	633.50
1400	10	917	446	452.20
	15	1526	743	580.90
	20	2145	1045	754.40
1600	10	1048	509	530.60
	15	1744	850	688.50
	20	2451	1194	894.80
1800	10	1179	573	573.60
	15	1962	956	748.70
	20	2758	1343	973.20
2000	10	1310	637	621.00
	15	2180	1062	855.90
	20	3064	1493	1054.00
2200	10	1441	700	710.30
	15	2398	1168	983.20
	20	3370	1642	1216.40
2400	10	1572	764	762.80
	15	2616	1274	1055.30
	20	3677	1791	1308.30
2600	10	1703	827	812.60
	15	2834	1381	1124.30
	20	3983	1940	1396.60
2800	10	1834	891	870.10
	15	3052	1487	1199.50
	20	4290	2090	1490.00
3000	10	1965	955	915.10
	15	3270	1593	1263.80
	20	4596	2239	1574.00

EN442 output at 20°C room temperature

HEIGHT 300 - OUTPUTS & PRICES - WALL-MOUNTED

TEMW.030 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	330	161	234.30	11	448	215	382.40
	15	544	267	278.80	16	592	281	453.40
	20	762	373	323.40	21	779	368	480.80
500	10	413	202	257.00	11	561	269	416.40
	15	680	333	307.40	16	740	352	497.40
	20	953	467	360.20	21	974	460	532.90
600	10	496	242	273.30	11	673	323	442.70
	15	815	399	331.20	16	888	422	535.00
	20	1144	561	390.50	21	1169	552	576.90
700	10	578	282	315.20	11	785	376	506.90
	15	951	466	386.60	16	1036	492	623.10
	20	1334	654	458.10	21	1364	644	676.20
800	10	661	323	337.70	11	897	430	541.10
	15	1087	533	415.50	16	1184	563	669.30
	20	1525	747	495.80	21	1558	736	730.80
900	10	743	363	358.40	11	1009	484	572.30
	15	1223	599	443.80	16	1332	633	713.30
	20	1715	841	530.50	21	1753	828	781.20
1000	10	826	403	391.00	11	1121	537	624.40
	15	1359	666	488.90	16	1480	703	785.00
	20	1906	934	588.30	21	1948	920	865.80
1100	10	909	444	415.50	11	1233	591	659.40
	15	1495	733	521.30	16	1628	774	834.10
	20	2097	1028	628.50	21	2143	1012	924.20
1200	10	991	484	436.90	11	1345	645	692.90
	15	1631	799	549.40	16	1776	844	880.30
	20	2287	1121	665.70	21	2338	1105	977.40
1400	10	1156	565	487.00	11	1569	752	768.20
	15	1903	933	616.50	16	2072	985	983.70
	20	2668	1308	792.40	21	2727	1288	1166.30
1600	10	1322	646	568.40	11	1794	860	897.20
	15	2174	1066	728.30	16	2368	1126	1162.70
	20	3050	1495	936.00	21	3117	1473	1378.50
1800	10	1487	726	615.40	11	2018	967	968.40
	15	2446	1199	791.70	16	2664	1266	1262.50
	20	3431	1682	1018.30	21	3506	1656	1496.80
2000	10	1652	807	666.00	11	2242	1074	1043.10
	15	2718	1332	902.50	16	2960	1407	1442.90
	20	3812	1868	1102.90	21	3896	1841	1619.00
2200	10	1817	887	759.00	11	2466	1182	1190.80
	15	2990	1465	1033.20	16	3256	1548	1655.70
	20	4193	2055	1268.90	21	4286	2025	1864.40
2400	10	1982	968	817.10	11	2690	1289	1278.20
	15	3262	1599	1111.20	16	3552	1688	1776.70
	20	4574	2242	1366.40	21	4675	2209	2005.80
2600	10	2148	1049	871.20	11	2915	1397	1360.00
	15	3533	1732	1183.70	16	3848	1829	1890.50
	20	4956	2429	1458.50	21	5065	2393	2138.50
2800	10	2313	1130	932.00	11	3139	1504	1448.60
	15	3805	1865	1262.30	16	4144	1970	2008.20
	20	5337	2616	1555.30	21	5454	2577	2276.20
3000	10	2478	1210	980.10	11	3363	1612	1522.30
	15	4077	1998	1330.20	16	4440	2110	2115.20
	20	5718	2802	1642.90	21	5844	2761	2403.10

EN442 output at 20°C room temperature

HEIGHT 400 - OUTPUTS & PRICES - WALL-MOUNTED

TEMW.040 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	385	189	250.20	11	506	243	398.70
	15	627	309	296.50	16	680	323	470.90
	20	878	433	343.70	21	910	428	501.60
500	10	482	236	274.60	11	632	303	433.30
	15	784	386	327.20	16	850	403	517.50
	20	1098	541	382.40	21	1137	535	555.50
600	10	578	284	292.20	11	758	363	461.20
	15	941	464	352.00	16	1020	484	556.10
	20	1318	650	414.30	21	1364	641	601.10
700	10	674	331	336.30	11	885	424	528.00
	15	1098	541	409.50	16	1190	564	646.20
	20	1537	758	483.70	21	1592	749	703.10
800	10	770	378	360.30	11	1011	485	563.50
	15	1254	618	440.60	16	1360	645	694.40
	20	1757	866	523.10	21	1819	855	758.90
900	10	867	425	383.30	11	1138	546	596.50
	15	1411	695	470.50	16	1530	726	739.60
	20	1976	974	560.40	21	2047	963	811.70
1000	10	963	472	417.40	11	1264	606	650.20
	15	1568	773	516.30	16	1700	806	813.00
	20	2196	1083	619.30	21	2274	1069	897.30
1100	10	1059	520	443.80	11	1390	666	687.50
	15	1725	850	551.70	16	1870	887	864.70
	20	2416	1191	661.40	21	2501	1176	957.20
1200	10	1156	567	465.80	11	1517	727	721.80
	15	1882	928	581.30	16	2040	968	912.00
	20	2635	1299	700.40	21	2729	1283	1012.80
1400	10	1348	661	521.60	11	1770	849	802.30
	15	2195	1082	654.40	16	2380	1129	1020.90
	20	3074	1516	833.50	21	3184	1497	1206.90
1600	10	1541	756	606.90	11	2022	969	935.10
	15	2509	1237	768.20	16	2720	1290	1203.00
	20	3514	1733	980.50	21	3638	1711	1422.60
1800	10	1733	850	657.80	11	2275	1091	1010.50
	15	2822	1391	835.80	16	3060	1452	1306.50
	20	3953	1949	1066.50	21	4093	1925	1545.10
2000	10	1926	945	712.50	11	2528	1212	1088.70
	15	3136	1546	950.80	16	3400	1613	1491.30
	20	4392	2166	1154.50	21	4548	2139	1670.20
2200	10	2119	1040	808.80	11	2781	1333	1240.30
	15	3450	1700	1085.30	16	3740	1774	1707.70
	20	4831	2382	1324.40	21	5003	2353	1919.90
2400	10	2311	1134	872.00	11	3034	1455	1332.50
	15	3763	1855	1167.80	16	4080	1935	1833.70
	20	5270	2599	1428.80	21	5458	2567	2068.40
2600	10	2504	1229	928.90	11	3286	1576	1417.00
	15	4077	2009	1244.00	16	4420	2097	1951.00
	20	5710	2816	1524.20	21	5912	2780	2204.20
2800	10	2696	1323	993.50	11	3539	1697	1509.80
	15	4390	2164	1326.50	16	4760	2258	2073.20
	20	6149	3032	1625.80	21	6367	2994	2346.10
3000	10	2889	1417	1045.40	11	3792	1818	1587.10
	15	4704	2318	1398.20	16	5100	2419	2183.80
	20	6588	3249	1715.70	21	6822	3208	2475.80

EN442 output at 20°C room temperature

HEIGHT 500 - OUTPUTS & PRICES - WALL-MOUNTED

TEMW.050 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	430	212	266.90	11	554	266	415.20
	15	694	344	317.40	16	759	359	491.50
	20	970	481	365.60	21	1033	484	522.90
500	10	538	265	293.30	11	693	332	452.60
	15	867	430	349.70	16	949	449	539.70
	20	1213	602	406.10	21	1291	605	578.80
600	10	646	318	312.60	11	832	399	481.70
	15	1040	516	375.70	16	1139	539	579.80
	20	1455	722	439.20	21	1549	725	625.60
700	10	753	371	359.20	11	970	465	551.10
	15	1214	602	435.20	16	1329	629	672.10
	20	1698	842	511.00	21	1807	846	729.40
800	10	861	424	384.50	11	1109	532	587.80
	15	1387	688	467.90	16	1518	719	721.80
	20	1940	962	552.20	21	2066	968	787.30
900	10	968	477	408.60	11	1247	598	622.10
	15	1561	774	500.10	16	1708	809	769.50
	20	2183	1083	590.70	21	2324	1088	841.50
1000	10	1076	530	445.00	11	1386	665	678.10
	15	1734	860	547.80	16	1898	898	844.40
	20	2425	1203	651.90	21	2582	1209	929.40
1100	10	1184	584	472.60	11	1525	732	717.20
	15	1907	946	584.60	16	2088	988	897.50
	20	2668	1323	695.80	21	2840	1330	991.20
1200	10	1291	636	497.40	11	1663	798	753.30
	15	2081	1032	616.10	16	2278	1078	946.90
	20	2910	1443	736.40	21	3098	1451	1048.40
1400	10	1506	742	558.30	11	1940	931	838.60
	15	2428	1204	695.20	16	2657	1258	1062.20
	20	3395	1684	875.40	21	3615	1693	1250.10
1600	10	1722	849	646.90	11	2218	1064	975.30
	15	2774	1376	813.00	16	3037	1438	1247.30
	20	3880	1924	1026.10	21	4131	1935	1469.20
1800	10	1937	955	701.50	11	2495	1197	1053.90
	15	3121	1548	883.90	16	3416	1617	1354.90
	20	4365	2165	1115.50	21	4648	2177	1594.80
2000	10	2152	1061	759.40	11	2772	1330	1135.60
	15	3468	1720	1003.00	16	3796	1797	1543.10
	20	4850	2405	1207.60	21	5164	2418	1724.10
2200	10	2367	1167	859.80	11	3049	1463	1291.20
	15	3815	1892	1140.20	16	4176	1977	1762.40
	20	5335	2646	1381.10	21	5680	2660	1977.00
2400	10	2582	1273	927.50	11	3326	1596	1388.80
	15	4162	2064	1229.40	16	4555	2156	1895.70
	20	5820	2886	1491.70	21	6197	2902	2131.10
2600	10	2798	1379	988.40	11	3604	1729	1477.70
	15	4508	2236	1309.40	16	4935	2336	2016.40
	20	6305	3127	1591.00	21	6713	3144	2270.90
2800	10	3013	1485	1056.60	11	3881	1862	1573.10
	15	4855	2408	1395.30	16	5314	2516	2142.00
	20	6790	3367	1695.50	21	7230	3386	2416.30
3000	10	3228	1591	1112.10	11	4158	1995	1654.30
	15	5202	2580	1471.20	16	5694	2695	2256.20
	20	7275	3608	1790.10	21	7746	3628	2550.20

EN442 output at 20°C room temperature

HEIGHT 600 - OUTPUTS & PRICES - WALL-MOUNTED

TEMW.060 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	468	232	284.70	11	598	287	432.50
	15	746	372	334.30	16	834	394	508.60
	20	1043	520	385.70	21	1153	538	543.10
500	10	585	290	312.40	11	747	359	471.30
	15	933	466	368.40	16	1042	492	558.60
	20	1304	651	427.90	21	1441	672	600.00
600	10	702	348	333.20	11	896	430	502.20
	15	1120	559	396.50	16	1250	591	601.00
	20	1565	781	462.50	21	1729	806	649.00
700	10	819	406	381.70	11	1046	502	573.10
	15	1306	652	457.70	16	1459	689	694.70
	20	1826	911	536.60	21	2017	941	754.80
800	10	936	463	409.30	11	1195	574	612.20
	15	1493	745	492.60	16	1667	788	746.40
	20	2086	1041	579.60	21	2306	1076	814.80
900	10	1053	521	434.70	11	1345	646	648.00
	15	1679	838	525.90	16	1876	886	795.30
	20	2347	1171	619.70	21	2594	1210	870.10
1000	10	1170	579	473.10	11	1494	717	706.00
	15	1866	931	575.90	16	2084	985	872.30
	20	2608	1301	681.90	21	2882	1344	960.00
1100	10	1287	637	503.20	11	1643	789	746.40
	15	2053	1024	615.10	16	2292	1083	928.00
	20	2869	1432	728.40	21	3170	1479	1024.00
1200	10	1404	695	528.90	11	1793	861	784.80
	15	2239	1117	648.10	16	2501	1182	978.90
	20	3130	1562	770.50	21	3458	1613	1082.60
1400	10	1638	811	595.60	11	2092	1004	876.10
	15	2612	1303	732.00	16	2918	1379	1099.10
	20	3651	1822	915.10	21	4035	1882	1288.20
1600	10	1872	927	687.90	11	2390	1147	1015.60
	15	2986	1490	854.00	16	3334	1575	1288.00
	20	4173	2082	1068.80	21	4611	2151	1511.30
1800	10	2106	1043	745.50	11	2689	1291	1097.50
	15	3359	1676	929.00	16	3751	1772	1399.70
	20	4694	2342	1162.80	21	5188	2420	1641.60
2000	10	2340	1159	808.00	11	2988	1434	1184.00
	15	3732	1862	1050.40	16	4168	1969	1591.00
	20	5216	2603	1258.50	21	5764	2688	1774.60
2200	10	2574	1275	910.90	11	3287	1578	1341.80
	15	4105	2048	1191.50	16	4585	2166	1814.20
	20	5738	2863	1434.90	21	6340	2957	2030.30
2400	10	2808	1390	985.40	11	3586	1721	1446.00
	15	4478	2234	1287.30	16	5002	2363	1952.80
	20	6259	3123	1551.70	21	6917	3226	2191.00
2600	10	3042	1506	1049.50	11	3884	1864	1537.90
	15	4852	2421	1371.00	16	5418	2560	2077.40
	20	6781	3383	1654.30	21	7493	3495	2334.00
2800	10	3276	1622	1121.90	11	4183	2008	1638.00
	15	5225	2607	1460.40	16	5835	2757	2206.30
	20	7302	3643	1763.20	21	8070	3764	2483.30
3000	10	3510	1738	1180.90	11	4482	2151	1722.40
	15	5598	2793	1538.60	16	6252	2954	2323.80
	20	7824	3904	1860.70	21	8646	4033	2620.20

EN442 output at 20°C room temperature

HEIGHT 700 - OUTPUTS & PRICES - WALL-MOUNTED

TEMW.070 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	499	248	298.80	11	636	305	447.10
	15	789	396	350.90	16	904	426	525.30
	20	1101	553	404.40	21	1271	590	562.00
500	10	624	311	329.20	11	795	382	488.00
	15	986	495	387.00	16	1130	533	577.40
	20	1377	691	448.60	21	1589	738	621.00
600	10	749	373	351.00	11	954	458	519.80
	15	1183	594	417.40	16	1356	639	621.60
	20	1652	829	484.60	21	1906	885	671.00
700	10	874	435	401.30	11	1113	534	592.70
	15	1380	692	480.40	16	1582	746	717.20
	20	1927	967	560.70	21	2224	1033	779.30
800	10	998	497	431.00	11	1272	611	633.80
	15	1578	792	516.20	16	1808	852	770.30
	20	2202	1105	605.30	21	2542	1181	840.60
900	10	1123	559	458.20	11	1431	687	671.50
	15	1775	891	551.60	16	2034	959	820.60
	20	2478	1244	646.80	21	2859	1328	897.60
1000	10	1248	621	497.90	11	1590	764	730.70
	15	1972	989	603.20	16	2260	1065	900.20
	20	2753	1382	711.80	21	3177	1476	988.90
1100	10	1373	683	529.90	11	1749	840	773.60
	15	2169	1088	643.50	16	2486	1172	956.80
	20	3028	1520	759.50	21	3495	1623	1054.70
1200	10	1498	746	558.30	11	1908	916	813.90
	15	2366	1187	678.30	16	2712	1279	1009.20
	20	3304	1659	803.30	21	3812	1771	1115.00
1400	10	1747	869	628.50	11	2226	1069	910.00
	15	2761	1385	768.60	16	3164	1492	1135.60
	20	3854	1935	954.80	21	4448	2066	1328.00
1600	10	1997	994	724.20	11	2544	1222	1052.90
	15	3155	1583	894.00	16	3616	1705	1328.10
	20	4405	2211	1112.70	21	5083	2361	1554.30
1800	10	2246	1118	786.70	11	2862	1374	1139.90
	15	3550	1781	973.20	16	4068	1918	1442.90
	20	4955	2488	1210.40	21	5719	2657	1688.30
2000	10	2496	1242	852.10	11	3180	1527	1229.00
	15	3944	1979	1098.80	16	4520	2131	1638.50
	20	5506	2764	1309.60	21	6354	2952	1825.00
2200	10	2746	1367	958.40	11	3498	1680	1390.40
	15	4338	2177	1243.00	16	4972	2344	1865.00
	20	6057	3041	1489.70	21	6989	3247	2084.80
2400	10	2995	1491	1038.50	11	3816	1832	1499.10
	15	4733	2375	1343.70	16	5424	2557	2009.40
	20	6607	3317	1612.60	21	7625	3542	2251.70
2600	10	3245	1615	1106.00	11	4134	1985	1594.80
	15	5127	2573	1430.60	16	5876	2770	2137.50
	20	7158	3594	1718.90	21	8260	3837	2398.00
2800	10	3494	1739	1182.20	11	4452	2138	1698.90
	15	5522	2771	1524.70	16	6328	2983	2270.60
	20	7708	3870	1831.10	21	8896	4132	2551.10
3000	10	3744	1863	1244.40	11	4770	2291	1786.80
	15	5916	2968	1606.50	16	6780	3196	2391.60
	20	8259	4146	1932.20	21	9531	4427	2691.80

EN442 output at 20°C room temperature

HEIGHT 800 - OUTPUTS & PRICES - WALL-MOUNTED

TEMW.080 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	524	258	314.90	11	670	330	463.50
	15	819	403	368.40	16	971	478	543.80
	20	1142	562	424.90	21	1390	684	582.40
500	10	655	322	346.90	11	837	412	506.20
	15	1023	503	406.50	16	1214	597	597.80
	20	1428	703	471.30	21	1737	855	643.50
600	10	785	386	370.10	11	1005	494	539.20
	15	1228	604	437.50	16	1457	717	642.80
	20	1713	843	508.40	21	2084	1025	694.90
700	10	916	451	422.60	11	1172	577	614.60
	15	1432	705	502.70	16	1700	836	740.70
	20	1999	984	586.80	21	2432	1197	805.40
800	10	1047	515	454.10	11	1339	659	657.30
	15	1637	805	540.90	16	1943	956	796.10
	20	2284	1124	633.30	21	2779	1367	868.10
900	10	1178	580	482.90	11	1507	741	696.70
	15	1842	906	577.50	16	2185	1075	848.00
	20	2570	1264	676.50	21	3126	1538	927.20
1000	10	1309	644	524.40	11	1674	824	757.70
	15	2046	1007	631.30	16	2428	1195	928.60
	20	2855	1405	742.80	21	3474	1709	1020.10
1100	10	1440	708	558.60	11	1842	906	802.70
	15	2251	1107	673.70	16	2671	1314	987.90
	20	3141	1545	792.90	21	3821	1880	1088.10
1200	10	1571	773	587.90	11	2009	988	844.30
	15	2455	1208	710.40	16	2914	1434	1042.00
	20	3426	1686	837.90	21	4168	2051	1149.90
1400	10	1832	901	664.00	11	2344	1153	945.30
	15	2865	1410	805.90	16	3399	1672	1174.10
	20	3997	1967	995.30	21	4863	2393	1368.80
1600	10	2094	1030	763.40	11	2679	1318	1092.00
	15	3274	1611	934.20	16	3885	1911	1370.00
	20	4568	2247	1156.80	21	5558	2735	1599.00
1800	10	2355	1159	829.30	11	3013	1482	1182.20
	15	3683	1812	1017.00	16	4371	2151	1488.60
	20	5139	2528	1258.20	21	6253	3076	1736.50
2000	10	2617	1288	898.40	11	3348	1647	1275.30
	15	4092	2013	1146.00	16	4856	2389	1687.60
	20	5710	2809	1361.00	21	6947	3418	1876.90
2200	10	2879	1416	1008.70	11	3683	1812	1440.70
	15	4501	2214	1294.40	16	5342	2628	1918.10
	20	6281	3090	1544.30	21	7642	3760	2139.80
2400	10	3141	1545	1093.80	11	4018	1977	1555.20
	15	4911	2416	1400.70	16	5827	2867	2068.10
	20	6852	3371	1673.80	21	8337	4102	2313.30
2600	10	3402	1674	1164.50	11	4353	2142	1654.00
	15	5320	2617	1491.30	16	6313	3106	2199.80
	20	7423	3652	1783.40	21	9031	4443	2463.10
2800	10	3664	1803	1244.50	11	4687	2306	1761.70
	15	5729	2819	1588.50	16	6799	3345	2336.60
	20	7994	3933	1899.90	21	9726	4785	2620.00
3000	10	3926	1932	1310.50	11	5022	2471	1853.30
	15	6138	3020	1674.00	16	7284	3584	2460.90
	20	8565	4214	2004.00	21	10421	5127	2764.10

EN442 output at 20°C room temperature

HEIGHT 900 - OUTPUTS & PRICES - WALL-MOUNTED

TEMW.090 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	548	275	330.90	11	703	338	479.50
	15	848	431	386.10	16	1038	487	562.40
	20	1183	601	445.40	21	1508	694	602.80
500	10	685	344	364.60	11	879	423	524.70
	15	1060	538	425.90	16	1298	609	617.80
	20	1479	751	493.80	21	1885	868	666.00
600	10	821	412	388.80	11	1055	507	558.60
	15	1272	646	458.20	16	1558	732	664.10
	20	1774	901	532.20	21	2262	1042	718.50
700	10	958	481	443.80	11	1231	592	636.60
	15	1484	754	525.30	16	1817	853	764.30
	20	2070	1051	612.80	21	2639	1215	831.40
800	10	1095	550	476.80	11	1406	676	680.90
	15	1696	861	565.50	16	2077	975	821.60
	20	2366	1202	660.90	21	3016	1389	895.70
900	10	1232	619	507.30	11	1582	760	721.80
	15	1908	969	603.40	16	2336	1097	875.30
	20	2661	1352	705.80	21	3393	1562	956.60
1000	10	1369	688	551.00	11	1758	845	784.80
	15	2120	1077	659.10	16	2596	1219	957.20
	20	2957	1502	773.60	21	3770	1736	1051.10
1100	10	1506	756	587.30	11	1934	930	831.80
	15	2332	1185	703.70	16	2856	1341	1018.90
	20	3253	1652	826.00	21	4147	1910	1121.50
1200	10	1643	825	617.80	11	2110	1014	874.30
	15	2544	1292	742.20	16	3115	1463	1075.00
	20	3548	1802	872.70	21	4524	2083	1184.90
1400	10	1917	963	699.40	11	2461	1183	980.60
	15	2968	1508	842.70	16	3634	1706	1212.30
	20	4140	2103	1035.60	21	5278	2431	1409.50
1600	10	2190	1100	802.30	11	2813	1352	1131.20
	15	3392	1723	974.40	16	4154	1950	1411.90
	20	4731	2403	1200.90	21	6032	2778	1643.50
1800	10	2464	1238	871.90	11	3164	1521	1224.60
	15	3816	1938	1061.10	16	4673	2194	1534.40
	20	5323	2704	1306.00	21	6786	3125	1784.60
2000	10	2738	1375	944.40	11	3516	1690	1321.30
	15	4240	2154	1193.30	16	5192	2438	1736.50
	20	5914	3004	1412.40	21	7540	3472	1928.40
2200	10	3012	1513	1058.80	11	3868	1859	1490.90
	15	4664	2369	1345.70	16	5711	2681	1971.00
	20	6505	3304	1599.00	21	8294	3819	2194.40
2400	10	3286	1650	1149.00	11	4219	2028	1610.90
	15	5088	2584	1457.50	16	6230	2925	2126.80
	20	7097	3605	1734.70	21	9048	4167	2374.70
2600	10	3559	1788	1222.70	11	4571	2197	1713.00
	15	5512	2800	1551.30	16	6750	3169	2261.70
	20	7688	3905	1847.90	21	9802	4514	2528.00
2800	10	3833	1925	1306.50	11	4922	2366	1824.50
	15	5936	3015	1652.60	16	7269	3413	2402.30
	20	8280	4206	1968.40	21	10556	4861	2689.10
3000	10	4107	2063	1376.60	11	5274	2535	1919.40
	15	6360	3231	1741.40	16	7788	3657	2530.20
	20	8871	4506	2076.30	21	11310	5208	2836.30

EN442 output at 20°C room temperature

HEIGHT 200 - OUTPUTS & PRICES - FREESTANDING

TEMP.020 LLL TT.XXX

SINGLE

Length mm	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	262	127	302.30
	15	436	212	344.20
	20	613	299	388.20
500	10	328	159	326.80
	15	545	265	375.00
	20	766	373	426.40
600	10	393	191	344.50
	15	654	319	400.40
	20	919	448	458.10
700	10	459	223	388.50
	15	763	372	457.30
	20	1072	522	527.30
800	10	524	255	412.40
	15	872	425	488.10
	20	1226	597	567.10
900	10	590	287	434.80
	15	981	478	518.80
	20	1379	672	603.80
1000	10	655	318	469.40
	15	1090	531	564.70
	20	1532	746	662.90
1100	10	721	350	495.30
	15	1199	584	599.80
	20	1685	821	705.30
1200	10	786	382	518.10
	15	1308	637	629.30
	20	1838	895	743.60
1400	10	917	446	601.80
	15	1526	743	730.80
	20	2145	1045	903.90
1600	10	1048	509	686.90
	15	1744	850	844.70
	20	2451	1194	1050.90
1800	10	1179	573	737.80
	15	1962	956	912.10
	20	2758	1343	1136.90
2000	10	1310	637	792.40
	15	2180	1062	1026.60
	20	3064	1493	1225.40
2200	10	1441	700	888.80
	15	2398	1168	1160.80
	20	3370	1642	1394.50
2400	10	1572	764	980.40
	15	2616	1274	1272.30
	20	3677	1791	1525.40
2600	10	1703	827	1037.10
	15	2834	1381	1348.60
	20	3983	1940	1621.00
2800	10	1834	891	1101.80
	15	3052	1487	1430.70
	20	4290	2090	1722.10
3000	10	1965	955	1153.60
	15	3270	1593	1502.70
	20	4596	2239	1812.90

EN442 output at 20°C room temperature

HEIGHT 300 - OUTPUTS & PRICES - FREESTANDING

TEMP.030 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	330	161	325.60	11	448	215	474.30
	15	544	267	370.10	16	592	281	544.60
	20	762	373	414.80	21	779	368	571.90
500	10	413	202	353.90	11	561	269	513.50
	15	680	333	404.40	16	740	352	594.50
	20	953	467	457.50	21	974	460	629.80
600	10	496	242	374.30	11	673	323	543.50
	15	815	399	432.50	16	888	422	636.80
	20	1144	561	491.50	21	1169	552	678.00
700	10	578	282	422.60	11	785	376	614.80
	15	951	466	494.10	16	1036	492	730.70
	20	1334	654	565.80	21	1364	644	784.80
800	10	661	323	450.10	11	897	430	653.70
	15	1087	533	528.00	16	1184	563	781.80
	20	1525	747	608.30	21	1558	736	843.50
900	10	743	363	476.10	11	1009	484	690.00
	15	1223	599	562.00	16	1332	633	831.40
	20	1715	841	648.60	21	1753	828	899.00
1000	10	826	403	514.20	11	1121	537	747.20
	15	1359	666	611.70	16	1480	703	908.40
	20	1906	934	711.50	21	1948	920	989.30
1100	10	909	444	544.20	11	1233	591	788.20
	15	1495	733	650.30	16	1628	774	963.00
	20	2097	1028	757.50	21	2143	1012	1052.80
1200	10	991	484	570.60	11	1345	645	826.80
	15	1631	799	683.40	16	1776	844	1014.10
	20	2287	1121	799.40	21	2338	1105	1111.50
1400	10	1156	565	663.20	11	1569	752	944.60
	15	1903	933	793.10	16	2072	985	1160.30
	20	2668	1308	968.80	21	2727	1288	1342.30
1600	10	1322	646	755.50	11	1794	860	1083.80
	15	2174	1066	914.60	16	2368	1126	1349.40
	20	3050	1495	1123.30	21	3117	1473	1565.10
1800	10	1487	726	813.40	11	2018	967	1166.30
	15	2446	1199	989.80	16	2664	1266	1460.70
	20	3431	1682	1216.30	21	3506	1656	1695.10
2000	10	1652	807	875.40	11	2242	1074	1252.50
	15	2718	1332	1111.50	16	2960	1407	1652.00
	20	3812	1868	1312.40	21	3896	1841	1828.30
2200	10	1817	887	979.20	11	2466	1182	1411.40
	15	2990	1465	1252.90	16	3256	1548	1875.20
	20	4193	2055	1488.60	21	4286	2025	2084.30
2400	10	1982	968	1080.50	11	2690	1289	1541.60
	15	3262	1599	1373.80	16	3552	1688	2039.40
	20	4574	2242	1629.00	21	4675	2209	2268.60
2600	10	2148	1049	1144.40	11	2915	1397	1633.40
	15	3533	1732	1457.50	16	3848	1829	2163.90
	20	4956	2429	1732.00	21	5065	2393	2412.10
2800	10	2313	1130	1216.40	11	3139	1504	1733.00
	15	3805	1865	1547.10	16	4144	1970	2293.20
	20	5337	2616	1840.20	21	5454	2577	2560.80
3000	10	2478	1210	1275.80	11	3363	1612	1817.60
	15	4077	1998	1625.90	16	4440	2110	2410.50
	20	5718	2802	1938.10	21	5844	2761	2698.20

EN442 output at 20°C room temperature

HEIGHT 400 - OUTPUTS & PRICES - FREESTANDING

TEMP.040 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	385	189	350.50	11	506	243	498.80
	15	627	309	396.50	16	680	323	570.80
	20	878	433	443.80	21	910	428	602.00
500	10	482	236	382.30	11	632	303	540.80
	15	784	386	435.10	16	850	403	625.20
	20	1098	541	490.00	21	1137	535	663.20
600	10	578	284	405.80	11	758	363	574.10
	15	941	464	465.60	16	1020	484	669.60
	20	1318	650	527.30	21	1364	641	714.50
700	10	674	331	458.10	11	885	424	649.40
	15	1098	541	531.20	16	1190	564	767.90
	20	1537	758	606.00	21	1592	749	825.10
800	10	770	378	489.20	11	1011	485	692.20
	15	1254	618	569.50	16	1360	645	823.50
	20	1757	866	652.40	21	1819	855	887.90
900	10	867	425	518.20	11	1138	546	731.60
	15	1411	695	605.90	16	1530	726	875.30
	20	1976	974	695.00	21	2047	963	946.60
1000	10	963	472	560.30	11	1264	606	792.80
	15	1568	773	659.50	16	1700	806	955.80
	20	2196	1083	761.60	21	2274	1069	1039.70
1100	10	1059	520	594.10	11	1390	666	837.60
	15	1725	850	702.00	16	1870	887	1015.20
	20	2416	1191	812.30	21	2501	1176	1108.10
1200	10	1156	567	623.70	11	1517	727	879.00
	15	1882	928	739.00	16	2040	968	1069.60
	20	2635	1299	857.60	21	2729	1283	1169.90
1400	10	1348	661	725.30	11	1770	849	1006.40
	15	2195	1082	858.00	16	2380	1129	1224.60
	20	3074	1516	1036.90	21	3184	1497	1410.50
1600	10	1541	756	824.60	11	2022	969	1152.70
	15	2509	1237	986.70	16	2720	1290	1421.00
	20	3514	1733	1197.60	21	3638	1711	1640.10
1800	10	1733	850	889.90	11	2275	1091	1242.60
	15	2822	1391	1069.00	16	3060	1452	1539.90
	20	3953	1949	1299.10	21	4093	1925	1777.70
2000	10	1926	945	959.60	11	2528	1212	1336.10
	15	3136	1546	1198.20	16	3400	1613	1738.60
	20	4392	2166	1401.60	21	4548	2139	1917.70
2200	10	2119	1040	1069.60	11	2781	1333	1500.90
	15	3450	1700	1346.20	16	3740	1774	1968.80
	20	4831	2382	1585.60	21	5003	2353	2180.90
2400	10	2311	1134	1180.90	11	3034	1455	1641.40
	15	3763	1855	1476.60	16	4080	1935	2142.60
	20	5270	2599	1737.40	21	5458	2567	2377.10
2600	10	2504	1229	1251.60	11	3286	1576	1740.30
	15	4077	2009	1566.80	16	4420	2097	2273.90
	20	5710	2816	1846.40	21	5912	2780	2526.80
2800	10	2696	1323	1331.80	11	3539	1697	1847.90
	15	4390	2164	1664.70	16	4760	2258	2411.10
	20	6149	3032	1962.60	21	6367	2994	2683.60
3000	10	2889	1417	1397.20	11	3792	1818	1938.70
	15	4704	2318	1750.40	16	5100	2419	2535.40
	20	6588	3249	2068.10	21	6822	3208	2828.20

EN442 output at 20°C room temperature

HEIGHT 500 - OUTPUTS & PRICES - FREESTANDING

TEMP.050 LLL TT.XXX

Length mm	SINGLE				TWIN			
	Type	Watts 75/65	Watts 55/45	£ st. colour	Type	Watts 75/65	Watts 55/45	£ st. colour
400	10	430	212	377.20	11	554	266	525.30
	15	694	344	427.50	16	759	359	601.90
	20	970	481	476.40	21	1033	484	633.60
500	10	538	265	413.10	11	693	332	572.30
	15	867	430	469.20	16	949	449	659.30
	20	1213	602	525.90	21	1291	605	698.10
600	10	646	318	438.80	11	832	399	608.30
	15	1040	516	502.70	16	1139	539	706.80
	20	1455	722	565.60	21	1549	725	752.10
700	10	753	371	495.90	11	970	465	687.90
	15	1214	602	572.10	16	1329	629	808.80
	20	1698	842	648.60	21	1807	846	866.90
800	10	861	424	530.00	11	1109	532	734.00
	15	1387	688	613.40	16	1518	719	867.60
	20	1940	962	698.30	21	2066	968	933.60
900	10	968	477	562.30	11	1247	598	776.20
	15	1561	774	653.60	16	1708	809	923.10
	20	2183	1083	744.20	21	2324	1088	995.10
1000	10	1076	530	607.00	11	1386	665	840.60
	15	1734	860	710.60	16	1898	898	1007.50
	20	2425	1203	814.40	21	2582	1209	1092.10
1100	10	1184	584	646.00	11	1525	732	889.80
	15	1907	946	757.70	16	2088	988	1070.60
	20	2668	1323	868.60	21	2840	1330	1164.20
1200	10	1291	636	678.90	11	1663	798	934.70
	15	2081	1032	797.20	16	2278	1078	1128.10
	20	2910	1443	917.60	21	3098	1451	1229.40
1400	10	1506	742	789.50	11	1940	931	1070.50
	15	2428	1204	926.40	16	2657	1258	1293.20
	20	3395	1684	1106.90	21	3615	1693	1481.30
1600	10	1722	849	895.70	11	2218	1064	1224.30
	15	2774	1376	1061.60	16	3037	1438	1496.40
	20	3880	1924	1274.90	21	4131	1935	1717.50
1800	10	1937	955	969.60	11	2495	1197	1322.00
	15	3121	1548	1152.40	16	3416	1617	1623.30
	20	4365	2165	1383.60	21	4648	2177	1862.70
2000	10	2152	1061	1045.70	11	2772	1330	1421.90
	15	3468	1720	1288.20	16	3796	1797	1829.00
	20	4850	2405	1493.50	21	5164	2418	2010.50
2200	10	2367	1167	1163.10	11	3049	1463	1594.70
	15	3815	1892	1443.90	16	4176	1977	2066.50
	20	5335	2646	1684.60	21	5680	2660	2280.80
2400	10	2582	1273	1283.10	11	3326	1596	1744.10
	15	4162	2064	1584.70	16	4555	2156	2250.60
	20	5820	2886	1847.10	21	6197	2902	2486.80
2600	10	2798	1379	1360.60	11	3604	1729	1849.70
	15	4508	2236	1682.30	16	4935	2336	2389.20
	20	6305	3127	1963.70	21	6713	3144	2643.80
2800	10	3013	1485	1448.80	11	3881	1862	1989.90
	15	4855	2408	1787.20	16	5314	2516	2533.70
	20	6790	3367	2087.60	21	7230	3386	2808.10
3000	10	3228	1591	1521.20	11	4158	1995	2063.10
	15	5202	2580	1879.80	16	5694	2695	2665.40
	20	7275	3608	2199.20	21	7746	3628	2959.10

EN442 output at 20°C room temperature

VALVES, TRV HEADS AND ACCESSORIES

OUR SPECIALLY SHORTENED VALVES CAN BE CONCEALED WITHIN THE STANDARD CASING. OTHER VALVES MAY BE PARTIALLY VISIBLE.

SLEEVE COUPLING M24

Copper Tube

CODE	Tube Ø
5094.110	10/1
5094.115	15/1

Steel Tube for C.H

CODE	Tube Ø
5094.501	1/2"

Please note other couplings are available on request.

SLEEVE COUPLING 1/2"

Copper Tube

CODE	Tube Ø
5098.110	10/1
5098.115	15/1

Steel Tube for C.H

CODE	Tube Ø
5094.502	1/2"

Please note other couplings are available on request.


JAGA PRO THERMOSTATIC VALVE



- with pre-setting
- for connection to the floor
- for two pipe
- complies to European standard EN 215.1

CODE	Description	Price £
5094.4414	Jaga Pro Thermostatic -Valve (M24)	56.30
5090.1125	Thermostatic Head (white)	35.00


JAGA THERMOSTATIC VALVE - WALL



Consists of the following :


- 5090.407 type 06 angled TRV
- 5090.111 type 06 angled lockshield valve
- 5090.1125 white TRV head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework to wall (Same end 20/70 connections).



CODE	Description	Price £
5090.407	Jaga type 06 TRV (M24)	24.30
5090.111	Angled T06 Lockshield (M24)	13.80
5090.1125	TRV Head (white)	35.00


JAGA THERMOSTATIC VALVE - FLOOR



Consists of the following :

- 5090.405 angled TRV
- 5090.109 straight lockshield valve
- 5090.1125 white TRV head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework from the floor (Same end 20/70 connections).



CODE	Description	Price £
5090.405	Jaga angled TRV (1/2")	24.30
5090.109	Straight Lockshield (1/2")	14.20
5090.1125	TRV Head (white)	35.00

ARTHRITIC AID



CODE

5090.ARTH

HIGH LEVEL JAGA TOP VALVE



Consists of the following :

- 5090.13001 High Level TRV set (including valve, capillary & head)
- 5090.1125 white TRV head
- Adaptors to suit 15mm copper pipe as standard
- 5090.109 straight lockshield valve OR
- 5090.110 angled lockshield valve

To suit pipework from the floor or wall (Same end 30/60 connections).



CODE	Description	Price £
5090.13001	Jaga High Level TRV set (1/2")	124.80
5090.110	Angled Lockshield (1/2") (Wall)	13.80
5090.109	Straight Lockshield (1/2") (Floor)	14.20

TRV HEADS



CODE
5090.1125



CODE
5090.1151



CODE
5090.1150



CODE
5090.1152

CODE	Description	Price £
5090.1150	White	44.90
5090.1151	Chrome	70.40
5090.1152	Silver	50.00
5090.1125	White	35.00

EN442 output at 20°C room temperature

TEMPO LST - PARTS

HEAT EXCHANGER WALL MODEL SINGLE (.../W)									
Height		200	300	400	500	600	700	800	900
L	Type	€	€	€	€	€	€	€	€
400	10	141.50	143.90	146.30	148.30	152.10	154.00	156.10	158.30
	15	176.20	179.30	182.40	186.60	189.30	192.40	194.90	197.40
	20	211.10	214.30	218.90	224.00	227.40	231.40	236.00	240.60
500	10	155.90	158.10	160.30	162.50	166.00	168.20	170.10	172.20
	15	195.70	198.80	201.90	206.10	209.30	212.40	214.80	217.00
	20	237.40	240.80	245.80	250.10	254.00	258.20	262.60	267.00
600	10	167.00	168.60	171.60	173.50	177.00	179.30	181.20	183.30
	15	212.80	216.10	218.90	223.10	226.40	229.60	231.70	234.30
	20	260.30	264.30	269.00	273.50	277.20	281.50	286.00	290.30
700	10	196.20	198.30	200.90	203.40	206.90	209.00	211.10	212.80
	15	254.00	257.30	260.10	264.30	267.20	270.60	272.80	275.10
	20	313.20	317.10	321.50	326.30	329.50	333.80	338.30	342.50
800	10	211.10	212.80	215.60	217.60	220.90	223.10	225.20	227.40
	15	274.90	277.90	281.00	285.20	288.20	291.20	293.40	295.80
	20	341.30	344.90	349.40	353.90	357.70	361.80	366.20	370.70
900	10	224.00	225.90	228.40	230.80	234.30	236.30	238.40	240.60
	15	294.40	297.60	300.60	304.70	308.00	311.00	313.30	315.60
	20	366.50	370.10	375.00	379.40	383.40	387.00	392.00	396.20
1000	10	247.70	249.80	252.30	254.50	258.20	260.10	262.20	264.30
	15	328.90	331.80	334.80	338.90	342.10	345.10	347.60	350.10
	20	413.10	416.40	420.90	426.00	429.50	433.70	438.30	442.40
1100	10	261.80	263.60	266.40	268.30	272.10	274.10	276.40	278.40
	15	350.10	353.00	356.30	360.30	363.60	366.50	368.90	371.40
	20	440.70	444.40	449.00	453.90	457.30	461.70	466.00	470.50
1200	10	275.60	277.90	280.20	282.30	286.00	288.20	290.10	292.10
	15	370.70	373.80	377.20	381.20	384.40	387.00	389.90	392.30
	20	469.40	472.90	477.90	482.40	485.80	490.00	494.40	498.90
1400	10	306.30	309.80	313.60	317.40	322.10	325.00	328.80	332.40
	15	417.00	420.90	426.00	431.90	436.70	441.90	445.40	449.00
	20	571.20	576.20	583.70	590.30	595.80	603.00	609.20	615.40
1600	10	365.80	369.70	373.40	377.20	381.90	384.60	388.50	392.30
	15	502.20	506.20	510.70	517.10	521.70	527.00	530.70	534.10
	20	685.90	691.00	698.60	705.30	710.30	717.50	723.80	729.90
1800	10	395.70	399.30	403.00	406.70	411.70	414.30	418.00	421.80
	15	546.80	550.90	555.70	561.90	566.30	571.80	575.40	579.10
	20	747.10	752.40	759.50	766.00	771.60	778.90	785.30	791.40
2000	10	426.20	429.80	433.70	437.00	442.40	444.80	448.70	452.20
	15	635.30	639.10	644.20	650.30	654.70	659.90	663.50	667.20
	20	807.80	813.00	820.40	827.20	832.10	839.50	845.60	851.90
2200	10	494.70	498.30	502.20	505.90	510.70	513.50	517.20	521.00
	15	737.40	741.40	746.10	752.40	756.90	762.20	765.80	769.40
	20	941.70	947.00	954.50	961.10	966.20	973.60	979.70	985.80
2400	10	532.00	537.40	542.10	545.90	553.70	557.00	561.90	566.30
	15	791.90	797.30	803.40	811.70	818.40	824.40	829.30	834.10
	20	1014.10	1020.60	1030.90	1040.10	1046.70	1056.20	1064.30	1072.60
2600	10	567.00	572.30	576.90	581.10	588.30	592.00	596.50	601.10
	15	843.00	849.00	854.50	862.90	869.70	875.90	880.80	885.70
	20	1082.60	1089.30	1099.00	1108.30	1115.10	1124.70	1133.10	1141.40
2800	10	600.00	605.30	609.80	614.40	621.60	624.90	629.60	634.10
	15	893.20	898.80	904.30	912.80	919.60	925.90	930.80	935.70
	20	1149.10	1155.50	1165.60	1174.80	1181.80	1190.80	1199.30	1207.60
3000	10	632.30	637.50	642.30	646.30	653.70	657.10	662.10	666.60
	15	941.70	947.30	953.20	961.70	968.30	974.40	979.40	984.30
	20	1215.30	1222.00	1231.90	1241.40	1248.20	1257.40	1265.80	1274.30

Heat Exchanger Ordering Code

Product Height Length Type
HTEW 040 050 10

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

HEAT EXCHANGER WALL MODEL TWIN (.../W)								
Height		300	400	500	600	700	800	900
L	Type	€	€	€	€	€	€	€
400	11	292.10	294.40	297.00	300.10	302.30	304.70	307.20
	16	353.50	356.80	360.60	363.80	367.10	370.10	373.80
	21	371.80	377.20	381.20	384.60	388.80	393.40	397.60
500	11	317.40	319.40	321.80	325.00	327.20	329.50	332.40
	16	388.80	392.30	396.20	399.30	402.40	405.90	408.80
	21	413.30	418.60	422.80	426.20	430.50	435.00	439.20
600	11	338.20	340.10	342.50	345.90	348.10	350.40	353.00
	16	419.90	423.00	427.50	430.50	433.70	436.90	440.50
	21	450.60	455.90	460.00	463.70	467.70	472.40	476.70
700	11	390.40	392.50	395.40	398.00	400.20	402.90	405.70
	16	493.80	497.10	501.10	504.20	507.30	510.70	514.10
	21	535.00	540.50	544.80	548.30	552.40	556.70	561.10
800	11	416.40	418.60	420.90	424.20	426.20	428.70	431.70
	16	531.50	534.70	538.80	542.10	545.30	548.50	551.90
	21	579.80	585.00	589.10	592.90	596.80	601.20	605.90
900	11	439.70	441.90	444.40	447.30	449.80	452.20	454.80
	16	567.00	569.90	574.10	577.20	580.50	583.60	587.30
	21	620.80	626.30	630.50	633.80	638.40	642.50	646.90
1000	11	482.90	485.20	487.50	490.80	492.90	495.40	497.90
	16	628.20	631.50	635.50	638.60	641.80	644.90	648.50
	21	694.40	699.30	703.40	707.00	711.20	715.50	719.90
1100	11	507.90	509.90	512.40	515.60	517.90	520.40	522.90
	16	666.00	669.40	673.30	676.70	679.80	683.30	686.40
	21	739.80	745.20	749.40	752.70	756.90	761.50	765.80
1200	11	533.70	536.10	538.30	541.50	543.60	546.40	548.80
	16	704.60	707.80	711.80	714.80	718.00	721.60	725.10
	21	785.00	789.90	794.40	798.00	801.90	806.40	810.90
1400	11	591.20	594.40	598.00	603.00	606.60	610.10	613.50
	16	788.20	792.80	799.10	803.90	808.50	813.50	818.60
	21	950.30	957.20	964.70	969.40	975.90	982.80	988.90
1600	11	698.60	701.50	705.30	710.00	713.40	717.30	720.70
	16	940.70	945.20	951.40	956.30	961.10	966.50	971.70
	21	1133.60	1140.50	1147.90	1152.70	1158.90	1165.80	1172.30
1800	11	752.40	755.70	759.00	764.00	767.70	771.10	774.50
	16	1021.80	1026.40	1032.90	1037.30	1041.70	1047.00	1052.40
	21	1231.20	1238.40	1245.30	1250.40	1257.00	1263.30	1270.10
2000	11	806.90	809.90	813.40	818.40	821.80	825.60	829.20
	16	1179.60	1184.50	1190.60	1195.40	1199.80	1205.00	1210.20
	21	1329.10	1336.10	1343.70	1348.30	1355.10	1361.40	1367.90
2200	11	930.50	933.60	937.10	941.70	945.20	949.10	952.90
	16	1364.10	1368.70	1374.70	1379.80	1384.10	1389.40	1394.50
	21	1542.30	1549.80	1557.20	1561.70	1568.60	1575.10	1581.40
2400	11	998.40	1002.20	1007.50	1014.10	1018.00	1023.30	1028.30
	16	1463.10	1469.30	1477.90	1483.90	1490.00	1496.70	1503.60
	21	1660.20	1670.20	1679.80	1685.90	1695.10	1703.70	1712.30
2600	11	1061.20	1065.40	1070.30	1076.70	1080.90	1085.90	1091.50
	16	1555.50	1561.70	1569.90	1576.20	1582.50	1589.40	1596.00
	21	1769.60	1778.90	1788.70	1794.60	1804.00	1812.60	1821.20
2800	11	1121.80	1126.10	1130.70	1137.70	1141.80	1146.80	1152.40
	16	1644.60	1651.00	1659.30	1665.30	1672.00	1678.70	1685.30
	21	1876.20	1886.30	1895.70	1901.90	1911.00	1919.40	1928.30
3000	11	1179.60	1183.70	1188.70	1195.40	1199.50	1204.90	1209.60
	16	1732.60	1738.70	1747.10	1753.40	1759.50	1766.20	1773.20
	21	1982.30	1992.30	2001.40	2007.60	2017.10	2025.70	2034.10

TEMPO LST - PARTS

CASINGS									
Height	200	300	400	500	600	700	800	900	
L	Type	£	£	£	£	£	£	£	£
400	10	78.10	90.20	104.10	118.40	132.50	144.90	158.70	172.20
	15	86.20	99.80	114.10	130.80	144.90	158.30	173.60	188.50
	20	94.70	108.90	124.70	141.50	158.30	173.00	188.90	205.20
500	10/11	84.50	98.90	114.10	130.80	146.30	161.10	176.80	192.20
	15/16	93.50	108.60	125.30	143.30	159.40	175.00	191.90	209.00
	20/21	102.80	119.50	136.50	155.90	173.80	190.40	208.70	227.00
600	10/11	88.90	104.50	121.10	139.00	156.20	171.90	188.70	205.70
	15/16	98.60	115.20	132.70	152.60	170.10	187.50	205.90	224.00
	20/21	108.60	126.30	145.30	165.80	185.30	203.40	222.50	242.20
700	10/11	98.60	117.00	135.70	155.90	175.00	192.40	211.80	231.10
	15/16	110.30	129.40	149.30	171.20	190.40	209.60	229.80	250.10
	20/21	121.70	141.10	162.50	184.80	206.90	227.00	248.50	270.10
800	10/11	104.50	124.70	144.90	167.00	188.20	207.60	228.70	249.40
	15/16	117.00	137.60	159.40	182.90	204.40	225.20	247.50	269.60
	20/21	129.40	150.80	173.80	198.30	222.10	243.40	267.00	290.30
900	10/11	111.00	132.50	154.70	177.80	200.30	222.10	244.50	267.00
	15/16	123.90	146.30	169.80	195.50	218.20	240.60	264.30	288.20
	20/21	137.10	160.30	185.30	211.30	236.30	259.70	284.70	309.50
1000	10/11	118.40	141.50	165.10	190.40	215.30	237.80	262.10	286.80
	15/16	132.70	156.90	181.40	209.00	233.90	258.20	283.60	309.00
	20/21	147.10	171.90	198.30	225.90	252.60	277.90	304.50	331.20
1100	10/11	126.30	151.80	177.60	204.40	231.10	256.00	282.30	309.00
	15/16	142.20	168.20	195.50	224.40	251.50	277.20	304.70	332.40
	20/21	156.90	184.50	212.40	242.20	271.00	297.80	326.80	355.80
1200	10/11	132.20	159.10	185.70	215.30	243.00	270.10	297.80	325.60
	15/16	148.10	175.70	204.40	235.10	263.60	291.20	320.70	350.10
	20/21	164.10	192.40	222.70	254.00	284.70	313.20	343.60	373.80

Casings Ordering Code

Product Height Length Depth Colour
CTEW 050 070 10 101



CASINGS CONTINUED									
Height	200	300	400	500	600	700	800	900	
L	Type	£	£	£	£	£	£	£	£
1400	10/11	146.10	177.00	207.90	240.80	273.30	303.70	335.30	367.10
	15/16	164.10	195.70	228.40	263.30	295.30	327.20	360.50	393.40
	20/21	183.30	216.10	249.80	285.20	319.40	352.00	386.20	420.70
1600	10/11	164.90	198.80	233.90	270.10	306.00	339.70	374.90	410.40
	15/16	186.60	222.10	257.60	295.80	331.80	367.10	403.60	440.50
	20/21	209.00	245.00	282.10	320.90	358.60	395.40	433.10	470.90
1800	10/11	177.80	216.10	254.80	294.90	333.80	372.20	411.30	450.10
	15/16	201.90	240.80	280.20	322.10	362.40	401.30	441.90	482.00
	20/21	225.90	266.10	306.70	349.40	391.00	431.70	473.00	514.50
2000	10/11	194.80	236.30	278.80	322.10	365.60	407.40	449.70	492.20
	15/16	220.70	263.30	306.70	352.70	395.70	438.70	482.70	526.60
	20/21	246.20	289.90	334.30	380.70	426.20	470.10	515.40	560.40
2200	10/11	215.60	260.30	306.70	353.90	400.20	445.10	491.50	538.10
	15/16	245.80	291.90	338.90	388.10	434.70	480.90	528.70	576.20
	20/21	274.90	321.80	370.10	419.90	468.70	516.10	564.70	613.10
2400	10/11	230.80	279.80	330.10	381.50	431.90	481.30	531.90	582.40
	15/16	263.30	313.60	364.70	417.70	468.70	519.30	571.30	623.10
	20/21	294.40	345.90	398.00	451.80	504.90	556.60	609.40	662.20
2600	10/11	245.80	298.70	352.00	407.40	461.40	514.10	568.10	621.90
	15/16	281.00	334.80	389.10	446.50	501.10	554.90	610.40	665.80
	20/21	314.00	369.20	425.40	482.40	538.80	594.20	650.30	706.70
2800	10/11	270.10	326.60	383.60	442.40	500.90	557.00	615.10	672.40
	15/16	306.30	363.60	422.20	482.90	540.80	598.60	657.80	717.30
	20/21	341.30	399.70	460.00	521.00	581.30	640.40	700.50	760.70
3000	10/11	282.30	342.50	403.40	465.70	527.00	587.30	648.50	710.00
	15/16	321.80	382.70	444.80	509.60	570.50	631.80	694.70	756.90
	20/21	358.60	420.90	483.60	548.80	612.80	674.80	738.40	801.90

PENCIL-PROOF GRILLE											
L	Type	Code	£	L	Type	Code	£	L	Type	Code	£
500	10/11	56060.00005010	37.30	1000	10/11	56060.00010010	56.10	1800	10/11	56060.00018010	85.50
	15/16	56060.00005015	41.70		15/16	56060.00010015	64.20		15/16	56060.00018015	99.80
	20/21	56060.00005020	47.00		20/21	56060.00010020	75.00		20/21	56060.00018020	118.40
600	10/11	56060.00006010	41.00	1100	10/11	56060.00011010	59.60	2000	10/11	56060.00020010	93.20
	15/16	56060.00006015	46.00		15/16	56060.00011015	68.50		15/16	56060.00020015	109.40
	20/21	56060.00006020	52.20		20/21	56060.00011020	80.10		20/21	56060.00020020	129.60
700	10/11	56060.00007010	44.40	1200	10/11	56060.00012010	63.50	2200	10/11	56060.00022010	100.20
	15/16	56060.00007015	50.40		15/16	56060.00012015	73.40		15/16	56060.00022015	117.70
	20/21	56060.00007020	57.80		20/21	56060.00012020	86.00		20/21	56060.00022020	140.90
800	10/11	56060.00008010	48.10	1400	10/11	56060.00014010	70.40	2400	10/11	56060.00024010	107.50
	15/16	56060.00008015	54.70		15/16	56060.00014015	81.70		15/16	56060.00024015	126.60
	20/21	56060.00008020	63.50		20/21	56060.00014020	96.90		20/21	56060.00024020	151.80
900	10/11	56060.00009010	52.00	1600	10/11	56060.00016010	78.10	2600	10/11	56060.00026010	115.10
	15/16	56060.00009015	59.30		15/16	56060.00016015	90.90		15/16	56060.00026015	136.10
	20/21	56060.00009020	69.00		20/21	56060.00016020	107.50		20/21	56060.00026020	162.50



☎ +44 1531 631 533
✉ jaga@jaga.co.uk
🔗 www.jaga.co.uk

📍 **JAGA UK**
Jaga House, Orchard Business Park,
Bromyard Road, Ledbury,
Herefordshire HR8 1LG

Notes relative to price list

1. May be subject to alteration without prior notification
2. List prices subject to trading terms
3. Does not include delivery
4. Subject to VAT at the prevailing rate