



MAXI 2020 LST - PRICE LIST - UK 2021/22

DIMENSIONS (in mm)


Maxi 2020 wall model top and front grille options (WT)




Maxi 2020 floor model top and front grille options (FT)




Example with Jaga valve: to the wall.




Example with Jaga valve: to the floor.



Example: no TRV



Example from floor with TRV head at high level



Depth mm	Connection to floor d (mm)	Connection to wall A (mm)	Clearance h (mm)
130	53	29	100
180	78	53	120
230	103	79	150


CONNECTION

When ordering a Jaga Maxi 2020 radiator you will be asked where the valve will be placed as valve cut outs are required on order, see examples below.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)

Ex. MAXW.059 063 180.xxx/WT/60



ORDERING CODE

code	height	length	depth	colour	model
MAXW .	044	083	180 .	XXX	/WT
enter colour code ↴					

For example: using ordering code: MAXW 044 083 180 233 / WT will result in a Maxi 2020 wall model, with white casing, 440mm high, 830mm long and 180 deep.

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016: 233: smooth glossy finish
- sandblast grey 001: fine texture metallic lacquer

Other colours: see colour chart. High UV resistance to ASTM G53.

Please note when using the low level valve configuration in conjunction with FT or FF casing model, clearance will be required between the casing side panel and the skirting (assuming skirting is to be fitted tight to casing) to allow for casing removal.

DELIVERY

Split deliveries option available.

Elements and brackets are stock items.

Casings made to order.

Please contact our customer service team to discuss your requirements.



HEIGHT 440 WT - OUTPUTS & PRICES

MAXW.044 LLL Dep.XXX/WT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	478	223	694.90
	180	718	333	748.80
	230	964	441	804.10
830	130	704	329	755.90
	180	1057	490	825.80
	230	1418	649	897.30
1030	130	929	434	811.40
	180	1396	648	896.70
	230	1873	857	984.30
1230	130	1155	539	860.20
	180	1735	805	959.30
	230	2328	1065	1061.30
1430	130	1381	645	966.20
	180	2074	962	1078.50
	230	2782	1273	1225.40
1630	130	1606	750	1039.40
	180	2413	1119	1173.80
	230	3237	1481	1346.20
1830	130	1832	855	1089.20
	180	2752	1276	1237.00
	230	3692	1689	1425.40
2030	130	2057	960	1140.00
	180	3091	1434	1335.10
	230	4146	1897	1502.60

EN442 output at 20°C room temperature

HEIGHT 590 WT - OUTPUTS & PRICES

MAXW.059 LLL Dep.XXX/WT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	573	271	765.60
	180	877	412	822.30
	230	1166	542	879.10
830	130	844	399	833.90
	180	1290	607	906.00
	230	1716	798	980.50
1030	130	1114	528	896.60
	180	1704	801	983.20
	230	2267	1054	1072.60
1230	130	1384	656	951.90
	180	2117	995	1052.90
	230	2817	1310	1157.00
1430	130	1655	784	1074.70
	180	2531	1190	1189.00
	230	3367	1566	1338.50
1630	130	1925	912	1155.50
	180	2944	1384	1291.50
	230	3917	1822	1467.20
1830	130	2196	1040	1211.40
	180	3358	1579	1362.10
	230	4467	2078	1551.70
2030	130	2466	1168	1269.10
	180	3771	1773	1467.20
	230	5017	2333	1636.40

EN442 output at 20°C room temperature

HEIGHT 740 WT - OUTPUTS & PRICES

MAXW.074 LLL Dep.XXX/WT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	631	300	837.00
	180	958	453	895.30
	230	1347	635	955.20
830	130	928	441	911.70
	180	1410	667	986.10
	230	1982	935	1063.00
1030	130	1225	583	981.50
	180	1862	880	1070.30
	230	2617	1235	1161.70
1230	130	1523	724	1043.30
	180	2314	1094	1147.00
	230	3253	1534	1253.80
1430	130	1820	866	1183.10
	180	2766	1308	1300.40
	230	3888	1834	1451.80
1630	130	2118	1007	1271.20
	180	3218	1521	1409.00
	230	4523	2134	1586.20
1830	130	2415	1149	1334.10
	180	3669	1735	1486.20
	230	5158	2433	1678.70
2030	130	2713	1290	1398.20
	180	4121	1949	1598.10
	230	5794	2733	1770.00

EN442 output at 20°C room temperature

HEIGHT 590 FF - OUTPUTS & PRICES

MAXW.059 LLL Dep.XXX/FF

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	378	174	834.40
	180	521	240	895.30
	230	660	302	957.20
830	130	557	257	900.60
	180	767	352	978.30
	230	971	445	1058.30
1030	130	735	339	960.90
	180	1013	465	1055.30
	230	1282	587	1151.30
1230	130	913	421	1015.00
	180	1259	578	1121.90
	230	1593	730	1233.10
1430	130	1092	504	1136.90
	180	1504	691	1260.20
	230	1904	873	1419.70
1630	130	1270	586	1216.20
	180	1750	804	1362.40
	230	2216	1015	1547.50
1830	130	1448	668	1271.10
	180	1996	917	1431.30
	230	2527	1158	1631.60
2030	130	1627	751	1326.60
	180	2242	1030	1535.60
	230	2838	1300	1716.40

EN442 output at 20°C room temperature

HEIGHT 740 FF - OUTPUTS & PRICES

MAXW.074 LLL Dep.XXX/FF

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	476	222	904.80
	180	660	307	969.00
	230	831	385	1034.10
830	130	701	327	979.10
	180	971	451	1059.30
	230	1222	566	1140.50
1030	130	926	431	1046.60
	180	1282	596	1142.20
	230	1614	748	1240.80
1230	130	1150	536	1106.90
	180	1594	741	1215.80
	230	2006	929	1328.10
1430	130	1375	641	1245.30
	180	1905	885	1371.80
	230	2398	1111	1532.80
1630	130	1600	745	1331.80
	180	2216	1030	1480.30
	230	2790	1292	1667.60
1830	130	1824	850	1393.70
	180	2527	1174	1555.30
	230	3182	1474	1757.90
2030	130	2049	955	1456.10
	180	2838	1319	1666.80
	230	3573	1655	1849.60

EN442 output at 20°C room temperature

HEIGHT 440 FT - OUTPUTS & PRICES

MAXW.044 LLL Dep.XXX/FT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	391	180	708.40
	180	560	256	762.80
	230	722	328	819.20
830	130	575	264	768.10
	180	824	377	839.30
	230	1063	483	911.70
1030	130	759	349	823.00
	180	1088	497	907.70
	230	1404	638	995.00
1230	130	943	434	869.70
	180	1352	618	968.50
	230	1744	793	1070.30
1430	130	1127	519	972.20
	180	1616	739	1085.20
	230	2085	948	1231.70
1630	130	1312	603	1045.10
	180	1880	859	1178.70
	230	2426	1102	1351.90
1830	130	1496	688	1092.50
	180	2144	980	1240.30
	230	2766	1257	1428.50
2030	130	1680	773	1141.80
	180	2408	1101	1336.40
	230	3107	1412	1503.90

EN442 output at 20°C room temperature

HEIGHT 590 FT - OUTPUTS & PRICES

MAXW.059 LLL Dep.XXX/FT

Length mm				
	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	498	230	780.20
	180	732	337	836.00
	230	948	434	893.40
830	130	732	338	847.00
	180	1078	495	918.50
	230	1395	639	992.90
1030	130	967	447	907.00
	180	1423	654	994.40
	230	1842	843	1083.50
1230	130	1202	555	961.30
	180	1768	813	1062.90
	230	2289	1048	1167.20
1430	130	1437	664	1080.90
	180	2114	972	1195.50
	230	2736	1253	1346.10
1630	130	1671	772	1160.30
	180	2459	1131	1296.50
	230	3183	1458	1471.60
1830	130	1906	881	1215.30
	180	2804	1289	1364.90
	230	3630	1662	1554.70
2030	130	2141	989	1271.20
	180	3150	1448	1468.60
	230	4078	1867	1637.80

EN442 output at 20°C room temperature

HEIGHT 740 FT - OUTPUTS & PRICES

MAXW.074 LLL Dep.XXX/FT

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	594	278	850.80
	180	885	414	909.00
	230	1080	501	969.00
830	130	874	409	925.10
	180	1302	610	999.10
	230	1590	737	1074.30
1030	130	1154	541	992.60
	180	1720	806	1081.80
	230	2100	974	1173.80
1230	130	1434	672	1053.20
	180	2137	1001	1156.20
	230	2609	1210	1262.70
1430	130	1714	803	1189.30
	180	2555	1197	1306.40
	230	3119	1446	1457.90
1630	130	1994	934	1275.90
	180	2972	1392	1414.70
	230	3628	1683	1592.20
1830	130	2275	1066	1337.50
	180	3390	1588	1489.70
	230	4138	1919	1682.70
2030	130	2555	1197	1399.90
	180	3807	1783	1600.10
	230	4648	2155	1771.20

EN442 output at 20°C room temperature

HEIGHT 440 WF - OUTPUTS & PRICES

MAXW.044 LLL Dep.XXX/WF

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	334	159	748.80
	180	497	228	807.80
	230	620	284	868.50
830	130	491	234	810.00
	180	732	336	886.10
	230	913	418	963.50
1030	130	649	309	865.10
	180	967	444	957.60
	230	1206	553	1052.10
1230	130	807	384	913.90
	180	1201	551	1018.90
	230	1498	687	1126.80
1430	130	964	459	1022.30
	180	1436	659	1143.30
	230	1791	821	1299.90
1630	130	1122	534	1095.60
	180	1670	767	1239.30
	230	2084	955	1422.80
1830	130	1279	609	1145.20
	180	1905	874	1303.30
	230	2376	1089	1501.90
2030	130	1437	684	1195.50
	180	2140	982	1402.00
	230	2669	1223	1581.10

EN442 output at 20°C room temperature

HEIGHT 590 WF - OUTPUTS & PRICES

MAXW.059 LLL Dep.XXX/WF

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	458	215	820.10
	180	664	308	881.90
	230	868	402	944.00
830	130	674	316	888.10
	180	978	453	965.60
	230	1277	592	1045.70
1030	130	890	417	950.80
	180	1291	598	1044.30
	230	1686	782	1140.20
1230	130	1105	518	1005.30
	180	1605	743	1112.60
	230	2096	972	1222.70
1430	130	1321	619	1131.20
	180	1918	888	1253.80
	230	2505	1162	1412.90
1630	130	1537	720	1211.50
	180	2231	1033	1357.80
	230	2914	1352	1542.60
1830	130	1753	822	1267.40
	180	2545	1178	1427.80
	230	3324	1542	1628.30
2030	130	1969	923	1325.30
	180	2858	1323	1533.70
	230	3733	1731	1715.00

EN442 output at 20°C room temperature

HEIGHT 740 WF - OUTPUTS & PRICES

MAXW.074 LLL Dep.XXX/WF

Length mm	Depth mm	Watts 75/65	Watts 55/45	£ st. colour
630	130	569	265	890.80
	180	798	373	954.50
	230	992	461	1019.80
830	130	838	389	966.50
	180	1175	549	1045.70
	230	1461	678	1127.20
1030	130	1107	514	1035.30
	180	1552	725	1130.40
	230	1929	895	1229.00
1230	130	1375	639	1097.40
	180	1928	901	1206.70
	230	2397	1113	1319.50
1430	130	1644	764	1239.30
	180	2305	1077	1365.40
	230	2865	1330	1526.60
1630	130	1913	889	1326.70
	180	2681	1253	1475.10
	230	3333	1547	1662.90
1830	130	2181	1014	1390.00
	180	3058	1429	1552.70
	230	3801	1765	1755.40
2030	130	2450	1139	1454.10
	180	3435	1605	1665.00
	230	4270	1982	1847.80

EN442 output at 20°C room temperature

VALVES, TRV HEADS AND ACCESSORIES

OUR SPECIALLY SHORTENED VALVES CAN BE CONCEALED WITHIN THE STANDARD CASING. OTHER VALVES MAY BE PARTIALLY VISIBLE.

SLEEVE COUPLING M24

Copper Tube

CODE	Tube Ø
5094.110	10/1
5094.115	15/1

Steel Tube for C.H

CODE	Tube Ø
5094.501	1/2"

Please note other couplings are available on request.

SLEEVE COUPLING 1/2"

Copper Tube

CODE	Tube Ø
5098.110	10/1
5098.115	15/1


Steel Tube for C.H

CODE	Tube Ø
5094.502	1/2"

Please note other couplings are available on request.

BASE GRILLE WT/WF ONLY

Same colour as casing. Grille covers length of active element only, not entire casing length.




CODE	H	L	D	Colour
5613	000	083*	130	233

*to suit casing length and depth

PENCIL PROOF GRILLE WT/FT ONLY

Same colour as casing.



CODE	H	L	D	Colour
5612	000	083*	230	


*to suit casing length and depth

ARTHRITIC AID



CODE
5090.ARTH


JAGA THERMOSTATIC VALVE – WALL (suitable for all LST Radiators)



Consists of the following :


- 5090.407 type 06 angled TRV
- 5090.111 type 06 angled lockshield valve
- 5090.1125 white TRV head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework to wall
(Same end 20/70 connections).



CODE	Description	Price £
5090.407	Jaga type 06 TRV (M24)	24.30
5090.111	Angled Lockshield (M24)	13.80
5090.1125	TRV Head (white)	35.00

JAGA THERMOSTATIC VALVE – FLOOR (suitable for all LST Radiators)



Consists of the following :

- 5090.405 angled TRV
- 5090.109 straight lockshield valve
- 5090.1125 white TRV head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework from the floor
(Same end 20/70 connections).



CODE	Description	Price £
5090.405	Jaga angled TRV (1/2")	24.30
5090.109	Straight Lockshield (1/2")	14.20
5090.1125	TRV Head (white)	35.00

HIGH LEVEL JAGA TOP VALVE



Consists of the following :

- 5090.13001 High Level TRV set (including valve, capillary & head)
- 5090.1125 white TRV head
- Adaptors to suit 15mm copper pipe as standard
- 5090.109 straight lockshield valve (to floor)
- 5090.110 angled lockshield valve (to wall)

To suit pipework from the floor
(Same end 30/60 connections).



CODE	Description	Price £
5090.13001	Jaga High Level TRV set (1/2")	124.80
5090.110	Angled Lockshield (1/2")	13.80
5090.109	Straight Lockshield (1/2")	14.20

TRV HEADS



CODE
5090.1125



CODE
5090.1151



CODE
5090.1150



CODE
5090.1152

CODE	Description	Price £
5090.1150	White	44.90
5090.1151	Chrome	70.40
5090.1152	Silver	50.00
5090.1125	White	35.00

EN442 output at 20°C room temperature


MAXI 2020 LST - PARTS

CASINGS WALL MODEL (.../WF)							
Height		440		590		740	
L	Depth	£		£		£	
		st. colour	other	st. colour	other	st. colour	other
630	130	550.90	633.50	611.80	703.40	672.80	773.70
	180	572.40	658.20	635.80	731.60	699.00	803.90
	230	594.40	683.70	659.90	758.90	725.40	834.10
830	130	576.90	663.40	644.60	741.40	713.20	819.50
	180	601.00	691.00	670.80	771.50	740.90	852.20
	230	624.90	719.40	697.10	801.90	768.60	884.10
1030	130	602.10	693.00	677.80	779.30	752.40	865.10
	180	629.30	723.60	706.10	812.20	782.70	900.20
	230	656.00	754.60	734.60	844.70	813.30	935.10
1230	130	628.50	722.90	710.00	816.10	792.10	910.90
	180	657.00	755.70	740.90	852.20	825.30	949.10
	230	685.90	788.60	771.80	887.60	858.20	986.90
1430	130	679.80	781.20	773.10	888.80	866.80	996.90
	180	712.20	818.90	807.80	929.30	904.20	1040.10
	230	744.90	856.10	842.80	969.00	941.60	1082.90
1630	130	705.40	811.00	806.20	927.00	906.60	1042.80
	180	740.50	851.00	843.50	970.20	946.10	1088.00
	230	775.70	891.70	880.40	1012.80	985.60	1133.60
1830	130	730.90	840.60	838.30	963.90	946.10	1088.00
	180	768.20	883.90	878.10	1009.80	987.80	1136.10
	230	805.80	926.90	917.60	1055.10	1029.50	1184.50
2030	130	756.70	870.10	871.60	1002.10	985.80	1133.90
	180	796.70	916.00	913.30	1050.40	1029.50	1184.50
	230	836.00	961.70	955.40	1098.80	1073.20	1233.90

Casings Ordering Code

Product Height Length Depth Colour Model
CMAX 059 083 180 233 /WF

Standard delivery is: colour 233, grille, single piece casing



HEAT EXCHANGER WALL MODEL (.../WF)				
Height		440	590	740
L	Depth	£	£	£
630	130	198.10	207.90	218.20
	180	235.30	245.80	255.60
	230	274.10	284.00	294.00
830	130	233.30	243.40	253.60
	180	285.20	294.90	304.70
	230	338.40	348.40	358.30
1030	130	263.10	273.00	283.10
	180	328.30	338.20	348.20
	230	395.90	405.80	415.90
1230	130	285.30	295.30	305.60
	180	361.80	371.80	381.50
	230	440.90	451.10	461.40
1430	130	342.50	357.70	372.40
	180	431.40	446.10	461.40
	230	555.00	570.00	585.00
1630	130	390.40	405.70	420.10
	180	499.10	514.20	529.20
	230	647.00	662.20	677.10
1830	130	414.20	429.30	443.80
	180	534.90	549.90	564.70
	230	696.50	710.70	726.10
2030	130	438.70	453.70	468.40
	180	605.50	620.40	635.50
	230	744.90	759.50	774.50

Heat Exchanger Ordering Code

Product Height Length Depth Model
HMAX 044 103 180 /WF

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

CASINGS FLOOR MODEL (.../FF)							
Height		440		590		740	
L	Depth	£		£		£	
		st. colour	other	st. colour	other	st. colour	other
630	130	N/A	N/A	626.60	719.90	686.90	789.80
	180	N/A	N/A	649.60	747.10	713.70	820.70
	230	N/A	N/A	673.30	774.20	739.80	850.80
830	130	N/A	N/A	657.00	755.70	725.40	834.10
	180	N/A	N/A	683.70	786.30	754.40	867.20
	230	N/A	N/A	710.00	816.10	782.70	900.20
1030	130	N/A	N/A	688.00	791.90	763.90	878.10
	180	N/A	N/A	717.30	824.40	794.20	913.30
	230	N/A	N/A	745.60	857.20	825.30	949.10
1230	130	N/A	N/A	719.80	827.70	801.60	922.00
	180	N/A	N/A	750.40	863.20	834.10	959.30
	230	N/A	N/A	781.70	898.80	866.80	996.90
1430	130	N/A	N/A	779.30	895.50	873.10	1004.10
	180	N/A	N/A	814.10	936.10	910.70	1047.10
	230	N/A	N/A	849.20	977.00	948.00	1089.70
1630	130	N/A	N/A	810.70	932.80	911.70	1048.20
	180	N/A	N/A	848.10	975.60	951.10	1094.00
	230	N/A	N/A	885.60	1018.80	990.60	1139.40
1830	130	N/A	N/A	842.20	968.30	949.40	1091.90
	180	N/A	N/A	881.50	1013.10	990.60	1139.40
	230	N/A	N/A	920.60	1059.10	1031.60	1186.70
2030	130	N/A	N/A	873.10	1004.10	987.80	1136.10
	180	N/A	N/A	915.30	1052.20	1031.40	1185.60
	230	N/A	N/A	956.80	1100.70	1075.00	1236.10

Casings Ordering Code

Product Height Length Depth Colour Model
CMAX 074 103 180 233 /FF

Standard delivery is: colour 233, grille, single piece casing



HEAT EXCHANGER FLOOR MODEL (.../FF)				
Height		440	590	740
L	Depth	£	£	£
630	130	N/A	207.90	218.20
	180	N/A	245.80	255.60
	230	N/A	284.00	294.00
830	130	N/A	243.40	253.60
	180	N/A	294.90	304.70
	230	N/A	348.40	358.30
1030	130	N/A	273.00	283.10
	180	N/A	338.20	348.20
	230	N/A	405.80	415.90
1230	130	N/A	295.30	305.60
	180	N/A	371.80	381.50
	230	N/A	451.10	461.40
1430	130	N/A	357.70	372.40
	180	N/A	446.10	461.40
	230	N/A	570.00	585.00
1630	130	N/A	405.70	420.10
	180	N/A	514.20	529.20
	230	N/A	662.20	677.10
1830	130	N/A	429.30	443.80
	180	N/A	549.90	564.70
	230	N/A	710.70	726.10
2030	130	N/A	453.70	468.40
	180	N/A	620.40	635.50
	230	N/A	759.50	774.50

Heat Exchanger Ordering Code

Product Height Length Depth Model
HMAX 044 103 180 /FF

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

MAXI 2020 LST - PARTS


CASINGS WALL MODEL (.../WT)							
Height		440		590		740	
L	Depth	£		£		£	
		st. colour	other	st. colour	other	st. colour	other
630	130	497.10	571.20	557.30	640.80	618.70	711.80
	180	513.50	590.30	576.70	662.90	640.40	735.90
	230	529.90	609.30	595.20	684.40	661.10	760.70
830	130	522.80	601.00	590.60	679.00	658.20	757.10
	180	540.60	621.70	611.30	703.20	681.50	783.40
	230	558.80	642.80	631.90	726.90	704.60	809.90
1030	130	548.30	630.60	623.60	717.30	698.70	803.40
	180	568.40	653.70	644.90	741.80	721.90	830.30
	230	588.50	677.10	667.20	766.90	745.60	857.20
1230	130	574.70	661.10	656.80	754.80	737.90	849.00
	180	597.80	687.50	681.50	783.40	765.70	879.80
	230	620.40	713.70	706.10	812.20	792.80	911.70
1430	130	623.60	717.30	717.30	824.40	810.70	932.80
	180	647.00	744.20	742.80	854.20	839.30	964.80
	230	670.30	771.10	768.20	883.90	866.80	996.90
1630	130	649.00	746.20	750.20	862.80	851.00	978.90
	180	674.50	776.00	777.40	894.40	879.80	1012.20
	230	699.30	804.20	805.10	925.90	909.00	1045.20
1830	130	674.80	776.20	782.70	900.20	890.30	1024.20
	180	702.00	807.20	812.20	933.90	921.60	1059.70
	230	729.00	838.30	840.90	966.80	952.80	1095.30
2030	130	701.30	806.20	815.60	938.10	929.70	1069.60
	180	729.30	838.60	846.70	973.60	962.70	1107.50
	230	757.70	871.60	876.60	1008.50	995.40	1144.50

Casings Ordering Code

Product Height Length Depth Colour Model

CMAx 044 063 230 233 /WT

Standard delivery is: colour 233, grille, single piece casing



HEAT EXCHANGER WALL MODEL (.../WT)				
Height		440	590	740
L	Depth	£	£	£
630	130	198.10	207.90	218.20
	180	235.30	245.80	255.60
	230	274.10	284.00	294.00
830	130	233.30	243.40	253.60
	180	285.20	294.90	304.70
	230	338.40	348.40	358.30
1030	130	263.10	273.00	283.10
	180	328.30	338.20	348.20
	230	395.90	405.80	415.90
1230	130	285.30	295.30	305.60
	180	361.80	371.80	381.50
	230	440.90	451.10	461.40
1430	130	342.50	357.70	372.40
	180	431.40	446.10	461.40
	230	555.00	570.00	585.00
1630	130	390.40	405.70	420.10
	180	499.10	514.20	529.20
	230	647.00	662.20	677.10
1830	130	414.20	429.30	443.80
	180	534.90	549.90	564.70
	230	696.50	710.70	726.10
2030	130	438.70	453.70	468.40
	180	605.50	620.40	635.50
	230	744.90	759.50	774.50

Heat Exchanger Ordering Code

Product Height Length Depth Model

HMAx 044 103 180 /WT

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

CASINGS FLOOR MODEL (.../FT)							
Height		440		590		740	
L	Depth	£		£		£	
		st. colour	other	st. colour	other	st. colour	other
630	130	510.40	587.20	572.10	657.80	632.80	727.20
	180	527.30	606.80	590.60	679.00	653.70	752.00
	230	545.00	626.70	609.60	701.30	674.80	776.20
830	130	534.90	615.40	603.40	694.40	671.50	772.40
	180	553.90	637.10	623.80	717.40	694.40	798.30
	230	573.20	659.30	644.60	741.40	715.90	823.90
1030	130	560.30	644.20	634.00	729.30	709.80	815.60
	180	579.50	666.00	656.00	754.60	734.00	843.50
	230	599.20	689.00	678.00	779.50	757.70	871.60
1230	130	584.40	672.10	665.90	765.70	747.80	860.00
	180	606.80	697.90	691.00	794.70	774.50	890.90
	230	629.30	723.60	715.90	823.90	801.60	922.00
1430	130	629.70	723.80	723.20	831.50	816.90	939.50
	180	653.60	751.00	749.40	861.70	845.00	972.10
	230	676.70	777.90	776.00	891.90	873.10	1004.10
1630	130	654.70	752.60	754.60	867.90	855.80	984.10
	180	679.80	781.20	782.00	899.00	885.60	1018.80
	230	704.70	810.70	809.40	930.80	915.30	1052.20
1830	130	678.20	780.10	786.30	904.20	893.40	1027.70
	180	705.40	811.00	814.90	937.10	925.10	1063.80
	230	732.50	842.20	843.50	970.20	956.70	1099.70
2030	130	703.20	808.80	817.80	940.20	931.60	1070.90
	180	730.90	840.60	848.10	975.60	964.60	1109.00
	230	759.10	873.10	878.40	1010.00	996.90	1146.30

Casings Ordering Code

Product Height Length Depth Colour Model

CMAx 044 083 130 233 /FT

Standard delivery is: colour 233, grille, single piece casing



HEAT EXCHANGER FLOOR MODEL (.../FT)				
Height		440	590	740
L	Depth	£	£	£
630	130	198.10	207.90	218.20
	180	235.30	245.80	255.60
	230	274.10	284.00	294.00
830	130	233.30	243.40	253.60
	180	285.20	294.90	304.70
	230	338.40	348.40	358.30
1030	130	263.10	273.00	283.10
	180	328.30	338.20	348.20
	230	395.90	405.80	415.90
1230	130	285.30	295.30	305.60
	180	361.80	371.80	381.50
	230	440.90	451.10	461.40
1430	130	342.50	357.70	372.40
	180	431.40	446.10	461.40
	230	555.00	570.00	585.00
1630	130	390.40	405.70	420.10
	180	499.10	514.20	529.20
	230	647.00	662.20	677.10
1830	130	414.20	429.30	443.80
	180	534.90	549.90	564.70
	230	696.50	710.70	726.10
2030	130	438.70	453.70	468.40
	180	605.50	620.40	635.50
	230	744.90	759.50	774.50

Heat Exchanger Ordering Code

Product Height Length Depth Model

HMAx 044 103 180 /FT

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

MAXI 2020 LST - PARTS

PENCIL-PROOF GRILLE			
Length mm	Depth mm	Code	Price £
630	130	5612.00006310	37.70
	180	5612.00006315	42.50
	230	5612.00006320	50.60
830	130	5612.00008310	40.70
	180	5612.00008315	46.00
	230	5612.00008320	48.40
1030	130	5612.00010310	42.80
	180	5612.00010315	49.40
	230	5612.00010320	53.40
1230	130	5612.00012310	47.00
	180	5612.00012315	54.50
	230	5612.00012320	59.10
1430	130	5612.00014310	52.00
	180	5612.00014315	60.50
	230	5612.00014320	65.80
1630	130	5612.00016310	53.40
	180	5612.00016315	62.80
	230	5612.00016320	68.50
1830	130	5612.00018310	54.60
	180	5612.00018315	65.30
	230	5612.00018320	71.20
2030	130	5612.00020310	56.10
	180	5612.00020315	67.80
	230	5612.00020320	82.70

BASE GRILLE			
Length mm	Depth mm	Code	Price £
630	130	56130.00006310	51.10
	180	56130.00008315	54.60
	230	56130.00006320	57.20
830	130	56130.00008310	53.80
	180	56130.00008315	58.80
	230	56130.00008320	61.20
1030	130	56130.00010310	56.10
	180	56130.00010315	62.30
	230	56130.00010320	65.80
1230	130	56130.00012310	60.50
	180	56130.00012315	67.90
	230	56130.00012320	72.80
1430	130	56130.00006310	67.80
	180	56130.00008315	76.30
	230	56130.00006320	81.20
1630	130	56130.00008310	69.40
	180	56130.00008315	78.90
	230	56130.00008320	77.60
1830	130	56130.00010310	71.20
	180	56130.00010315	81.60
	230	56130.00010320	86.50
2030	130	56130.00012310	72.30
	180	56130.00012315	83.80
	230	56130.00012320	90.00



☎ +44 1531 631 533
✉ jaga@jaga.co.uk
🌐 www.jaga.co.uk

📍 **JAGA UK**
Jaga House, Orchard Business Park,
Bromyard Road, Ledbury,
Herefordshire HR8 1LG

Notes relative to price list

1. May be subject to alteration without prior notification
2. List prices subject to trading terms
3. Does not include delivery
4. Subject to VAT at the prevailing rate